



REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF FINANCE
BUREAU OF CUSTOMS
Port Area, Manila

BIDDING DOCUMENTS

FOR THE

**“SUPPLY AND DELIVERY OF TEN
(10) UNITS SPEEDBOATS WITH
SIXTY (60) KNOTS AND TRAILERS;
AND TEN (10) UNITS SPEEDBOATS
WITH FORTY (40) KNOTS AND
TRAILERS”**

Project ID No. : BOC-GOODS-2017-02
February 2017




TABLE OF CONTENTS

SECTION I. INVITATION TO BID	4
SECTION II. INSTRUCTIONS TO BIDDERS	6
SECTION III. BID DATA SHEET	36
SECTION IV. GENERAL CONDITIONS OF CONTRACT	41
SECTION V. SPECIAL CONDITIONS OF CONTRACT.....	57
SECTION VI. SCHEDULE OF REQUIREMENTS	63
SECTION VII. TECHNICAL SPECIFICATIONS	64
SECTION VIII. BIDDING FORMS	105
SECTION IX. FOREIGN-ASSISTED PROJECTS	122

Section I. Invitation to Bid



**REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF FINANCE
BUREAU OF CUSTOMS
PORT AREA, MANILA**

SECTION I. INVITATION TO BID

“Supply and Delivery of Ten (10) Units Speedboats with Sixty (60) Knots and Trailers; and Ten (10) Units Speedboats with Forty (40) Knots and Trailers”

1. The Bureau of Customs (BOC) through the authorized appropriations under the CY 2017 General Appropriations Act intends to apply the sum of Two Hundred Ninety Million Pesos (P290,000,000.00) being the Approved Budget for the Contract (ABC) to payments under the contract for the Supply and Delivery of Ten (10) Units Speedboats with Sixty (60) Knots and Trailers; and Ten (10) Units Speedboats with Forty (40) Knots and Trailers. Bids received in excess of the ABC shall be automatically rejected at the bid opening. Details are as follows:
2. The BOC now invites bids for the project, Supply and Delivery of Ten (10) Units Speedboats with Sixty (60) Knots and Trailers; and Ten (10) Units Speedboats with Forty (40) Knots and Trailers. Delivery of the goods shall be in accordance with the delivery schedule under Section VI, Schedule of Requirements. Bidders should have completed, within five (5) years prior to the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders (ITB).
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “pass/fail” criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the “Government Procurement Reform Act”.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.

4. Interested bidders may obtain further information from the BOC Bids and Awards Committee (BAC) Secretariat and inspect the Bidding Documents at the address given below during office hours from 8:00 a.m. to 5:00 p.m.
5. A complete set of Bidding Documents may be acquired by interested Bidders on February 17, 2017 from the address below and upon payment of the applicable fee for the Bidding

Documents, pursuant to the latest guidelines issued by the GPPB, in the amount of Fifty Thousand Pesos (P50,000.00).

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.

6. The BOC will hold a Pre-Bid Conference on February 24, 2017, 10:00 a.m. at the GSD Conference Room, Ground Floor, OCOM Building, South Harbor, Gate 3, Port Area, Manila, which shall be open to prospective bidders.
7. Bids must be duly received by the BAC Secretariat at the address below on or before March 9, 2017, 1:00 p.m. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 18.

Bid opening shall be on before March 9, 2017, 1:00 p.m at the GSD Conference Room, Ground Floor, OCOM Building, South Harbor, Gate 3, Port Area, Manila. Bids will be opened in the presence of the bidders' representatives who choose to attend at the address below. Late bids shall not be accepted.

8. The bidders shall drop three (3) copies of their bids containing the technical component of the bid, including the eligibility requirements, and the financial component of the bid, in two (2) separate sealed envelopes in the bid box located at the above-mentioned address.
9. The BOC reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 41 of RA 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.
10. For further information, please refer to:

BOC-BAC Secretariat
General Services Division
OCOM Bldg., South Harbor, Gate 3, Port Area, Manila
Telefax No. 527-9757
Email address: bacsecretariat@customs.gov.ph

HENRY ANTHONY M. TORRES
Chairperson, BOC-BAC

Section II. Instructions to Bidders

TABLE OF CONTENTS

A. GENERAL	8
1. Scope of Bid	8
2. Source of Funds	8
3. Corrupt, Fraudulent, Collusive, and Coercive Practices	8
4. Conflict of Interest.....	9
5. Eligible Bidders	11
6. Bidder’s Responsibilities.....	12
7. Origin of Goods	14
8. Subcontracts.....	14
B. CONTENTS OF BIDDING DOCUMENTS	15
9. Pre-Bid Conference	15
10. Clarification and Amendment of Bidding Documents	15
C. PREPARATION OF BIDS	16
11. Language of Bid	16
12. Documents Comprising the Bid: Eligibility and Technical Components	16
13. Documents Comprising the Bid: Financial Component.....	18
14. Alternative Bids.....	19
15. Bid Prices.....	19
16. Bid Currencies	21
17. Bid Validity	21
18. Bid Security	22
19. Format and Signing of Bids.....	24
20. Sealing and Marking of Bids	24
D. SUBMISSION AND OPENING OF BIDS.....	25
21. Deadline for Submission of Bids.....	25
22. Late Bids.....	25
23. Modification and Withdrawal of Bids	26
24. Opening and Preliminary Examination of Bids.....	26
E. EVALUATION AND COMPARISON OF BIDS.....	28
25. Process to be Confidential	28
26. Clarification of Bids	28

27.	Domestic Preference	28
28.	Detailed Evaluation and Comparison of Bids	29
29.	Post-Qualification	30
30.	Reservation Clause	31
F.	AWARD OF CONTRACT	32
31.	Contract Award.....	32
32.	Signing of the Contract.....	33
33.	Performance Security	34
34.	Notice to Proceed.....	35
35.	Protest Mechanism.....	37

A. General

1. Scope of Bid

- 1.1. The Procuring Entity named in the **BDS** invites bids for the supply and delivery of the Goods as described in Section VII. Technical Specifications.
- 1.2. The name, identification, and number of lots specific to this bidding are provided in the **BDS**. The contracting strategy and basis of evaluation of lots is described in **ITB** Clause 28.

2. Source of Funds

The Procuring Entity has a budget or has received funds from the Funding Source named in the **BDS**, and in the amount indicated in the **BDS**. It intends to apply part of the funds received for the Project, as defined in the **BDS**, to cover eligible payments under the contract.

3. Corrupt, Fraudulent, Collusive, and Coercive Practices

- 3.1. Unless otherwise specified in the **BDS**, the Procuring Entity as well as the bidders and suppliers shall observe the highest standard of ethics during the procurement and execution of the contract. In pursuance of this policy, the Procuring Entity:
 - (a) defines, for purposes of this provision, the terms set forth below as follows:
 - (i) “corrupt practice” means behavior on the part of officials in the public or private sectors by which they improperly and unlawfully enrich themselves, others, or induce others to do so, by misusing the position in which they are placed, and includes the offering, giving, receiving, or soliciting of anything of value to influence the action of any such official in the procurement process or in contract execution; entering, on behalf of the government, into any contract or transaction manifestly and grossly disadvantageous to the same, whether or not the public officer profited or will profit thereby, and similar acts as provided in RA 3019.
 - (ii) “fraudulent practice” means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Procuring Entity, and includes collusive practices among Bidders (prior to or after bid submission) designed to establish bid prices at artificial, non-competitive levels and to deprive the Procuring Entity of the benefits of free and open competition.
 - (iii) “collusive practices” means a scheme or arrangement between two or more Bidders, with or without the knowledge of the

Procuring Entity, designed to establish bid prices at artificial, non-competitive levels.

(iv) “coercive practices” means harming or threatening to harm, directly or indirectly, persons, or their property to influence their participation in a procurement process, or affect the execution of a contract;

(v) “obstructive practice” is

(aa) deliberately destroying, falsifying, altering or concealing of evidence material to an administrative proceedings or investigation or making false statements to investigators in order to materially impede an administrative proceedings or investigation of the Procuring Entity or any foreign government/foreign or international financing institution into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the administrative proceedings or investigation or from pursuing such proceedings or investigation; or

(bb) acts intended to materially impede the exercise of the inspection and audit rights of the Procuring Entity or any foreign government/foreign or international financing institution herein.

(b) will reject a proposal for award if it determines that the Bidder recommended for award has engaged in any of the practices mentioned in this Clause for purposes of competing for the contract.

3.2. Further, the Procuring Entity will seek to impose the maximum civil, administrative, and/or criminal penalties available under applicable laws on individuals and organizations deemed to be involved in any of the practices mentioned in **ITB** Clause 3.1.(a).

3.3. Furthermore, the Funding Source and the Procuring Entity reserve the right to inspect and audit records and accounts of a bidder or supplier in the bidding for and performance of a contract themselves or through independent auditors as reflected in the **GCC** Clause 3.

4. Conflict of Interest

4.1. All Bidders found to have conflicting interests shall be disqualified to participate in the procurement at hand, without prejudice to the imposition of appropriate administrative, civil, and criminal sanctions. A Bidder may be considered to have conflicting interests with another Bidder in any of the events described in paragraphs (a) through (c) below and a general conflict of

interest in any of the circumstances set out in paragraphs (d) through (g) below:

- (a) A Bidder has controlling shareholders in common with another Bidder;
- (b) A Bidder receives or has received any direct or indirect subsidy from any other Bidder;
- (c) A Bidder has the same legal representative as that of another Bidder for purposes of this bid;
- (d) A Bidder has a relationship, directly or through third parties, that puts them in a position to have access to information about or influence on the bid of another Bidder or influence the decisions of the Procuring Entity regarding this bidding process;
- (e) A Bidder submits more than one bid in this bidding process. However, this does not limit the participation of subcontractors in more than one bid;
- (f) A Bidder who participated as a consultant in the preparation of the design or technical specifications of the Goods and related services that are the subject of the bid; or
- (g) A Bidder who lends, or temporarily seconds, its personnel to firms or organizations which are engaged in consulting services for the preparation related to procurement for or implementation of the project, if the personnel would be involved in any capacity on the same project.

4.2. In accordance with Section 47 of the IRR of RA 9184, all Bidding Documents shall be accompanied by a sworn affidavit of the Bidder that it is not related to the Head of the Procuring Entity (HoPE), members of the Bids and Awards Committee (BAC), members of the Technical Working Group (TWG), members of the BAC Secretariat, the head of the Project Management Office (PMO) or the end-user unit, and the project consultants, by consanguinity or affinity up to the third civil degree. On the part of the Bidder, this Clause shall apply to the following persons:

- (a) If the Bidder is an individual or a sole proprietorship, to the Bidder himself;
- (b) If the Bidder is a partnership, to all its officers and members;
- (c) If the Bidder is a corporation, to all its officers, directors, and controlling stockholders;
- (d) If the Bidder is a cooperative, to all its officers, directors, and controlling shareholders or members; and

- (e) If the Bidder is a joint venture (JV), the provisions of items (a), (b), (c), or (d) of this Clause shall correspondingly apply to each of the members of the said JV, as may be appropriate.

Relationship of the nature described above or failure to comply with this Clause will result in the automatic disqualification of a Bidder.

5. Eligible Bidders

- 5.1. Unless otherwise provided in the **BDS**, the following persons shall be eligible to participate in this bidding:
 - (a) Duly licensed Filipino citizens/sole proprietorships;
 - (b) Partnerships duly organized under the laws of the Philippines and of which at least sixty percent (60%) of the interest belongs to citizens of the Philippines;
 - (c) Corporations duly organized under the laws of the Philippines, and of which at least sixty percent (60%) of the outstanding capital stock belongs to citizens of the Philippines;
 - (d) Cooperatives duly organized under the laws of the Philippines; and
 - (e) Persons/entities forming themselves into a Joint Venture (JV), *i.e.*, a group of two (2) or more persons/entities that intend to be jointly and severally responsible or liable for a particular contract: Provided, however, that Filipino ownership or interest of the JV concerned shall be at least sixty percent (60%).
- 5.2. Foreign bidders may be eligible to participate when any of the following circumstances exist, as specified in the **BDS**:
 - (a) When a Treaty or International or Executive Agreement as provided in Section 4 of RA 9184 and its IRR allow foreign bidders to participate;
 - (b) Citizens, corporations, or associations of a country, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - (c) When the Goods sought to be procured are not available from local suppliers; or
 - (d) When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Government owned or –controlled corporations (GOCCs) may be eligible to participate only if they can establish that they (a) are legally and financially autonomous, (b) operate under commercial law, and (c) are not attached agencies of the Procuring Entity.

- 5.4. Unless otherwise provided in the **BDS**, the Bidder must have completed a Single Largest Completed Contract (SLCC) similar to the Project and the value of which, adjusted, if necessary, by the Bidder to current prices using the Philippine Statistics Authority (PSA) consumer price index, must be at least equivalent to a percentage of the ABC stated in the **BDS**.

For this purpose, contracts similar to the Project shall be those described in the **BDS**, and completed within the relevant period stated in the Invitation to Bid and **ITB** Clause 12.1(a)(ii).

- 5.5. The Bidder must submit a computation of its Net Financial Contracting Capacity (NFCC), which must be at least equal to the ABC to be bid, calculated as follows:

NFCC = [(Current assets minus current liabilities) (15)] minus the value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started, coinciding with the contract to be bid.

The values of the domestic bidder's current assets and current liabilities shall be based on the latest Audited Financial Statements submitted to the BIR.

For purposes of computing the foreign bidders' NFCC, the value of the current assets and current liabilities shall be based on their audited financial statements prepared in accordance with international financial reporting standards.

If the prospective bidder opts to submit a committed Line of Credit, it must be at least equal to ten percent (10%) of the ABC to be bid. If issued by a foreign universal or commercial bank, it shall be confirmed or authenticated by a local universal or commercial bank.

6. Bidder's Responsibilities

- 6.1. The Bidder or its duly authorized representative shall submit a sworn statement in the form prescribed in Section VIII. Bidding Forms as required in **ITB** Clause 12.1.(b)(iii).

- 6.2. The Bidder is responsible for the following:

- (a) Having taken steps to carefully examine all of the Bidding Documents;
- (b) Having acknowledged all conditions, local or otherwise, affecting the implementation of the contract;
- (c) Having made an estimate of the facilities available and needed for the contract to be bid, if any;
- (d) Having complied with its responsibility to inquire or secure Supplemental/Bid Bulletin(s) as provided under **ITB** Clause 10.4.

- (e) Ensuring that it is not “blacklisted” or barred from bidding by the GOP or any of its agencies, offices, corporations, or LGUs, including foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the GPPB;
- (f) Ensuring that each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- (g) Authorizing the HoPE or its duly authorized representative/s to verify all the documents submitted;
- (h) Ensuring that the signatory is the duly authorized representative of the Bidder, and granted full power and authority to do, execute and perform any and all acts necessary and/or to represent the Bidder in the bidding, with the duly notarized Secretary’s Certificate attesting to such fact, if the Bidder is a corporation, partnership, cooperative, or joint venture;
- (i) Complying with the disclosure provision under Section 47 of RA 9184 and its IRR in relation to other provisions of RA 3019;
- (j) Complying with existing labor laws and standards, in the case of procurement of services; Moreover, bidder undertakes to:
 - (i) Ensure the entitlement of workers to wages, hours of work, safety and health and other prevailing conditions of work as established by national laws, rules and regulations; or collective bargaining agreement; or arbitration award, if and when applicable.

In case there is a finding by the Procuring Entity or the DOLE of underpayment or non-payment of workers’ wage and wage-related benefits, bidder agrees that the performance security or portion of the contract amount shall be withheld in favor of the complaining workers pursuant to appropriate provisions of Republic Act No. 9184 without prejudice to the institution of appropriate actions under the Labor Code, as amended, and other social legislations.

- (ii) Comply with occupational safety and health standards and to correct deficiencies, if any.

In case of imminent danger, injury or death of the worker, bidder undertakes to suspend contract implementation pending clearance to proceed from the DOLE Regional Office and to comply with Work Stoppage Order; and

- (iii) Inform the workers of their conditions of work, labor clauses under the contract specifying wages, hours of work and other benefits under prevailing national laws, rules and regulations; or collective bargaining agreement; or arbitration award, if and when applicable, through posting in two (2) conspicuous places in the establishment's premises; and
- (k) Ensuring that it did not give or pay, directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

Failure to observe any of the above responsibilities shall be at the risk of the Bidder concerned.

- 6.3. The Bidder is expected to examine all instructions, forms, terms, and specifications in the Bidding Documents.
- 6.4. It shall be the sole responsibility of the Bidder to determine and to satisfy itself by such means as it considers necessary or desirable as to all matters pertaining to the contract to be bid, including: (a) the location and the nature of this Project; (b) climatic conditions; (c) transportation facilities; and (d) other factors that may affect the cost, duration, and execution or implementation of this Project.
- 6.5. The Procuring Entity shall not assume any responsibility regarding erroneous interpretations or conclusions by the prospective or eligible bidder out of the data furnished by the procuring entity. However, the Procuring Entity shall ensure that all information in the Bidding Documents, including bid/supplemental bid bulletin/s issued, are correct and consistent.
- 6.6. Before submitting their bids, the Bidder is deemed to have become familiar with all existing laws, decrees, ordinances, acts and regulations of the Philippines which may affect this Project in any way.
- 6.7. The Bidder shall bear all costs associated with the preparation and submission of his bid, and the Procuring Entity will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.
- 6.8. The Bidder should note that the Procuring Entity will accept bids only from those that have paid the applicable fee for the Bidding Documents at the office indicated in the Invitation to Bid.

7. Origin of Goods

Unless otherwise indicated in the **BDS**, there is no restriction on the origin of goods other than those prohibited by a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, subject to **ITB** Clause 27.1.

8. Subcontracts

- 8.1. Unless otherwise specified in the **BDS**, the Bidder may subcontract portions of the Goods to an extent as may be approved by the Procuring Entity and stated in the **BDS**. However, subcontracting of any portion shall not relieve the Bidder from any liability or obligation that may arise from the contract for this Project.
- 8.2. Subcontractors must submit the documentary requirements under **ITB** Clause 12 and comply with the eligibility criteria specified in the **BDS**. In the event that any subcontractor is found by the Procuring Entity to be ineligible, the subcontracting of such portion of the Goods shall be disallowed.
- 8.3. The Bidder may identify the subcontractor to whom a portion of the Goods will be subcontracted at any stage of the bidding process or during contract implementation. If the Bidder opts to disclose the name of the subcontractor during bid submission, the Bidder shall include the required documents as part of the technical component of its bid.

B. Contents of Bidding Documents

9. Pre-Bid Conference

- 9.1. (a) If so specified in the **BDS**, a pre-bid conference shall be held at the venue and on the date indicated therein, to clarify and address the Bidders' questions on the technical and financial components of this Project.

(b) The pre-bid conference shall be held at least twelve (12) calendar days before the deadline for the submission and receipt of bids, but not earlier than seven (7) calendar days from the posting of the invitation to bid/bidding documents in the PhilGEPS website. If the Procuring Entity determines that, by reason of the method, nature, or complexity of the contract to be bid, or when international participation will be more advantageous to the GOP, a longer period for the preparation of bids is necessary, the pre-bid conference shall be held at least thirty (30) calendar days before the deadline for the submission and receipt of bids, as specified in the **BDS**.
- 9.2. Bidders are encouraged to attend the pre-bid conference to ensure that they fully understand the Procuring Entity's requirements. Non-attendance of the Bidder will in no way prejudice its bid; however, the Bidder is expected to know the changes and/or amendments to the Bidding Documents as recorded in the minutes of the pre-bid conference and the Supplemental/Bid Bulletin. The minutes of the pre-bid conference shall be recorded and prepared not later than five (5) calendar days after the pre-bid conference. The minutes shall be made available to prospective bidders not later than five (5) days upon written request.
- 9.3. Decisions of the BAC amending any provision of the bidding documents shall be issued in writing through a Supplemental/Bid Bulletin at least seven (7) calendar days before the deadline for the submission and receipt of bids.

10. Clarification and Amendment of Bidding Documents

- 10.1. Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such request must be in writing and submitted to the Procuring Entity at the address indicated in the **BDS** at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.
- 10.2. The BAC shall respond to the said request by issuing a Supplemental/Bid Bulletin, to be made available to all those who have properly secured the Bidding Documents, at least seven (7) calendar days before the deadline for the submission and receipt of Bids.
- 10.3. Supplemental/Bid Bulletins may also be issued upon the Procuring Entity's initiative for purposes of clarifying or modifying any provision of the Bidding Documents not later than seven (7) calendar days before the deadline for the submission and receipt of Bids. Any modification to the Bidding Documents shall be identified as an amendment.
- 10.4. Any Supplemental/Bid Bulletin issued by the BAC shall also be posted in the PhilGEPS and the website of the Procuring Entity concerned, if available, and at any conspicuous place in the premises of the Procuring Entity concerned. It shall be the responsibility of all Bidders who have properly secured the Bidding Documents to inquire and secure Supplemental/Bid Bulletins that may be issued by the BAC. However, Bidders who have submitted bids before the issuance of the Supplemental/Bid Bulletin must be informed and allowed to modify or withdraw their bids in accordance with **ITB** Clause 23.

C. Preparation of Bids

11. Language of Bids

The eligibility requirements or statements, the bids, and all other documents to be submitted to the BAC must be in English. If the eligibility requirements or statements, the bids, and all other documents submitted to the BAC are in foreign language other than English, it must be accompanied by a translation of the documents in English. The documents shall be translated by the relevant foreign government agency, the foreign government agency authorized to translate documents, or a registered translator in the foreign bidder's country; and shall be authenticated by the appropriate Philippine foreign service establishment/post or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. The English translation shall govern, for purposes of interpretation of the bid.

12. Documents Comprising the Bid: Eligibility and Technical Components

12.1. Unless otherwise indicated in the **BDS**, the first envelope shall contain the following eligibility and technical documents:

- (a) Eligibility Documents –

Class "A" Documents:

- (i) PhilGEPS Certificate of Registration and Membership in accordance with Section 8.5.2 of the IRR, except for foreign bidders participating in the procurement by a Philippine Foreign Service Office or Post, which shall submit their eligibility documents under Section 23.1 of the IRR, provided, that the winning bidder shall register with the PhilGEPS in accordance with section 37.1.4 of the IRR.
- (ii) Statement of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and

Statement of the Bidder's SLCC similar to the contract to be bid, in accordance with ITB Clause 5.4, within the relevant period as provided in the **BDS**.

The two statements required shall indicate for each contract the following:

- (ii.1) name of the contract;
 - (ii.2) date of the contract;
 - (ii.3) contract duration;
 - (ii.4) owner's name and address;
 - (ii.5) kinds of Goods;
 - (ii.6) For Statement of Ongoing Contracts - amount of contract and value of outstanding contracts;
 - (ii.7) For Statement of SLCC - amount of completed contracts, adjusted by the Bidder to current prices using PSA's consumer price index, if necessary for the purpose of meeting the SLCC requirement;
 - (ii.8) date of delivery; and
 - (ii.9) end user's acceptance or official receipt(s) or sales invoice issued for the contract, if completed, which shall be attached to the statements.
- (iii) NFCC computation in accordance with ITB Clause 5.5 or a committed Line of Credit from a universal or commercial bank.

Class "B" Document:

- (iv) If applicable, the Joint Venture Agreement (JVA) in case the joint venture is already in existence, or duly notarized

statements from all the potential joint venture partners in accordance with Section 23.1(b) of the IRR.

- (b) Technical Documents –
 - (i) Bid security in accordance with **ITB** Clause 18. If the Bidder opts to submit the bid security in the form of:
 - (i.1) a bank draft/guarantee or an irrevocable letter of credit issued by a foreign bank, it shall be accompanied by a confirmation from a Universal or Commercial Bank; or
 - (i.2) a surety bond, it shall be accompanied by a certification by the Insurance Commission that the surety or insurance company is authorized to issue such instruments;
 - (ii) Conformity with technical specifications, as enumerated and specified in Sections VI and VII of the Bidding Documents; and
 - (iii) Sworn statement in accordance with Section 25.3 of the IRR of RA 9184 and using the form prescribed in Section VIII. Bidding Forms.
 - (iv) For foreign bidders claiming eligibility by reason of their country's extension of reciprocal rights to Filipinos, a certification from the relevant government office of their country stating that Filipinos are allowed to participate in their government procurement activities for the same item or product.

13. Documents Comprising the Bid: Financial Component

- 13.1. Unless otherwise stated in the **BDS**, the financial component of the bid shall contain the following:
 - (a) Financial Bid Form, which includes bid prices and the applicable Price Schedules, in accordance with **ITB** Clauses 15.1 and 15.4;
 - (b) If the Bidder claims preference as a Domestic Bidder, a certification from the DTI issued in accordance with **ITB** Clause 27, unless otherwise provided in the **BDS**; and
 - (c) Any other document related to the financial component of the bid as stated in the **BDS**.
- 13.2. (a) Unless otherwise stated in the **BDS**, all bids that exceed the ABC shall not be accepted.

- (b) Unless otherwise indicated in the **BDS**, for foreign-funded procurement, a ceiling may be applied to bid prices provided the following conditions are met:
- (i) Bidding Documents are obtainable free of charge on a freely accessible website. If payment of Bidding Documents is required by the procuring entity, payment could be made upon the submission of bids.
 - (ii) The procuring entity has procedures in place to ensure that the ABC is based on recent estimates made by the responsible unit of the procuring entity and that the estimates reflect the quality, supervision and risk and inflationary factors, as well as prevailing market prices, associated with the types of works or goods to be procured.
 - (iii) The procuring entity has trained cost estimators on estimating prices and analyzing bid variances.
 - (iv) The procuring entity has established a system to monitor and report bid prices relative to ABC and engineer's/procuring entity's estimate.
 - (v) The procuring entity has established a monitoring and evaluation system for contract implementation to provide a feedback on actual total costs of goods and works.

14. Alternative Bids

- 14.1 Alternative Bids shall be rejected. For this purpose, alternative bid is an offer made by a Bidder in addition or as a substitute to its original bid which may be included as part of its original bid or submitted separately therewith for purposes of bidding. A bid with options is considered an alternative bid regardless of whether said bid proposal is contained in a single envelope or submitted in two (2) or more separate bid envelopes.
- 14.2 Each Bidder shall submit only one Bid, either individually or as a partner in a JV. A Bidder who submits or participates in more than one bid (other than as a subcontractor if a subcontractor is permitted to participate in more than one bid) will cause all the proposals with the Bidder's participation to be disqualified. This shall be without prejudice to any applicable criminal, civil and administrative penalties that may be imposed upon the persons and entities concerned.

15. Bid Prices

- 15.1. The Bidder shall complete the appropriate Schedule of Prices included herein, stating the unit prices, total price per item, the total amount and the expected countries of origin of the Goods to be supplied under this Project.

- 15.2. The Bidder shall fill in rates and prices for all items of the Goods described in the Schedule of Prices. Bids not addressing or providing all of the required items in the Bidding Documents including, where applicable, Schedule of Prices, shall be considered non-responsive and, thus, automatically disqualified. In this regard, where a required item is provided, but no price is indicated, the same shall be considered as non-responsive, but specifying a zero (0) or a dash (-) for the said item would mean that it is being offered for free to the Government, except those required by law or regulations to be accomplished.
- 15.3. The terms Ex Works (EXW), Cost, Insurance and Freight (CIF), Cost and Insurance Paid to (CIP), Delivered Duty Paid (DDP), and other trade terms used to describe the obligations of the parties, shall be governed by the rules prescribed in the current edition of the International Commercial Terms (INCOTERMS) published by the International Chamber of Commerce, Paris.
- 15.4. Prices indicated on the Price Schedule shall be entered separately in the following manner:
- (a) For Goods offered from within the Procuring Entity's country:
 - (i) The price of the Goods quoted EXW (ex works, ex factory, ex warehouse, ex showroom, or off-the-shelf, as applicable);
 - (ii) The cost of all customs duties and sales and other taxes already paid or payable;
 - (iii) The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - (iv) The price of other (incidental) services, if any, listed in the **BDS**.
 - (b) For Goods offered from abroad:
 - (i) Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted DDP with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - (ii) The price of other (incidental) services, if any, listed in the **BDS**.
 - (c) For Services, based on the form which may be prescribed by the Procuring Entity, in accordance with existing laws, rules and regulations
- 15.5. Prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation or price escalation on any account. A

bid submitted with an adjustable price quotation shall be treated as non-responsive and shall be rejected, pursuant to **ITB** Clause 24.

All bid prices for the given scope of work in the contract as awarded shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances. Upon the recommendation of the Procuring Entity, price escalation may be allowed in extraordinary circumstances as may be determined by the National Economic and Development Authority in accordance with the Civil Code of the Philippines, and upon approval by the GPPB. Nevertheless, in cases where the cost of the awarded contract is affected by any applicable new laws, ordinances, regulations, or other acts of the GOP, promulgated after the date of bid opening, a contract price adjustment shall be made or appropriate relief shall be applied on a no loss-no gain basis.

16. Bid Currencies

16.1. Prices shall be quoted in the following currencies:

- (a) For Goods that the Bidder will supply from within the Philippines, the prices shall be quoted in Philippine Pesos.
- (b) For Goods that the Bidder will supply from outside the Philippines, the prices may be quoted in the currency(ies) stated in the **BDS**. However, for purposes of bid evaluation, bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the *Bangko Sentral ng Pilipinas* (BSP) reference rate bulletin on the day of the bid opening.

16.2. If so allowed in accordance with **ITB** Clause 16.1, the Procuring Entity for purposes of bid evaluation and comparing the bid prices will convert the amounts in various currencies in which the bid price is expressed to Philippine Pesos at the foregoing exchange rates.

16.3. Unless otherwise specified in the **BDS**, payment of the contract price shall be made in Philippine Pesos.

17. Bid Validity

17.1. Bids shall remain valid for the period specified in the **BDS** which shall not exceed one hundred twenty (120) calendar days from the date of the opening of bids.

17.2. In exceptional circumstances, prior to the expiration of the bid validity period, the Procuring Entity may request Bidders to extend the period of validity of their bids. The request and the responses shall be made in writing. The bid security described in **ITB** Clause 18 should also be extended corresponding to the extension of the bid validity period at the least. A Bidder may refuse the request without forfeiting its bid security, but his bid shall no longer be considered for further evaluation and award. A Bidder granting the request shall not be required or permitted to modify its bid.

18. Bid Security

18.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount stated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the following schedule:

Form of Bid Security	Amount of Bid Security (Not Less than the Percentage of the ABC)
<p>(a) Cash or cashier's/manager's check issued by a Universal or Commercial Bank.</p> <p><i>For biddings conducted by LGUs, the Cashier's/Manager's Check may be issued by other banks certified by the BSP as authorized to issue such financial instrument.</i></p>	
<p>(b) Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.</p> <p><i>For biddings conducted by LGUs, Bank Draft/Guarantee, or Irrevocable Letter of Credit may be issued by other banks certified by the BSP as authorized to issue such financial instrument.</i></p>	Two percent (2%)
<p>(c) Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.</p>	Five percent (5%)

The Bid Securing Declaration mentioned above is an undertaking which states, among others, that the Bidder shall enter into contract with the procuring entity and furnish the performance security required under ITB Clause 33.2, within ten (10) calendar days from receipt of the Notice of Award, and commits to pay the corresponding amount as fine, and be suspended for a period of time from being qualified to participate in any

government procurement activity in the event it violates any of the conditions stated therein as provided in the guidelines issued by the GPPB.

- 18.2. The bid security should be valid for the period specified in the **BDS**. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.
- 18.3. No bid securities shall be returned to Bidders after the opening of bids and before contract signing, except to those that failed or declared as post-disqualified, upon submission of a written waiver of their right to file a request for reconsideration and/or protest, or upon the lapse of the reglementary period to file a request for reconsideration or protest. Without prejudice on its forfeiture, bid securities shall be returned only after the Bidder with the Lowest Calculated Responsive Bid (LCRB) has signed the contract and furnished the performance security, but in no case later than the expiration of the bid security validity period indicated in **ITB** Clause 18.2.
- 18.4. Upon signing and execution of the contract pursuant to **ITB** Clause 32, and the posting of the performance security pursuant to **ITB** Clause 33, the successful Bidder's bid security will be discharged, but in no case later than the bid security validity period as indicated in the **ITB** Clause 18.2.
- 18.5. The bid security may be forfeited:
 - (a) if a Bidder:
 - (i) withdraws its bid during the period of bid validity specified in **ITB** Clause 17;
 - (ii) does not accept the correction of errors pursuant to **ITB** Clause 28.3.(b);
 - (iii) has a finding against the veracity of any of the documents submitted as stated in **ITB** Clause 29.2;
 - (iv) submission of eligibility requirements containing false information or falsified documents;
 - (v) submission of bids that contain false information or falsified documents, or the concealment of such information in the bids in order to influence the outcome of eligibility screening or any other stage of the public bidding;
 - (vi) allowing the use of one's name, or using the name of another for purposes of public bidding;
 - (vii) withdrawal of a bid, or refusal to accept an award, or enter into contract with the Government without justifiable cause, after the Bidder had been adjudged as having submitted the LCRB;
 - (viii) refusal or failure to post the required performance security within the prescribed time;

- (ix) refusal to clarify or validate in writing its bid during post-qualification within a period of seven (7) calendar days from receipt of the request for clarification;
 - (x) any documented attempt by a Bidder to unduly influence the outcome of the bidding in his favor;
 - (xi) failure of the potential joint venture partners to enter into the joint venture after the bid is declared successful; or
 - (xii) all other acts that tend to defeat the purpose of the competitive bidding, such as habitually withdrawing from bidding, submitting late Bids or patently insufficient bid, for at least three (3) times within a year, except for valid reasons.
- (b) if the successful Bidder:
- (i) fails to sign the contract in accordance with **ITB** Clause 32; or
 - (ii) fails to furnish performance security in accordance with **ITB** Clause 33.

19. Format and Signing of Bids

- 19.1. Bidders shall submit their bids through their duly authorized representative using the appropriate forms provided in Section VIII. Bidding Forms on or before the deadline specified in the **ITB** Clauses 21 in two (2) separate sealed bid envelopes, and which shall be submitted simultaneously. The first shall contain the technical component of the bid, including the eligibility requirements under **ITB** Clause 12.1, and the second shall contain the financial component of the bid. This shall also be observed for each lot in the case of lot procurement.
- 19.2. Forms as mentioned in **ITB** Clause 19.1 must be completed without any alterations to their format, and no substitute form shall be accepted. All blank spaces shall be filled in with the information requested.
- 19.3. The Bidder shall prepare and submit an original of the first and second envelopes as described in **ITB** Clauses 12 and 13. In addition, the Bidder shall submit copies of the first and second envelopes. In the event of any discrepancy between the original and the copies, the original shall prevail.
- 19.4. Each and every page of the Bid Form, including the Schedule of Prices, under Section VIII hereof, shall be signed by the duly authorized representative/s of the Bidder. Failure to do so shall be a ground for the rejection of the bid.
- 19.5. Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by the duly authorized representative/s of the Bidder.

20. Sealing and Marking of Bids

- 20.1. Bidders shall enclose their original eligibility and technical documents described in **ITB** Clause 12 in one sealed envelope marked “ORIGINAL - TECHNICAL COMPONENT”, and the original of their financial component in another sealed envelope marked “ORIGINAL - FINANCIAL COMPONENT”, sealing them all in an outer envelope marked “ORIGINAL BID”.
- 20.2. Each copy of the first and second envelopes shall be similarly sealed duly marking the inner envelopes as “COPY NO. ____ - TECHNICAL COMPONENT” and “COPY NO. ____ – FINANCIAL COMPONENT” and the outer envelope as “COPY NO. ____”, respectively. These envelopes containing the original and the copies shall then be enclosed in one single envelope.
- 20.3. The original and the number of copies of the Bid as indicated in the **BDS** shall be typed or written in ink and shall be signed by the Bidder or its duly authorized representative/s.
- 20.4. All envelopes shall:
- (a) contain the name of the contract to be bid in capital letters;
 - (b) bear the name and address of the Bidder in capital letters;
 - (c) be addressed to the Procuring Entity’s BAC in accordance with **ITB** Clause 1.1;
 - (d) bear the specific identification of this bidding process indicated in the **ITB** Clause 1.2; and
 - (e) bear a warning “DO NOT OPEN BEFORE...” the date and time for the opening of bids, in accordance with **ITB** Clause 21.
- 20.5. Bid envelopes that are not properly sealed and marked, as required in the bidding documents, shall not be rejected, but the Bidder or its duly authorized representative shall acknowledge such condition of the bid as submitted. The BAC or the Procuring Entity shall assume no responsibility for the misplacement of the contents of the improperly sealed or marked bid, or for its premature opening.

D. Submission and Opening of Bids

21. Deadline for Submission of Bids

Bids must be received by the Procuring Entity’s BAC at the address and on or before the date and time indicated in the **BDS**.

22. Late Bids

Any bid submitted after the deadline for submission and receipt of bids prescribed by the Procuring Entity, pursuant to **ITB** Clause 21, shall be declared “Late” and shall

not be accepted by the Procuring Entity. The BAC shall record in the minutes of bid submission and opening, the Bidder's name, its representative and the time the late bid was submitted.

23. Modification and Withdrawal of Bids

- 23.1. The Bidder may modify its bid after it has been submitted; provided that the modification is received by the Procuring Entity prior to the deadline prescribed for submission and receipt of bids. The Bidder shall not be allowed to retrieve its original bid, but shall be allowed to submit another bid equally sealed and properly identified in accordance with ITB Clause 20, linked to its original bid marked as "TECHNICAL MODIFICATION" or "FINANCIAL MODIFICATION" and stamped "received" by the BAC. Bid modifications received after the applicable deadline shall not be considered and shall be returned to the Bidder unopened.
- 23.2. A Bidder may, through a Letter of Withdrawal, withdraw its bid after it has been submitted, for valid and justifiable reason; provided that the Letter of Withdrawal is received by the Procuring Entity prior to the deadline prescribed for submission and receipt of bids. The Letter of Withdrawal must be executed by the duly authorized representative of the Bidder identified in the Omnibus Sworn Statement, a copy of which should be attached to the letter.
- 23.3. Bids requested to be withdrawn in accordance with **ITB** Clause 23.1 shall be returned unopened to the Bidders. A Bidder, who has acquired the bidding documents, may also express its intention not to participate in the bidding through a letter which should reach and be stamped by the BAC before the deadline for submission and receipt of bids. A Bidder that withdraws its bid shall not be permitted to submit another bid, directly or indirectly, for the same contract.
- 23.4. No bid may be modified after the deadline for submission of bids. No bid may be withdrawn in the interval between the deadline for submission of bids and the expiration of the period of bid validity specified by the Bidder on the Financial Bid Form. Withdrawal of a bid during this interval shall result in the forfeiture of the Bidder's bid security, pursuant to **ITB** Clause 18.5, and the imposition of administrative, civil and criminal sanctions as prescribed by RA 9184 and its IRR.

24. Opening and Preliminary Examination of Bids

- 24.1. The BAC shall open the bids in public, immediately after the deadline for the submission and receipt of bids, as specified in the **BDS**. In case the Bids cannot be opened as scheduled due to justifiable reasons, the BAC shall take custody of the Bids submitted and reschedule the opening of Bids on the next working day or at the soonest possible time through the issuance of a Notice of

Postponement to be posted in the PhilGEPS website and the website of the Procuring Entity concerned.

- 24.2. Unless otherwise specified in the **BDS**, the BAC shall open the first bid envelopes and determine each Bidder's compliance with the documents prescribed in **ITB** Clause 12, using a non-discretionary "pass/fail" criterion. If a Bidder submits the required document, it shall be rated "passed" for that particular requirement. In this regard, bids that fail to include any requirement or are incomplete or patently insufficient shall be considered as "failed". Otherwise, the BAC shall rate the said first bid envelope as "passed".
- 24.3. Unless otherwise specified in the **BDS**, immediately after determining compliance with the requirements in the first envelope, the BAC shall forthwith open the second bid envelope of each remaining eligible bidder whose first bid envelope was rated "passed". The second envelope of each complying bidder shall be opened within the same day. In case one or more of the requirements in the second envelope of a particular bid is missing, incomplete or patently insufficient, and/or if the submitted total bid price exceeds the ABC unless otherwise provided in **ITB** Clause 13.2, the BAC shall rate the bid concerned as "failed". Only bids that are determined to contain all the bid requirements for both components shall be rated "passed" and shall immediately be considered for evaluation and comparison.
- 24.4. Letters of Withdrawal shall be read out and recorded during bid opening, and the envelope containing the corresponding withdrawn bid shall be returned to the Bidder unopened.
- 24.5. All members of the BAC who are present during bid opening shall initial every page of the original copies of all bids received and opened.
- 24.6. In the case of an eligible foreign bidder as described in **ITB** Clause 5, the following Class "A" Documents may be substituted with the appropriate equivalent documents, if any, issued by the country of the foreign Bidder concerned, which shall likewise be uploaded and maintained in the PhilGEPS in accordance with Section 8.5.2 of the IRR:
 - (a) Registration certificate from the Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or CDA for cooperatives;
 - (b) Mayor's/Business permit issued by the local government where the principal place of business of the bidder is located; and
 - (c) Audited Financial Statements showing, among others, the prospective bidder's total and current assets and liabilities stamped "received" by the Bureau of Internal Revenue or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two years from the date of bid submission.
- 24.7. Each partner of a joint venture agreement shall likewise submit the requirements in **ITB** Clause 12.1(a)(i). Submission of documents required

under **ITB** Clauses 12.1(a)(ii) to 12.1(a)(iii) by any of the joint venture partners constitutes compliance.

- 24.8. The Procuring Entity shall prepare the minutes of the proceedings of the bid opening that shall include, as a minimum: (a) names of Bidders, their bid price (per lot, if applicable, and/or including discount, if any), bid security, findings of preliminary examination, and whether there is a withdrawal or modification; and (b) attendance sheet. The BAC members shall sign the abstract of bids as read.
- 24.8 The bidders or their duly authorized representatives may attend the opening of bids. The BAC shall ensure the integrity, security, and confidentiality of all submitted bids. The Abstract of Bids as read and the minutes of the bid opening shall be made available to the public upon written request and payment of a specified fee to recover cost of materials.
- 24.9 To ensure transparency and accurate representation of the bid submission, the BAC Secretariat shall notify in writing all bidders whose bids it has received through its PhilGEPS-registered physical address or official e-mail address. The notice shall be issued within seven (7) calendar days from the date of the bid opening.

E. Evaluation and Comparison of Bids

25. Process to be Confidential

- 25.1. Members of the BAC, including its staff and personnel, as well as its Secretariat and TWG, are prohibited from making or accepting any kind of communication with any bidder regarding the evaluation of their bids until the issuance of the Notice of Award, unless otherwise allowed in the case of **ITB** Clause 26.
- 25.2. Any effort by a bidder to influence the Procuring Entity in the Procuring Entity's decision in respect of bid evaluation, bid comparison or contract award will result in the rejection of the Bidder's bid.

26. Clarification of Bids

To assist in the evaluation, comparison, and post-qualification of the bids, the Procuring Entity may ask in writing any Bidder for a clarification of its bid. All responses to requests for clarification shall be in writing. Any clarification submitted by a Bidder in respect to its bid and that is not in response to a request by the Procuring Entity shall not be considered.

27. Domestic Preference

- 27.1. Unless otherwise stated in the **BDS**, the Procuring Entity will grant a margin of preference for the purpose of comparison of bids in accordance with the following:

- (a) The preference shall be applied when the lowest Foreign Bid is lower than the lowest bid offered by a Domestic Bidder.
 - (b) For evaluation purposes, the lowest Foreign Bid shall be increased by fifteen percent (15%).
 - (c) In the event that the lowest bid offered by a Domestic Bidder does not exceed the lowest Foreign Bid as increased, then the Procuring Entity shall award the contract to the Domestic Bidder at the amount of the lowest Foreign Bid.
 - (d) If the Domestic Bidder refuses to accept the award of contract at the amount of the Foreign Bid within two (2) calendar days from receipt of written advice from the BAC, the Procuring Entity shall award to the bidder offering the Foreign Bid, subject to post-qualification and submission of all the documentary requirements under these Bidding Documents.
- 27.2. A Bidder may be granted preference as a Domestic Bidder subject to the certification from the DTI that the Bidder is offering unmanufactured articles, materials or supplies of the growth or production of the Philippines, or manufactured articles, materials, or supplies manufactured or to be manufactured in the Philippines substantially from articles, materials, or supplies of the growth, production, or manufacture, as the case may be, of the Philippines.

28. Detailed Evaluation and Comparison of Bids

- 28.1. The Procuring Entity will undertake the detailed evaluation and comparison of bids which have passed the opening and preliminary examination of bids, pursuant to **ITB** Clause 24, in order to determine the Lowest Calculated Bid.
- 28.2. The Lowest Calculated Bid shall be determined in two steps:
- (a) The detailed evaluation of the financial component of the bids, to establish the correct calculated prices of the bids; and
 - (b) The ranking of the total bid prices as so calculated from the lowest to the highest. The bid with the lowest price shall be identified as the Lowest Calculated Bid.
- 28.3. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the following in the evaluation of bids:
- (a) Completeness of the bid. Unless the **BDS** allows partial bids, bids not addressing or providing all of the required items in the Schedule of Requirements including, where applicable, Schedule of Prices, shall be considered non-responsive and, thus, automatically disqualified. In this regard, where a required item is provided, but no price is indicated, the same shall be considered as non-responsive, but specifying a zero (0)

or a dash (-) for the said item would mean that it is being offered for free to the Procuring Entity, except those required by law or regulations to be provided for; and

(b) Arithmetical corrections. Consider computational errors and omissions to enable proper comparison of all eligible bids. It may also consider bid modifications. Any adjustment shall be calculated in monetary terms to determine the calculated prices.

28.4. Based on the detailed evaluation of bids, those that comply with the above-mentioned requirements shall be ranked in the ascending order of their total calculated bid prices, as evaluated and corrected for computational errors, discounts and other modifications, to identify the Lowest Calculated Bid. Total calculated bid prices, as evaluated and corrected for computational errors, discounts and other modifications, which exceed the ABC shall not be considered, unless otherwise indicated in the **BDS**.

28.5. The Procuring Entity's evaluation of bids shall be based on the bid price quoted in the Bid Form, which includes the Schedule of Prices.

28.6. Bids shall be evaluated on an equal footing to ensure fair competition. For this purpose, all bidders shall be required to include in their bids the cost of all taxes, such as, but not limited to, value added tax (VAT), income tax, local taxes, and other fiscal levies and duties which shall be itemized in the bid form and reflected in the detailed estimates. Such bids, including said taxes, shall be the basis for bid evaluation and comparison.

28.7. If so indicated pursuant to **ITB** Clause 1.2, Bids are being invited for individual lots or for any combination thereof, provided that all Bids and combinations of Bids shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid prices quoted shall correspond to all items specified for each lot and to all quantities specified for each item of a lot. Bid Security as required by **ITB** Clause 18 shall be submitted for each contract (lot) separately. The basis for evaluation of lots is specified in **BDS** Clause 28.3.

29. Post-Qualification

29.1. The BAC shall determine to its satisfaction whether the Bidder that is evaluated as having submitted the Lowest Calculated Bid complies with and is responsive to all the requirements and conditions specified in **ITB** Clauses 5, 12, and 13.

29.2. Within a non-extendible period of five (5) calendar days from receipt by the bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

Failure to submit any of the post-qualification requirements on time, or a finding against the veracity thereof, shall disqualify the bidder for award. Provided in the event that a finding against the veracity of any of the documents submitted is made, it shall cause the forfeiture of the bid security in accordance with Section 69 of the IRR of RA 9184.

- 29.3. The determination shall be based upon an examination of the documentary evidence of the Bidder's qualifications submitted pursuant to **ITB** Clauses 12 and 13, as well as other information as the Procuring Entity deems necessary and appropriate, using a non-discretionary "pass/fail" criterion, which shall be completed within a period of twelve (12) calendar days.
- 29.4. If the BAC determines that the Bidder with the Lowest Calculated Bid passes all the criteria for post-qualification, it shall declare the said bid as the LCRB, and recommend to the HoPE the award of contract to the said Bidder at its submitted price or its calculated bid price, whichever is lower.
- 29.5. A negative determination shall result in rejection of the Bidder's Bid, in which event the Procuring Entity shall proceed to the next Lowest Calculated Bid with a fresh period to make a similar determination of that Bidder's capabilities to perform satisfactorily. If the second Bidder, however, fails the post qualification, the procedure for post qualification shall be repeated for the Bidder with the next Lowest Calculated Bid, and so on until the LCRB is determined for recommendation for contract award.
- 29.6. Within a period not exceeding fifteen (15) calendar days from the determination by the BAC of the LCRB and the recommendation to award the contract, the HoPE or his duly authorized representative shall approve or disapprove the said recommendation.
- 29.7. In the event of disapproval, which shall be based on valid, reasonable, and justifiable grounds as provided for under Section 41 of the IRR of RA 9184, the HoPE shall notify the BAC and the Bidder in writing of such decision and the grounds for it. When applicable, the BAC shall conduct a post-qualification of the Bidder with the next Lowest Calculated Bid. A request for reconsideration may be filed by the bidder with the HoPE in accordance with Section 37.1.3 of the IRR of RA 9184.

30. Reservation Clause

- 30.1. Notwithstanding the eligibility or post-qualification of a Bidder, the Procuring Entity concerned reserves the right to review its qualifications at any stage of the procurement process if it has reasonable grounds to believe that a misrepresentation has been made by the said Bidder, or that there has been a change in the Bidder's capability to undertake the project from the time it submitted its eligibility requirements. Should such review uncover any misrepresentation made in the eligibility and bidding requirements, statements or documents, or any changes in the situation of the Bidder which will affect its capability to undertake the project so that it fails the preset eligibility or bid evaluation criteria, the Procuring Entity shall consider the said Bidder as

ineligible and shall disqualify it from submitting a bid or from obtaining an award or contract.

- 30.2. Based on the following grounds, the Procuring Entity reserves the right to reject any and all bids, declare a Failure of Bidding at any time prior to the contract award, or not to award the contract, without thereby incurring any liability, and make no assurance that a contract shall be entered into as a result of the bidding:
- (a) If there is *prima facie* evidence of collusion between appropriate public officers or employees of the Procuring Entity, or between the BAC and any of the Bidders, or if the collusion is between or among the bidders themselves, or between a Bidder and a third party, including any act which restricts, suppresses or nullifies or tends to restrict, suppress or nullify competition;
 - (b) If the Procuring Entity's BAC is found to have failed in following the prescribed bidding procedures; or
 - (c) For any justifiable and reasonable ground where the award of the contract will not redound to the benefit of the GOP as follows:
 - (i) If the physical and economic conditions have significantly changed so as to render the project no longer economically, financially or technically feasible as determined by the HoPE;
 - (ii) If the project is no longer necessary as determined by the HoPE; and
 - (iii) If the source of funds for the project has been withheld or reduced through no fault of the Procuring Entity.
- 30.3. In addition, the Procuring Entity may likewise declare a failure of bidding when:
- (a) No bids are received;
 - (b) All prospective Bidders are declared ineligible;
 - (c) All bids fail to comply with all the bid requirements or fail post-qualification; or
 - (d) The bidder with the LCRB refuses, without justifiable cause to accept the award of contract, and no award is made in accordance with Section 40 of the IRR of RA 9184.

F. Award of Contract

31. Contract Award

- 31.1. Subject to **ITB** Clause 29, the HoPE or its duly authorized representative shall award the contract to the Bidder whose bid has been determined to be the LCRB.
- 31.2. Prior to the expiration of the period of bid validity, the Procuring Entity shall notify the successful Bidder in writing that its bid has been accepted, through a Notice of Award duly received by the Bidder or its representative personally or sent by registered mail or electronically, receipt of which must be confirmed in writing within two (2) days by the Bidder with the LCRB and submitted personally or sent by registered mail or electronically to the Procuring Entity.
- 31.3. Notwithstanding the issuance of the Notice of Award, award of contract shall be subject to the following conditions:
 - (a) Submission of the following documents within ten (10) calendar days from receipt of the Notice of Award:
 - (i) Valid JVA, if applicable; or
 - (ii) In the case of procurement by a Philippine Foreign Service Office or Post, the PhilGEPS Registration Number of the winning foreign Bidder;
 - (b) Posting of the performance security in accordance with **ITB** Clause 33;
 - (c) Signing of the contract as provided in **ITB** Clause 32; and
 - (d) Approval by higher authority, if required, as provided in Section 37.3 of the IRR of RA 9184.
- 31.4. At the time of contract award, the Procuring Entity shall not increase or decrease the quantity of goods originally specified in Section VI. Schedule of Requirements.

32. Signing of the Contract

- 32.1. At the same time as the Procuring Entity notifies the successful Bidder that its bid has been accepted, the Procuring Entity shall send the Contract Form to the Bidder, which contract has been provided in the Bidding Documents, incorporating therein all agreements between the parties.
- 32.2. Within ten (10) calendar days from receipt of the Notice of Award, the successful Bidder shall post the required performance security, sign and date the contract and return it to the Procuring Entity.
- 32.3. The Procuring Entity shall enter into contract with the successful Bidder within the same ten (10) calendar day period provided that all the documentary requirements are complied with.
- 32.4. The following documents shall form part of the contract:

- (a) Contract Agreement;
- (b) Bidding Documents;
- (c) Winning bidder's bid, including the Technical and Financial Proposals, and all other documents/statements submitted (e.g., bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;
- (d) Performance Security;
- (e) Notice of Award of Contract; and
- (f) Other contract documents that may be required by existing laws and/or specified in the **BDS**.

33. Performance Security

- 33.1. To guarantee the faithful performance by the winning Bidder of its obligations under the contract, it shall post a performance security within a maximum period of ten (10) calendar days from the receipt of the Notice of Award from the Procuring Entity and in no case later than the signing of the contract.
- 33.2. The Performance Security shall be denominated in Philippine Pesos and posted in favor of the Procuring Entity in an amount not less than the percentage of the total contract price in accordance with the following schedule:

Form of Performance Security	Amount of Performance Security (Not less than the Percentage of the Total Contract Price)
(a) Cash or cashier's/manager's check issued by a Universal or Commercial Bank. <i>For biddings conducted by the LGUs, the Cashier's/Manager's Check may be issued by other banks certified by the BSP as authorized to issue such financial instrument.</i>	Five percent (5%)
(b) Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.	

<p><i>For biddings conducted by the LGUs, the Bank Draft/ Guarantee or Irrevocable Letter of Credit may be issued by other banks certified by the BSP as authorized to issue such financial instrument.</i></p>	
<p>(c) Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.</p>	<p>Thirty percent (30%)</p>

33.3. Failure of the successful Bidder to comply with the above-mentioned requirement shall constitute sufficient ground for the annulment of the award and forfeiture of the bid security, in which event the Procuring Entity shall have a fresh period to initiate and complete the post qualification of the second Lowest Calculated Bid. The procedure shall be repeated until the LCRB is identified and selected for recommendation of contract award. However if no Bidder passed post-qualification, the BAC shall declare the bidding a failure and conduct a re-bidding with re-advertisement, if necessary.

34. Notice to Proceed

Within seven (7) calendar days from the date of approval of the contract by the appropriate government approving authority, the Procuring Entity shall issue the Notice to Proceed (NTP) together with a copy or copies of the approved contract to the successful Bidder. All notices called for by the terms of the contract shall be effective only at the time of receipt thereof by the successful Bidder.

35. Protest Mechanism

Decisions of the procuring entity at any stage of the procurement process may be questioned in accordance with Section 55 of the IRR of RA 9184.

Section III. Bid Data Sheet

ITB Clause	
1.1	<p>The Procuring Entity is the Bureau of Customs.</p> <p>The name of the Contract is “Supply and Delivery of Ten (10) Units Speedboats with Sixty (60) Knots; and Trailers and Ten (10) Units Speedboats with Forty (40) Knots and Trailers”.</p> <p>The identification number of the Contract is BOC-GOODS-2017-02.</p>
1.2	<p>This bidding shall have one (1) lot as follows:</p> <p>Supply and Delivery of Ten (10) Units Speedboats with Sixty (60) Knots and Trailers; and Ten (10) Units Speedboats with Forty (40) Knots and Trailers.</p>
2	<p>The Funding Source is:</p> <p>The Government of the Philippines (GOP) through the authorized appropriations under the CY 2017 General Appropriations Act in the amount of Two Hundred Ninety Million Pesos (P290,000,000.00).</p> <p>The name of the Project is: “Supply and Delivery of Ten (10) Units Speedboats with Sixty (60) Knots and Trailers; and Ten (10) Units Speedboats with Forty (40) Knots and Trailers”.</p>
3.1	No further instructions.
5.1	No further instructions.
5.2	No further instructions.
5.4	<p>The bidder must have completed, five (5) years prior to March 9, 2017, a single contract that is similar to the project at hand and whose value must be at least fifty percent (50%) of the ABC to be bid. Such contract must be part of, or included in, the Statement under Item 12.1(a)(ii) hereof.</p> <p>Bidders shall include in their Bid a photocopy of Single Largest Completed Contract, Notice of Award (NOA), Notice to Proceed (NTP), Technical Inspection and Acceptance Committee (TIAC) Report or Certificate of Final Acceptance Report or equivalent in the Private Sector.</p> <p>For this purpose, similar contract shall refer to supply and delivery or manufacturing of speedboats, water patrol craft, naval ships and boats in relation to the SLCC.</p>
7	No further instructions.
8.1	Subcontracting is not allowed.

8.2	Not applicable.
9.1	The Procuring Entity will hold a pre-bid conference for this Project on February 24, 2017, 10:00 a.m. at GSD Conference Room, Ground Floor, OCOM Building, South Harbor, Gate 3, Port Area, Manila.
10.1	<p>The Procuring Entity's address is:</p> <p>Bureau of Customs OCOM Building, South Harbor, Gate 3, Port Area, Manila. Telefax Number: 527-9757 Email address: bacsecretariat@customs.gov.ph</p>
12.1(a)	<p>Eligibility Documents</p> <p>Class "A" Documents:</p> <ol style="list-style-type: none"> 1. PhilGEPS Certificate of Registration and Membership; 2. Statement or list of all ongoing Government and Private Contracts including contracts awarded but not yet started; 3. Statement of Single Largest Completed Contract (SLCC) which is similar to the contract to be bid, and at least 50% of the ABC; and 4. Net Financial Contracting Capacity (NFCC) computation in accordance with ITB Clause 5.5 or a committed Line of Credit (CLC) from a Universal or Commercial Bank. <p>NOTE: The values of the bidder's current assets and current liabilities shall be based on the latest Financial Statements submitted to the BIR.</p> <p>Technical Documents:</p> <ol style="list-style-type: none"> 1. Bid Security in accordance with ITB Clause 18; 2. Conformity with Sections VI and VII of the Bidding Documents; 3. Omnibus Sworn Statement; and 4. Proof of authority of the authorized representative. <p>Project Specific Eligibility/Additional Requirements:</p> <ol style="list-style-type: none"> 1. MARINA License to engage in boatbuilding; and 2. Capable of providing tug services to tow the speedboat during sea/TIAC trials.

12.1(a)(ii)	The bidder's SLCC similar to the contract to be bid should have been completed within five years prior to the deadline for the submission and receipt of bids.
12.1(b)(iii)	Notarization of this document shall comply with the 2004 Rules on Notarial Practice which limits competent evidence of identity to the following: (i) identification documents issued by an official agency bearing the photograph and signature of the individual i.e., passport, driver's license, SSS ID, GSIS e-card, etc.; and (ii) the oath of affirmation of one credible witness not privy to the instrument, document or transaction who is personally known to the notary public and who personally knows the individual and shows to the notary public documentary identification.
13.1	No additional requirements.
13.1.(b)	No further instructions.
13.1(c)	No additional requirements.
13.2	The ABC is Two Hundred Ninety Million Pesos (P290,000,000.00). Any bid with a financial component exceeding this amount shall not be accepted.
15.4(a)(iv)	No incidental services are required.
15.4.(b)	The price of the goods shall be quoted DAP to be delivered to Bureau of Customs, Port of Manila .
15.5	Bid modification after the deadline on the submission and opening of bid envelopes is not allowed.
16.1.(b)	The Bid prices for Goods supplied from outside of the Philippines shall be quoted in Philippine Pesos.
16.3	Payment shall be made in Philippine Peso.
17.1	Bids will be valid until for one hundred twenty (120) calendar days from the date of the opening of bids.
18.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: 1. The amount of not less than Php5,800,000.00 or 2% of ABC, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or 2. The amount of not less than Php14,500,000.00 or 5% of ABC if bid security is in Surety Bond.
18.2	The bid security shall be valid until for one hundred twenty (120) calendar days from the date of the opening of bids.

20.3	<p>Each Bidder shall submit one (1) original and two (2) copies of the first and second components of its bid with proper tabs.</p> <p>All papers/pages of the Bid (Original and Photocopies), including attachments thereto such as brochures, shall be countersigned/initialed using blue ink by the bidder or his/her duly authorized representative.</p> <p>“Failure to comply with the above instructions would rate the bids as failed”</p> <p>All envelopes shall:</p> <ul style="list-style-type: none"> (a) Contain the name of the contract to be bid in capital letters; (b) Bear the name and address of the Bidder in capital letters; (c) Be addressed to the Procuring Entity’s BAC in accordance with ITB Clause 1.1; (d) Bear the specific identification of this bidding process indicated in the ITB Clause 0; and (e) Bear a warning “DO NOT OPEN BEFORE...” the date and time for the opening of bids, in accordance with ITB Clause 21. <p>TO: BUREAU OF CUSTOMS - BIDS AND AWARDS COMMITTEE</p> <p>FROM: _____ (Name of Bidder in Capital Letters)</p> <p>ADDRESS: _____ (Address of Bidder in Capital Letters)</p> <p>PROJECT: Supply and Delivery of Twenty (20) Speedboats with Trailers</p> <p>BID REF NO: _____ (In Capital Letters, Indicate the Phrase):</p> <p>“DO NOT OPEN BEFORE MARCH 9, 2017; 1:00 P.M.</p>
21	<p>The address for submission of bids is BAC Conference Room, General Services Division (GSD), Ground Floor, OCOM Building, BOC, South Harbor, Gate 3, Port Area, Manila.</p> <p>The deadline for submission of bids is March 9, 2017, 2017, 1:00 p.m.</p>
24.1	<p>The place of bid opening is BAC Conference Room, General Services</p>

	<p>Division (GSD), Ground Floor, OCOM Building, BOC, South Harbor, Gate 3, Port Area, Manila.</p> <p>The date and time of bid opening is March 9, 2017, 2017, 1:00 p.m.</p>
24.2	No further instructions.
24.3	No further instructions.
27.1	No further instructions.
28.3 (a)	<p>Grouping and Evaluation of Lots –</p> <p>The goods are grouped in one (1) lot for the purpose of bidding, evaluation, and contract award.</p> <p>In all cases, the NFCC computation, if applicable, must be sufficient for all the lots or contracts to be awarded to the Bidder.</p>
28.3(b)	Bid modification is NOT ALLOWED .
28.4	No further instructions.
29.2	<p>Within a non-extendible period of five (5) calendar days from receipt by the bidder of the notice from the BOC-BAC that it submitted the Lowest Calculated Bid, the bidder shall submit the following documentary requirements to the BOC-BAC Secretariat:</p> <ol style="list-style-type: none"> 1. 2015 Income Tax Return with proof of payment; 2. VAT Returns (Form 2550M and 2550Q) or Percentage Tax Returns (2551M) with proof of payment covering the months from July 2016 to December 2016; 3. Certificate of PhilGEPS Registration with Document Request List (DRL) webpage printout; and 4. Other appropriate licenses and permits required by law. <p>Failure to submit the above requirements on time or a finding against the veracity of such shall be grounds for disqualification of the bidder and the subsequent forfeiture of the bid security.</p>
32.4.(f)	No additional requirement.

Section IV. General Conditions of Contract

TABLE OF CONTENTS

1.	DEFINITIONS	43
2.	CORRUPT, FRAUDULENT, COLLUSIVE, AND COERCIVE PRACTICES.....	44
3.	INSPECTION AND AUDIT BY THE FUNDING SOURCE	45
4.	GOVERNING LAW AND LANGUAGE	45
5.	NOTICES	45
6.	SCOPE OF CONTRACT	46
7.	SUBCONTRACTING	46
8.	PROCURING ENTITY’S RESPONSIBILITIES	46
9.	PRICES.....	46
10.	PAYMENT	47
11.	ADVANCE PAYMENT AND TERMS OF PAYMENT	47
12.	TAXES AND DUTIES	48
13.	PERFORMANCE SECURITY.....	48
14.	USE OF CONTRACT DOCUMENTS AND INFORMATION	49
15.	STANDARDS	49
16.	INSPECTION AND TESTS	49
17.	WARRANTY	50
18.	DELAYS IN THE SUPPLIER’S PERFORMANCE	51
19.	LIQUIDATED DAMAGES	51
20.	SETTLEMENT OF DISPUTES.....	51
21.	LIABILITY OF THE SUPPLIER	52
22.	FORCE MAJEURE	52
23.	TERMINATION FOR DEFAULT	52
24.	TERMINATION FOR INSOLVENCY	53
25.	TERMINATION FOR CONVENIENCE	53
26.	TERMINATION FOR UNLAWFUL ACTS.....	54
27.	PROCEDURES FOR TERMINATION OF CONTRACTS.....	54
28.	ASSIGNMENT OF RIGHTS	55
29.	CONTRACT AMENDMENT	55

30. APPLICATION56

1. Definitions

1.1. In this Contract, the following terms shall be interpreted as indicated:

- (a) “The Contract” means the agreement entered into between the Procuring Entity and the Supplier, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- (b) “The Contract Price” means the price payable to the Supplier under the Contract for the full and proper performance of its contractual obligations.
- (c) “The Goods” means all of the supplies, equipment, machinery, spare parts, other materials and/or general support services which the Supplier is required to provide to the Procuring Entity under the Contract.
- (d) “The Services” means those services ancillary to the supply of the Goods, such as transportation and insurance, and any other incidental services, such as installation, commissioning, provision of technical assistance, training, and other such obligations of the Supplier covered under the Contract.
- (e) “GCC” means the General Conditions of Contract contained in this Section.
- (f) “SCC” means the Special Conditions of Contract.
- (g) “The Procuring Entity” means the organization purchasing the Goods, as named in the SCC.
- (h) “The Procuring Entity’s country” is the Philippines.
- (i) “The Supplier” means the individual contractor, manufacturer distributor, or firm supplying/manufacturing the Goods and Services under this Contract and named in the SCC.
- (j) The “Funding Source” means the organization named in the SCC.
- (k) “The Project Site,” where applicable, means the place or places named in the SCC.
- (l) “Day” means calendar day.
- (m) The “Effective Date” of the contract will be the date of signing the contract, however the Supplier shall commence performance of its obligations only upon receipt of the Notice to Proceed and copy of the approved contract.

- (n) “Verified Report” refers to the report submitted by the Implementing Unit to the HoPE setting forth its findings as to the existence of grounds or causes for termination and explicitly stating its recommendation for the issuance of a Notice to Terminate.

2. **Corrupt, Fraudulent, Collusive, and Coercive Practices**

2.1. Unless otherwise provided in the SCC, the Procuring Entity as well as the bidders, contractors, or suppliers shall observe the highest standard of ethics during the procurement and execution of this Contract. In pursuance of this policy, the Procuring Entity:

- (a) defines, for the purposes of this provision, the terms set forth below as follows:
 - (i) "corrupt practice" means behavior on the part of officials in the public or private sectors by which they improperly and unlawfully enrich themselves, others, or induce others to do so, by misusing the position in which they are placed, and it includes the offering, giving, receiving, or soliciting of anything of value to influence the action of any such official in the procurement process or in contract execution; entering, on behalf of the Government, into any contract or transaction manifestly and grossly disadvantageous to the same, whether or not the public officer profited or will profit thereby, and similar acts as provided in Republic Act 3019.
 - (ii) "fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Procuring Entity, and includes collusive practices among Bidders (prior to or after bid submission) designed to establish bid prices at artificial, non-competitive levels and to deprive the Procuring Entity of the benefits of free and open competition.
 - (iii) “collusive practices” means a scheme or arrangement between two or more Bidders, with or without the knowledge of the Procuring Entity, designed to establish bid prices at artificial, non-competitive levels.
 - (iv) “coercive practices” means harming or threatening to harm, directly or indirectly, persons, or their property to influence their participation in a procurement process, or affect the execution of a contract;
 - (v) “obstructive practice” is
 - (aa) deliberately destroying, falsifying, altering or concealing of evidence material to an administrative proceedings or investigation or making false statements to investigators in order to materially impede an

administrative proceedings or investigation of the Procuring Entity or any foreign government/foreign or international financing institution into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the administrative proceedings or investigation or from pursuing such proceedings or investigation; or

(bb) acts intended to materially impede the exercise of the inspection and audit rights of the Procuring Entity or any foreign government/foreign or international financing institution herein.

(b) will reject a proposal for award if it determines that the Bidder recommended for award has engaged in any of the practices mentioned in this Clause for purposes of competing for the contract.

2.2. Further the Funding Source, Borrower or Procuring Entity, as appropriate, will seek to impose the maximum civil, administrative and/or criminal penalties available under the applicable law on individuals and organizations deemed to be involved with any of the practices mentioned in **GCC** Clause 2.1.(a).

3. Inspection and Audit by the Funding Source

The Supplier shall permit the Funding Source to inspect the Supplier's accounts and records relating to the performance of the Supplier and to have them audited by auditors appointed by the Funding Source, if so required by the Funding Source.

4. Governing Law and Language

4.1. This Contract shall be interpreted in accordance with the laws of the Republic of the Philippines.

4.2. This Contract has been executed in the English language, which shall be the binding and controlling language for all matters relating to the meaning or interpretation of this Contract. All correspondence and other documents pertaining to this Contract exchanged by the parties shall be written in English.

5. Notices

5.1. Any notice, request, or consent required or permitted to be given or made pursuant to this Contract shall be in writing. Any such notice, request, or consent shall be deemed to have been given or made when received by the concerned party, either in person or through an authorized representative of the Party to whom the communication is addressed, or when sent by registered mail, telex, telegram, or facsimile to such Party at the address specified in the

SCC, which shall be effective when delivered and duly received or on the notice's effective date, whichever is later.

- 5.2. A Party may change its address for notice hereunder by giving the other Party notice of such change pursuant to the provisions listed in the SCC for GCC Clause 5.1.

6. Scope of Contract

- 6.1. The Goods and Related Services to be provided shall be as specified in Section VI. Schedule of Requirements.
- 6.2. This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. Any additional requirements for the completion of this Contract shall be provided in the SCC.

7. Subcontracting

- 7.1. Subcontracting of any portion of the Goods, if allowed in the **BDS**, does not relieve the Supplier of any liability or obligation under this Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants or workmen.
- 7.2. If subcontracting is allowed, the Supplier may identify its subcontractor during contract implementation. Subcontractors disclosed and identified during the bidding may be changed during the implementation of this Contract. In either case, subcontractors must submit the documentary requirements under **ITB** Clause 12 and comply with the eligibility criteria specified in the **BDS**. In the event that any subcontractor is found by the Procuring Entity to be ineligible, the subcontracting of such portion of the Goods shall be disallowed.

8. Procuring Entity's Responsibilities

- 8.1. Whenever the performance of the obligations in this Contract requires that the Supplier obtain permits, approvals, import, and other licenses from local public authorities, the Procuring Entity shall, if so needed by the Supplier, make its best effort to assist the Supplier in complying with such requirements in a timely and expeditious manner.
- 8.2. The Procuring Entity shall pay all costs involved in the performance of its responsibilities in accordance with **GCC** Clause 6.

9. Prices

- 9.1. For the given scope of work in this Contract as awarded, all bid prices are considered fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances and upon prior approval of the GPPB in accordance with Section 61 of R.A. 9184 and its IRR or except as provided in this Clause.

- 9.2. Prices charged by the Supplier for Goods delivered and/or services performed under this Contract shall not vary from the prices quoted by the Supplier in its bid, with the exception of any change in price resulting from a Change Order issued in accordance with **GCC** Clause 29.

10. Payment

- 10.1. Payments shall be made only upon a certification by the HoPE to the effect that the Goods have been rendered or delivered in accordance with the terms of this Contract and have been duly inspected and accepted. Except with the prior approval of the President no payment shall be made for services not yet rendered or for supplies and materials not yet delivered under this Contract. Ten percent (10%) of the amount of each payment shall be retained by the Procuring Entity to cover the Supplier's warranty obligations under this Contract as described in **GCC** Clause 17.
- 10.2. The Supplier's request(s) for payment shall be made to the Procuring Entity in writing, accompanied by an invoice describing, as appropriate, the Goods delivered and/or Services performed, and by documents submitted pursuant to the **SCC** provision for **GCC** Clause 6.2, and upon fulfillment of other obligations stipulated in this Contract.
- 10.3. Pursuant to **GCC** Clause 10.2, payments shall be made promptly by the Procuring Entity, but in no case later than sixty (60) days after submission of an invoice or claim by the Supplier. Payments shall be in accordance with the schedule stated in the **SCC**.
- 10.4. Unless otherwise provided in the **SCC**, the currency in which payment is made to the Supplier under this Contract shall be in Philippine Pesos.
- 10.5. Unless otherwise provided in the **SCC**, payments using Letter of Credit (LC), in accordance with the Guidelines issued by the GPPB, is allowed. For this purpose, the amount of provisional sum is indicated in the **SCC**. All charges for the opening of the LC and/or incidental expenses thereto shall be for the account of the Supplier.

11. Advance Payment and Terms of Payment

- 11.1. Advance payment shall be made only after prior approval of the President, and shall not exceed fifteen percent (15%) of the Contract amount, unless otherwise directed by the President or in cases allowed under Annex "D" of RA 9184.
- 11.2. All progress payments shall first be charged against the advance payment until the latter has been fully exhausted.
- 11.3. For Goods supplied from abroad, unless otherwise indicated in the **SCC**, the terms of payment shall be as follows:
- (a) On Contract Signature: Fifteen Percent (15%) of the Contract Price shall be paid within sixty (60) days from signing of the Contract and upon submission of a claim and a bank guarantee for the equivalent

amount valid until the Goods are delivered and in the form provided in Section VIII. Bidding Forms.

- (b) On Delivery: Sixty-five percent (65%) of the Contract Price shall be paid to the Supplier within sixty (60) days after the date of receipt of the Goods and upon submission of the documents (i) through (vi) specified in the SCC provision on Delivery and Documents.
- (c) On Acceptance: The remaining twenty percent (20%) of the Contract Price shall be paid to the Supplier within sixty (60) days after the date of submission of the acceptance and inspection certificate for the respective delivery issued by the Procuring Entity's authorized representative. In the event that no inspection or acceptance certificate is issued by the Procuring Entity's authorized representative within forty five (45) days of the date shown on the delivery receipt, the Supplier shall have the right to claim payment of the remaining twenty percent (20%) subject to the Procuring Entity's own verification of the reason(s) for the failure to issue documents (vii) and (viii) as described in the SCC provision on Delivery and Documents.

12. Taxes and Duties

The Supplier, whether local or foreign, shall be entirely responsible for all the necessary taxes, stamp duties, license fees, and other such levies imposed for the completion of this Contract.

13. Performance Security

- 13.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any the forms prescribed in the **ITB** Clause 33.2.
- 13.2. The performance security posted in favor of the Procuring Entity shall be forfeited in the event it is established that the winning bidder is in default in any of its obligations under the contract.
- 13.3. The performance security shall remain valid until issuance by the Procuring Entity of the Certificate of Final Acceptance.
- 13.4. The performance security may be released by the Procuring Entity and returned to the Supplier after the issuance of the Certificate of Final Acceptance subject to the following conditions:
 - (a) There are no pending claims against the Supplier or the surety company filed by the Procuring Entity;
 - (b) The Supplier has no pending claims for labor and materials filed against it; and

(c) Other terms specified in the SCC.

13.5. In case of a reduction of the contract value, the Procuring Entity shall allow a proportional reduction in the original performance security, provided that any such reduction is more than ten percent (10%) and that the aggregate of such reductions is not more than fifty percent (50%) of the original performance security.

14. Use of Contract Documents and Information

14.1. The Supplier shall not, except for purposes of performing the obligations in this Contract, without the Procuring Entity's prior written consent, disclose this Contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Procuring Entity. Any such disclosure shall be made in confidence and shall extend only as far as may be necessary for purposes of such performance.

14.2. Any document, other than this Contract itself, enumerated in **GCC** Clause 14.1 shall remain the property of the Procuring Entity and shall be returned (all copies) to the Procuring Entity on completion of the Supplier's performance under this Contract if so required by the Procuring Entity.

15. Standards

The Goods provided under this Contract shall conform to the standards mentioned in the Section VII. Technical Specifications; and, when no applicable standard is mentioned, to the authoritative standards appropriate to the Goods' country of origin. Such standards shall be the latest issued by the institution concerned.

16. Inspection and Tests

16.1. The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Contract specifications at no extra cost to the Procuring Entity. The SCC and Section VII. Technical Specifications shall specify what inspections and/or tests the Procuring Entity requires and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

16.2. If applicable, the inspections and tests may be conducted on the premises of the Supplier or its subcontractor(s), at point of delivery, and/or at the goods' final destination. If conducted on the premises of the Supplier or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring Entity. The Supplier shall provide the Procuring Entity with results of such inspections and tests.

16.3. The Procuring Entity or its designated representative shall be entitled to attend the tests and/or inspections referred to in this Clause provided that the Procuring Entity shall bear all of its own costs and expenses incurred in

connection with such attendance including, but not limited to, all traveling and board and lodging expenses.

- 16.4. The Procuring Entity may reject any Goods or any part thereof that fail to pass any test and/or inspection or do not conform to the specifications. The Supplier shall either rectify or replace such rejected Goods or parts thereof or make alterations necessary to meet the specifications at no cost to the Procuring Entity, and shall repeat the test and/or inspection, at no cost to the Procuring Entity, upon giving a notice pursuant to **GCC** Clause 5.
- 16.5. The Supplier agrees that neither the execution of a test and/or inspection of the Goods or any part thereof, nor the attendance by the Procuring Entity or its representative, shall release the Supplier from any warranties or other obligations under this Contract.

17. Warranty

- 17.1. The Supplier warrants that the Goods supplied under the Contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials, except when the technical specifications required by the Procuring Entity provides otherwise.
- 17.2. The Supplier further warrants that all Goods supplied under this Contract shall have no defect, arising from design, materials, or workmanship or from any act or omission of the Supplier that may develop under normal use of the supplied Goods in the conditions prevailing in the country of final destination.
- 17.3. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier for a minimum period specified in the **SCC**. The obligation for the warranty shall be covered by, at the Supplier's option, either retention money in an amount equivalent to at least one percent (1%) of every progress payment, or a special bank guarantee equivalent to at least one percent (1%) of the total Contract Price or other such amount if so specified in the **SCC**. The said amounts shall only be released after the lapse of the warranty period specified in the **SCC**; provided, however, that the Supplies delivered are free from patent and latent defects and all the conditions imposed under this Contract have been fully met.
- 17.4. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, within the period specified in the **SCC** and with all reasonable speed, repair or replace the defective Goods or parts thereof, without cost to the Procuring Entity.
- 17.5. If the Supplier, having been notified, fails to remedy the defect(s) within the period specified in **GCC** Clause 17.4, the Procuring Entity may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Procuring Entity may have against the Supplier under the Contract and under the applicable law.

18. Delays in the Supplier's Performance

- 18.1. Delivery of the Goods and/or performance of Services shall be made by the Supplier in accordance with the time schedule prescribed by the Procuring Entity in Section VI. Schedule of Requirements.
- 18.2. If at any time during the performance of this Contract, the Supplier or its Subcontractor(s) should encounter conditions impeding timely delivery of the Goods and/or performance of Services, the Supplier shall promptly notify the Procuring Entity in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the Supplier's notice, and upon causes provided for under **GCC Clause 22**, the Procuring Entity shall evaluate the situation and may extend the Supplier's time for performance, in which case the extension shall be ratified by the parties by amendment of Contract.
- 18.3. Except as provided under **GCC Clause 22**, a delay by the Supplier in the performance of its obligations shall render the Supplier liable to the imposition of liquidated damages pursuant to **GCC Clause 19**, unless an extension of time is agreed upon pursuant to **GCC Clause 29** without the application of liquidated damages.

19. Liquidated Damages

Subject to **GCC Clauses 18 and 22**, if the Supplier fails to satisfactorily deliver any or all of the Goods and/or to perform the Services within the period(s) specified in this Contract inclusive of duly granted time extensions if any, the Procuring Entity shall, without prejudice to its other remedies under this Contract and under the applicable law, deduct from the Contract Price, as liquidated damages, the applicable rate of one tenth (1/10) of one (1) percent of the cost of the unperformed portion for every day of delay until actual delivery or performance. The maximum deduction shall be ten percent (10%) of the amount of contract. Once the maximum is reached, the Procuring Entity may rescind or terminate the Contract pursuant to **GCC Clause 23**, without prejudice to other courses of action and remedies open to it.

20. Settlement of Disputes

- 20.1. If any dispute or difference of any kind whatsoever shall arise between the Procuring Entity and the Supplier in connection with or arising out of this Contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.
- 20.2. If after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the Procuring Entity or the Supplier may give notice to the other party of its intention to commence arbitration, as hereinafter provided, as to the matter in dispute, and no arbitration in respect of this matter may be commenced unless such notice is given.
- 20.3. Any dispute or difference in respect of which a notice of intention to commence arbitration has been given in accordance with this Clause shall be

settled by arbitration. Arbitration may be commenced prior to or after delivery of the Goods under this Contract.

- 20.4. In the case of a dispute between the Procuring Entity and the Supplier, the dispute shall be resolved in accordance with Republic Act 9285 (“R.A. 9285”), otherwise known as the “Alternative Dispute Resolution Act of 2004.”
- 20.5. Notwithstanding any reference to arbitration herein, the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree; and the Procuring Entity shall pay the Supplier any monies due the Supplier.

21. Liability of the Supplier

- 21.1. The Supplier’s liability under this Contract shall be as provided by the laws of the Republic of the Philippines, subject to additional provisions, if any, set forth in the SCC.
- 21.2. Except in cases of criminal negligence or willful misconduct, and in the case of infringement of patent rights, if applicable, the aggregate liability of the Supplier to the Procuring Entity shall not exceed the total Contract Price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

22. Force Majeure

- 22.1. The Supplier shall not be liable for forfeiture of its performance security, liquidated damages, or termination for default if and to the extent that the Supplier’s delay in performance or other failure to perform its obligations under the Contract is the result of a *force majeure*.
- 22.2. For purposes of this Contract the terms “*force majeure*” and “fortuitous event” may be used interchangeably. In this regard, a fortuitous event or *force majeure* shall be interpreted to mean an event which the Supplier could not have foreseen, or which though foreseen, was inevitable. It shall not include ordinary unfavorable weather conditions; and any other cause the effects of which could have been avoided with the exercise of reasonable diligence by the Supplier. Such events may include, but not limited to, acts of the Procuring Entity in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.
- 22.3. If a *force majeure* situation arises, the Supplier shall promptly notify the Procuring Entity in writing of such condition and the cause thereof. Unless otherwise directed by the Procuring Entity in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the *force majeure*.

23. Termination for Default

- 23.1. The Procuring Entity shall terminate this Contract for default when any of the following conditions attends its implementation:
- (a) Outside of *force majeure*, the Supplier fails to deliver or perform any or all of the Goods within the period(s) specified in the contract, or within any extension thereof granted by the Procuring Entity pursuant to a request made by the Supplier prior to the delay, and such failure amounts to at least ten percent (10%) of the contract price;
 - (b) As a result of *force majeure*, the Supplier is unable to deliver or perform any or all of the Goods, amounting to at least ten percent (10%) of the contract price, for a period of not less than sixty (60) calendar days after receipt of the notice from the Procuring Entity stating that the circumstance of force majeure is deemed to have ceased; or
 - (c) The Supplier fails to perform any other obligation under the Contract.
- 23.2. In the event the Procuring Entity terminates this Contract in whole or in part, for any of the reasons provided under GCC Clauses 23 to 26, the Procuring Entity may procure, upon such terms and in such manner as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the Procuring Entity for any excess costs for such similar Goods or Services. However, the Supplier shall continue performance of this Contract to the extent not terminated.
- 23.3. In case the delay in the delivery of the Goods and/or performance of the Services exceeds a time duration equivalent to ten percent (10%) of the specified contract time plus any time extension duly granted to the Supplier, the Procuring Entity may terminate this Contract, forfeit the Supplier's performance security and award the same to a qualified Supplier.

24. Termination for Insolvency

The Procuring Entity shall terminate this Contract if the Supplier is declared bankrupt or insolvent as determined with finality by a court of competent jurisdiction. In this event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the Procuring Entity and/or the Supplier.

25. Termination for Convenience

- 25.1. The Procuring Entity may terminate this Contract, in whole or in part, at any time for its convenience. The HoPE may terminate a contract for the convenience of the Government if he has determined the existence of conditions that make Project Implementation economically, financially or technically impractical and/or unnecessary, such as, but not limited to, fortuitous event(s) or changes in law and national government policies.
- 25.2. The Goods that have been delivered and/or performed or are ready for delivery or performance within thirty (30) calendar days after the Supplier's receipt of

Notice to Terminate shall be accepted by the Procuring Entity at the contract terms and prices. For Goods not yet performed and/or ready for delivery, the Procuring Entity may elect:

- (a) to have any portion delivered and/or performed and paid at the contract terms and prices; and/or
- (b) to cancel the remainder and pay to the Supplier an agreed amount for partially completed and/or performed goods and for materials and parts previously procured by the Supplier.

25.3. If the Supplier suffers loss in its initial performance of the terminated contract, such as purchase of raw materials for goods specially manufactured for the Procuring Entity which cannot be sold in open market, it shall be allowed to recover partially from this Contract, on a *quantum meruit* basis. Before recovery may be made, the fact of loss must be established under oath by the Supplier to the satisfaction of the Procuring Entity before recovery may be made.

26. Termination for Unlawful Acts

26.1. The Procuring Entity may terminate this Contract in case it is determined *prima facie* that the Supplier has engaged, before or during the implementation of this Contract, in unlawful deeds and behaviors relative to contract acquisition and implementation. Unlawful acts include, but are not limited to, the following:

- (a) Corrupt, fraudulent, and coercive practices as defined in **ITB** Clause 3.1.(a);
- (b) Drawing up or using forged documents;
- (c) Using adulterated materials, means or methods, or engaging in production contrary to rules of science or the trade; and
- (d) Any other act analogous to the foregoing.

27. Procedures for Termination of Contracts

27.1. The following provisions shall govern the procedures for termination of this Contract:

- (a) Upon receipt of a written report of acts or causes which may constitute ground(s) for termination as aforementioned, or upon its own initiative, the Implementing Unit shall, within a period of seven (7) calendar days, verify the existence of such ground(s) and cause the execution of a Verified Report, with all relevant evidence attached;
- (b) Upon recommendation by the Implementing Unit, the HoPE shall terminate this Contract only by a written notice to the Supplier conveying the termination of this Contract. The notice shall state:

- (i) that this Contract is being terminated for any of the ground(s) afore-mentioned, and a statement of the acts that constitute the ground(s) constituting the same;
 - (ii) the extent of termination, whether in whole or in part;
 - (iii) an instruction to the Supplier to show cause as to why this Contract should not be terminated; and
 - (iv) special instructions of the Procuring Entity, if any.
- (c) The Notice to Terminate shall be accompanied by a copy of the Verified Report;
 - (d) Within a period of seven (7) calendar days from receipt of the Notice of Termination, the Supplier shall submit to the HoPE a verified position paper stating why this Contract should not be terminated. If the Supplier fails to show cause after the lapse of the seven (7) day period, either by inaction or by default, the HoPE shall issue an order terminating this Contract;
 - (e) The Procuring Entity may, at any time before receipt of the Supplier's verified position paper described in item (d) above withdraw the Notice to Terminate if it is determined that certain items or works subject of the notice had been completed, delivered, or performed before the Supplier's receipt of the notice;
 - (f) Within a non-extendible period of ten (10) calendar days from receipt of the verified position paper, the HoPE shall decide whether or not to terminate this Contract. It shall serve a written notice to the Supplier of its decision and, unless otherwise provided, this Contract is deemed terminated from receipt of the Supplier of the notice of decision. The termination shall only be based on the ground(s) stated in the Notice to Terminate;
 - (g) The HoPE may create a Contract Termination Review Committee (CTRC) to assist him in the discharge of this function. All decisions recommended by the CTRC shall be subject to the approval of the HoPE; and
 - (h) The Supplier must serve a written notice to the Procuring Entity of its intention to terminate the contract at least thirty (30) calendar days before its intended termination. The Contract is deemed terminated if it is not resumed in thirty (30) calendar days after the receipt of such notice by the Procuring Entity.

28. Assignment of Rights

The Supplier shall not assign his rights or obligations under this Contract, in whole or in part, except with the Procuring Entity's prior written consent.

29. Contract Amendment

Subject to applicable laws, no variation in or modification of the terms of this Contract shall be made except by written amendment signed by the parties.

30. Application

These General Conditions shall apply to the extent that they are not superseded by provisions of other parts of this Contract.

Section V. Special Conditions of Contract

GCC Clause	
1.1.(g)	The Procuring Entity is Bureau of Customs (BOC) .
1.1.(i)	The Supplier is <i>[to be inserted at the time of contract award]</i> .
1.1.(j)	The Funding Source is: The Government of the Philippines (GOP) through the authorized appropriations under the CY 2017 General Appropriations Act.
1.1.(k)	The Project sites are defined in Section VI. Schedule of Requirements.
2.1	No further instructions.
5.1	The Procuring Entity’s address for Notices is: Bureau of Customs OCOM Building, South Harbor, Gate 3, Port Area, Manila Tel Nos. (02) 527-9757 The Supplier’s address for Notices is: <i>[Insert address including, name of contact, fax and telephone number]</i>
6.2	Delivery and Documents – For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP,” “DDU”, DAP and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: The delivery terms applicable to the Contract are DAP delivered to the Bureau of Customs, Port of Manila . In accordance with “INCOTERMS. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination. Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI – Schedule of Requirements . The details of boat and/or other documents to be furnished by the Supplier are as follows:

For Goods supplied from within the Philippines or by domestic Suppliers:

Upon delivery of the Goods to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents to the Procuring Entity:

- (i) Original and four copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;
- (ii) Original and four copies delivery receipt/note, railway receipt, or truck receipt;
- (iii) Original Supplier's factory inspection report;
- (iv) Original and four copies of the Manufacturer's and/or Supplier's warranty certificate;
- (v) Original and four copies of the certificate of origin (for imported Goods);
- (vi) Delivery receipt detailing number and description of items received signed by the authorized receiving personnel;
- (vii) Certificate of Acceptance/Inspection Report signed by the Procuring Entity's representative at the project site; and
- (viii) Four copies of the Invoice Receipt for Property signed by the Procuring Entity's representative at the Project Site.

Incidental Services

The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI – Schedule of Requirements:

- (a) Performance or supervision of on-site assembly and/or start-up of the supplied Goods.
- (b) Furnishing of tools required for assembly and/or maintenance of the supplied Goods.
- (c) Furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods.
- (d) Performance or supervision or maintenance and/or repair of the supplied Goods, for a period agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this contract.

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- (a) such spare parts as the PROCURING ENTITY may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- (b) in the event of termination of production of the spare parts:
 - i. advance notification to the PROCURING ENTITY of the pending termination, in sufficient time to permit the PROCURING ENTITY to procure needed requirements;
 - ii. following such termination, furnishing at no cost to the PROCURING ENTITY, the drawings and specifications of the spare parts, if requested.
- (c) **The supplier shall present the brand new parts with an OEM Certification to the Procuring Entity's Authorized representative prior to installation.**

Insurance

The Goods supplied under this Contract shall be fully insured by the Supplier in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery. The Goods remain at the risk and title of the Supplier until their final acceptance by the Procuring Entity.

Patent Rights –

The Supplier shall indemnify the Procuring Entity against all third party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

Other Terms and Conditions –

1. The contractor must have an expertise on boat design and construction; and previously supplied and delivered high speed craft or speedboats for the past five (5) years.
2. The winning contractor shall present a work schedule on MS Project format for the duration of the repair.
3. The contractor shall allow the BOC representatives to visit the contractor's premises during the implementation of works under contract.
4. The contractor shall request for a final BOC TIAC inspection upon satisfactory completion of installation, operational test, dock and sea trial for the contracted works to the BOC BAC.
5. The contractor shall present the status of repair to the Commissioner or Enforcement Group (EG) or any of their authorized representatives by way of a powerpoint presentation. Electronic and hard copies of the presentation shall also be

	<p>provided.</p> <ol style="list-style-type: none"> 6. The contractor shall provide FOL products and other consumable items during preliminary testing of machinery and equipment repaired/overhauled. If satisfactory, the end-user shall provide FOL products during the conduct of final test (endurance run). However, if unsatisfactory, the contractor shall provide FOL products necessary for subsequent test/s until the machinery and equipment run satisfactorily. 7. In the contract implementation, the contractor shall implement only works stated in Section VII: Technical Specifications of the bidding documents. 8. Once the contractor has started any of the contracted works, the obligation to protect the same from any damage attaches until the same has been delivered and accepted by the Procuring Entity. 9. International Paints (MARINA standard) shall be used in the preservation of the bottom hull. The contractor must submit Technical Report/s issued by the paint supplier. 10. The contractor shall render Weekly Repair Progress Report (every Thursday) to Enforcement Group (EG) or any authorized representative through the fastest means of communication using the tabulated weighted percentage format of EG. 11. All activities in the contract that are no longer necessary for implementation as agreed by both parties, shall not be paid. 12. Only actual works done and certified by BOC TIAC shall be included for payment. 13. The utilization of generated savings should be first approved by the Procuring Entity (BOC) through the endorsement of EG. Works done without approval by the [BOC (Attention: EG)] shall be free of charge in favor of the Procuring Entity. 14. The contractor must provide adequate firefighting personnel with the necessary firefighting equipment for the entire duration of the repair. 15. The contractor shall be held liable for any damages incurred on the boat and/or personnel due to the contractor's fault or negligence for the entire duration of the contract. 16. The contractor's facility shall be free of health hazard materials/substances. 17. The contractor shall notify the EG/SSPDC at least three (3) days before the conduct of any shop or boat test and five (5) days before the conduct of dock and sea trials. 18. Upon satisfactory completion of works and testing, a Certificate of Acceptance on all completed works shall be properly signed
--	---

	<p>by members of the BOC TIAC.</p> <p>19. Upon acceptance by the BOC TIAC of the contracted project, the contractor to release the boat from their yard.</p> <p>20. The Contractor shall submit the After Repair Completion Report to the procuring entity [BOC (Attention: EG)] prior payment of the services rendered.</p> <p>The supplier shall not disclose/divulge any information and communication, whether oral or written, secured in the course of the bidding with the BOC to any other person or entity, without the express written consent of the BOC. It includes non-disclosure of, but not limited, to the following: a) Bidding Document, b) Technical Specification of the Project, c) Annual Procurement Plan and related Project Procurement Management Plan, and d) Proposals.</p>
10.4	Payment shall be made in Philippine Peso.
10.5	Payment using LC is not allowed.
11.2	Payment shall be made only upon submission of the required Auditorial Documents.
11.3	No further instructions.
13.4.(c)	No further instructions.
16.1	<p>The procedures in the conduct of inspections, test and evaluations by the BOC TIAC are: Visual Inspection, Hydro test, Dimensional Reading, Operational Test and Dock and Sea Trials.</p> <p>a. The quality and proof of performance shall be established through tests and trials. The vessel shall undergo functional test to verify the correct installation and integration of equipment and safe function of systems.</p> <p>b. The contractor shall prepare the Test Memoranda, which shall be concurred by the BOC, for all the boat's systems/machineries/equipment within the contract to include but not limited to the test and trials listed in para (c).</p> <p>c. The major Test and Trials that encompasses all vessel's system and to be conducted are as follows:</p> <ol style="list-style-type: none"> 1) Dock trial for a period of not less than one (1) hour; 2) Initial sea trial for at least one (1) hour; and 3) TIAC trial for a period of at least two (2) hours. 4) The functional tests and trials of machineries and equipment shall be conducted in order to prove that they function efficiently on board the vessel. The trials shall encompass the following: <ol style="list-style-type: none"> a) Machinery Operations;

	<p>b) Electrical Power Supply</p> <p>5) During the conduct of the TIAC trial, a Technical Inspection and Acceptance Committee (TIAC) shall board the vessel to observe the proper conduct of the trials based on, but not limited to, the test memoranda. The TIAC report shall be the basis whether the BOC will accept the vessel or not.</p> <p>6) The PROCURING ENTITY shall issue the Certificate of Final Acceptance by the TIAC after the successful completion of the Final Acceptance Test.</p>
17.3	<p>At least one (1) year warranty after issuance of the Certificate of Final Acceptance.</p> <p>The warranty period shall be reckoned from the date of issuance of the certificate of final acceptance. However, if the same defects occurred for two (2) consecutive times within the warranty period on a particular part/item and its attendant part, the warranty period shall be automatically extended for a period of six months after the expiration of the original warranty period.</p> <p>Moreover, if the reworks have not been satisfactorily corrected before the expiration of the warranty period whether first or second rework, the warranty period shall also be automatically extended for another six (6) months from the date of acceptance of the Quality Assurance Report (QRA) to be rendered by the Supplier.</p>
17.4	<p>The period for correction of defects in the warranty period is fifteen (15) calendar days from the receipt of Contractor of the Notice of Defect.</p>
17.5	<p>If the Supplier, having been notified, fails to remedy the defect(s) within the period specified in GCC Clause 17.4, the Procuring Entity may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Procuring Entity may have against the Supplier under the Contract and under the applicable law.</p>
19	<p>The applicable rate is one tenth (1/10) of one (1) percent of the cost of the unperformed portion for every day of delay.</p> <p>The maximum deduction shall be ten percent (10%) of the amount of contract. Once the cumulative amount of liquidated damages went beyond ten percent (10%) of the amount of the contract, the procuring entity shall rescind the contract, without prejudice to other courses of action and remedies open to it.</p>
20.4	<p>In the case of a dispute between the PROCURING ENTITY and the Supplier, the dispute shall be resolved in accordance with Republic Act 9285 ("R.A. 9285"), otherwise known as the "Alternative Dispute Resolution Act of 2004."</p>

Section VI. Schedule of Requirements

The contractor must be able to complete and deliver the project within the period stated hereunder:

Description	Qty / Unit	Delivery (Calendar Days)
Supply and Delivery of Sixty (60) Knots Speedboats with Trailers	10 pcs	Ten (10) units within 180 cd upon receipt of NTP, (To deliver 2 boats at the 2 nd month and 2 boats every month thereafter).
Supply and Delivery of Forty (40) Knots Speedboats with Trailers	10 pcs	Ten (10) units within 360 cd upon receipt of NTP, (To deliver 1 boat at the third month and 1 boat every month thereafter)

I hereby commit to comply and deliver the above requirements.

Name of Company (in print)

Signature of Company Authorized Representative

Name & Designation (in print)

Date

Section VII. Technical Specifications

CLARIFICATION AND SETTLEMENT OF CONFLICTING INTERPRETATION OF THE TECHNICAL SPECIFICATIONS

All clarifications regarding the technical specifications stipulated in this section will be clarified by the members of the Technical Working Group for the **Supply and Delivery of Twenty (20) Units Speedboats with Trailers.**

STATEMENT OF COMPLIANCE TO TECHNICAL SPECIFICATIONS

A. INSTRUCTION:

The bidder must state in the last column opposite each parameter and required specifications either **“Comply” or “Not Comply”**. All pages shall be properly signed. Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause above goods manufactured by us.

B. PROJECT DESCRIPTION:

1. GENERAL REQUIREMENTS:

a. These general requirements, intents, scopes and definitions shall be applied to all work items of this Technical Specifications.

b. For the purpose of this technical specification, BOC thru the Enforcement Group (EG/SSPDC), will oversee the implementation of this project.

c. Any particulars for the work outlined in the specifications and drawings are given for guidance purposes only. The Supplier shall take his own particulars and dimensions and shall be responsible for them.

d. Names of manufacturers and trade designations of items are mentioned in the specifications as a means of specifying the general design character with respect to the quality and construction of the item(s). Where specific equipment or materials are identified in the specifications, equivalent product may be substituted in accordance with contract provisions after approval by the Enforcement Group (EG). All guaranties and warranties must remain the same.

e. The Supplier shall be held responsible for the protection of equipment and materials against lost and damage during the process of delivery, storage and installation at the supplier's facility.

2. MATERIALS AND WORKMANBOATS

a. All materials shall be of the best quality as per internationally accepted standards.

b. All workmanship shall be performed to the complete satisfaction of the BOC.

c. It shall be understood by the Contractor, that all materials or goods to be installed requiring testing shall be subjected to such and all testing procedures shall be witnessed by the BOC Representative and must meet their requirements. All charges and costs for tests, inspections, etc., shall be borne by the Contractor.

d. All safety procedures/requirements during burning, welding and any form of hot works, etc. shall be complied by the Contractor. The contractor shall provide safe access to Authorized BOC Representative for inspections of all said works undertaken.

e. A complete list of spare parts for installed electrical and mechanical equipment as recommended by the manufacturers shall be submitted to the EG. The list of spare parts as submitted shall include all pertinent information for future ordering references.

f. Hazardous Waste:

1) Handling and disposal of all hazardous material shall comply with existing domestic and international environmental regulations pertaining to the proper handling and disposal of hazardous waste.

2) It is the responsibility of the Supplier to properly dispose all "Hazardous Waste" resulting from the construction of the boat at its expense.

s. Electrical works:

1) All wire, fittings and fixtures installed in locations exposed to the elements like condensation or excessive dampness shall be of marine standard.

2) Electrical equipment shall be properly labeled and supplied with nameplates adjacent and symmetrical to the said equipment.

3) All new cables shall be banded with stainless steel band or appropriate equivalent material and in accordance with MARINA standard.

3. GENERAL SERVICES

It is the Supplier's responsibility for supplying all services for the specified works as indicated.

a. Fire Protection

The supplier's yard where the boat was being constructed shall be properly equipped with fire extinguishers and fire protection equipment to include its working personnel at all times in each area/compartment.

b. Temporary Lighting

Temporary lighting is to be provided for each particular application, as required, by the Supplier in all work areas.

c. Electrical

Provide electrical source of power separate from MERALCO or its equivalent to avoid disruption from ongoing production.

d. Crane Service

Provide crane service to perform lifts for the duration of the project. This service is to include crane, crane operator, and riggers and related equipment and devices.

e. Meetings

An initial conference shall be held between the Supplier's senior staff and Authorized BOC Representatives at a date to mutually agree by both parties.

f. Reports:

1. Test Reports - Results of all tests required by these specifications are to be delivered to the BOC or its designated representatives for confirmation within 48-hours after the conduct of testing.

2. Final Report - Supplier shall provide all Tests required by these specifications to be delivered within one (1) weeks prior to final payment. In addition, electronic and hard copies of reports will be supplied in two (2) copies and arranged in chronological order.

3. LOGISTICS SUPPORT

The contractor shall provide with but not limited to the following requirements:

- a. Boat Construction Plan (1 original copy duly signed by a licensed naval architect and MARINA approved)
- b. General Arrangement Plan (1 original copy duly signed by a licensed naval architect and MARINA approved)
- c. Electrical Diagram (1 original copy duly signed by a licensed naval architect and MARINA approved)
- d. Manufacturer's Operator's and Maintenance Manual for each equipment
- e. Tide and Current Table (latest)
- f. Boat Consolidated Allowance List (COSAL)
- g. Preventive Maintenance System (PMS) for 1 year equivalent to 750 hours shall be undertaken at the expense of the winning bidder. The PMS shall be done for two (2) running hours duration per day/visits.
- h. Provision of one (1) set onboard spares included but not limited to:
 - 1) Engine spares:
 - Impellers;
 - pump housing;
 - o-rings;
 - guide tubes;
 - grommets;
 - pump cups;
 - plates;
 - gaskets;
 - seals;
 - screws;
 - oil seals;
 - bearings;
 - shims;
 - washers; and
 - drive shafts
 - 2) Electrical spares:
 - Gauges and meters
 - Switches and sockets
 - Electrical cable (30 meters long)
 - Spare lightings L.E.D.

i. A minimum of five (5) years after sales support (locally based) for the maintenance and repair (including readily available spare parts) of all the equipment installed including trailer per boat shall be established by the contractor.

4. TRAINING PACKAGE

Support for the training of boat operators and maintenance personnel such as but not limited to instructional materials; venue; training certificates and other administrative requirements shall be included in the training package at the expenses of the contractor. The Enforcement Group (EG) as the end-user of the boats shall provide at least ten (10) personnel to be trained on boat operations and navigation and another at least ten (10) personnel as well to be trained on deck and machinery maintenance before the Final Acceptance Trial (FAT). The training shall have a duration of at least three (3) days.

6) PROJECT MANAGEMENT

The Contractor shall submit its proposed Project Management Organization (PMO) and staffing who shall work together with BOC Project Manager (PM) on boat acquisition. It shall designate a qualified full-time Project Manager (PM) as head that shall have complete responsibility for the planning, execution and control of the project.

In accordance with the contractor's established practice, the PM shall be provided with the necessary authority to ensure that the project is accomplished on schedule and meets all technical requirements. The PM shall be designated as the point of contact.

In coordination with the BOC PM the Contractor shall develop and provide a Program Master Schedule showing all major program milestones and deliverable items.

If subcontracted, the contractor shall provide a list of all intended subcontractors with their company profiles and partnership agreements. In any case, the prime contractor shall be responsible for the subcontractors and may be required to directly oversee the subcontractor's performance.

The Contractor shall submit an effective product assurance program in accordance with internationally accepted standards, policies and procedures.

A team from the Philippine Bureau of Customs composed of at least five (5) personnel will be formed to oversee the project implementation. The team shall be utilized as the Technical Inspection and Acceptance Committee to monitor progress and prepare documentation for progress billing.

7) QUALITY ASSURANCE

The contractor shall have an organization for quality assurance (QA) to monitor production in accordance with internationally accepted standards and to perform test and trials.

The contractor's management with executive responsibilities shall review the quality system at defined interval sufficient to ensure its continuing suitability and effectiveness in satisfying the requirements and the contractor's stated quality policy and objectives. Records of such reviews shall be maintained.

The QA department shall be responsible for the release of production drawings, documentation and test reports.

The builder shall recognize the participation of the Classification Society on boatbuilding or high speed craft construction.

8) TESTS AND TRIALS

The quality of the craft and proof of performance shall be established by test and trials. The craft shall undergo functional test to verify correct installation of equipment and safe functions of systems.

The test for hull structures, machinery, outfitting and equipment mentioned in these specifications shall be conducted under the presence of the BOC PMT.

Following test and trials shall be conducted in the following stages:

1. Stage 1 – Material Receipt Inspection and Shop Test
2. Stage 2 – Boatboard Installation Inspection and Test
3. Stage 3 – Equipment Level Operational tests
4. Stage 4 – Intra-system Test
5. Stage 5 – Inter-system Test
6. Stage 6 – Special Test
7. Stage 7 – Dock Trial and Sea Trials
 - a. Builder's Trial
 - 1) Dock Trial
 - 2) Sea Trial
 - b. Acceptance Trial
 - c. Final Acceptance/Endurance Trial

Procedure in the conduct of Final Acceptance/Endurance shall be conducted on the following schedules:

Day 1: Loiter or Patrol Speed at **15 knots** for at least 2 hours duration vicinity Manila Bay.

Day 2: Cruising or Endurance Speed at **35 knots** shall be the actual transit from Port Area, Manila to any Port of the Philippines with a distance of at least 300 NM to be manned jointly by the BOC crew and builder's representatives.

Day 3: Maximum Speed at **60 knots** for at least 1 hour hot pursuit operation.

9) ACCEPTANCE

The final acceptance shall be done in port at Port Area, Manila.

Technical Specifications
SPEEDBOATS WITH SIXTY (60) KNOTS AND TRAILERS

PROJECT DESCRIPTION:

The contractor shall comply with the following technical specification required by the Procuring Entity:

1. Capabilities and Performance Requirements:
a. Capable to carry 10 persons (4-crews; 2-passengers and 4-boarding Officers).
b. Designed with low surface signature capable to operate day and night of at least 5 hours continuous operations.
c. The boat shall be low draft, agile maneuverability with small turning circle or tactical diameter.
d. With provision of mount capable to return fire against armed enemies with its 1 x HMG (bow) and 2 x LMG (stern).
e. Able to travel at least 300 Nautical Miles (NM) cruising or transit speed of at least 30 knots and ability to undertake at least one (1) hour hot pursuit operations at a maximum speed of 60 knots.
f. Can withstand dynamic forces of at least Sea State 3 at head-on seas.
g. Able to detect surface vessels at a range of at least 21-36 Nautical Miles.
h. Able to communicate with commercial and naval vessels with its VHF/UHF Marine radio communications equipment.
i. With enclosed accommodation and shock mitigated marine seats with grab rails in-front to prevent personnel from throwing during high speed and stressful sea condition.
j. Able to maintain positive buoyancy and seaworthiness with its floatation device and stability trim tab.
k. Protected with a bumping material to prevent damage from hull impact during alongside with boats; dock and minimize damage against collision.

2. General Requirements for Design and Construction:
a. The boat's hull shall be made of Fiberglass Reinforce Plastic (FRP) vacuum resin

infused monohull construction that have longer service life of more than 20 years;
b. Design and construction shall be in accordance with the classifications and standards set by MARINA (Circular # 2015-09 – Revised IRR on the Registration of Boatbuilders/Repairers) and ISO 9001:2008-2015 specifically on Small craft -- Hull construction and scantlings.
c. Workmanship shall be of first class quality that is, exhibiting the latest technology and quality in fabrication details and appearance typically produced by competent and conscientious workers with TESDA certification or by its accredited Educational Institutions).
d. Safety features for passengers and equipment shall be in accordance with international rules and regulations under Safety of Life at Sea (SOLAS), International Maritime Organization (IMO) and ISO 9001:2008-2015 specifically on Safety and Fire Protection.
e. The boat's hull geometry should be considered to be efficient in optimizing the speed performance and stability. The aft portion of the hull shall not introduce suction or negative lift which cause the stern to squat and yaw instability or to oscillate (steer itself) horizontally about a central vertical axis. The boat must be able to give greater directional stability (deeper keel), handles better in all conditions and has better, and safer, manners going downwind. The boat shall be fitted with stability trim tab.
f. The hull structure shall be fitted with minimum number of openings to reduce hull strain and stress against stressful sea conditions.
g. The Contractor shall establish and conduct an equipment maintenance, removal and handling program to ensure that equipment can be removed from its place of installation and move to an area within the boat, or remove for off-boat repair with minimum disruption to other equipment and system due to interference or secondary removals
h. It shall be electro-hydraulically integrated to steering system. The fuel tank shall be made of marine grade 5086 aluminum separately fit/stored from the boat's shell fitted but not limited with breather, fuel lines and other features on fuel system. Fuel consumption per rpm shall be submitted together with the OBM's maintenance manual.
i. The crew, passengers and equipment shall be protected by an enclosed accommodation structure against dynamic impact during high speed and severe weather condition.
j. To prevent hull damage during collision and bumping situation, a bumping material at gunnel shall be fitted. It shall be made of light materials that can be compartmentalized to ensure safety.
k. A small toilet with appropriate flushing and discharge system shall be fitted for sanitary purposes.

l. Mooring and anchoring equipment shall be provided with standard fittings and stowage compartment.
m. Safety grab rails/handles and a high quality non-slip materials shall be applied all throughout boat floors to prevent passengers from throwing and sliding.
n. Fitted with tempered, scratch resistant, strong leak-proofed glass windshield and side glass windows with marine wipers with high breaking strength capable to withstand severe weather condition.
o. The marine propulsion shall have a life expectancy of at least 1,500 hours MTBO equivalent to at least 6 years operations.
p. The design and installation of the propulsion system shall be advantageous for speed performance and shall not be a cause of hull vibrations; high fuel consumption and drag.
q. The propulsion system shall be quick starting and requires a minimum time of less than one (1) minute to speed up to maximum speed.
r. The delivery of the engine and its accessories shall be of OEM low downtime for repair. It must undergo with satisfactory tests and performance to ensure customer's satisfaction.
s. Electronic equipment installed shall deliver superior performance; lightweight; energy efficient, high definition and higher sensitivity. There must a resilient mechanism that protects the installed equipment.
t. The boat shall be fitted with gun mounts at the following location: 1 x HMG at the bow; and 2 x LMG at port and starboard stern. Gun mounts shall be properly installed with easy to swing mechanism and vibration free that may not affect the boat's structural membrane.
u. The entire hull, deck fittings and equipment installed shall be painted and properly marked in accordance with the internationally accepted painting scheme for boats Hull markings particularly the name and number of the boat shall be clear and readable in letters not less than 4 inches in height being seen at the stern and bow.

3. Detailed Requirements:
Boat Particulars:

a. Length Overall	35-40 feet
b. Breadth	9-10 feet
c. Draft	Function of Design
d. Displacement	Function of Design
e. Height of Transom	Function of Design
f. Speed	at least 60 knots - Maximum Speed;
	at least 35 Knots- Cruising Speed
	at least 15 knots- Loiter Speed
g. Range	at least 300NM
h. Propulsion System	at least Three (3) x 300HP OBM; 2 x Stroke Direct Fuel Injection
i. Complement	10 persons
j. Fuel Capacity	at least 1,000 Liters
k. Armament	3 x easy to swing gun mounts of 1 x HMG (bow) and 2 LMG (stern)

4. Systems Requirements:
a. Hull Structure, Outfitting and Refurbishing:
The design and construction of the boat shall include but not limited to the following requirements:
1) Fiberglass Reinforced Plastic (FRP) vacuum resin infused monohull construction with standard thickness of shell lamination.
2) Stepped Hull, hard chine and strakes with variable deadrise angle.
3) With enclosed structure for accommodation of 10 persons; sunbrella at stern and storage compartment convertible into billeting space of at least four (4) persons located at forward below deck of the console with appropriate ventilation.
4) Tempered, scratch resistant, strong leak-proofed glass windshield and side glass windows with marine wipers.
5) Stowage/compartments for anchor (Danforth Type), mooring lines, deck equipment and supplies shall be fitted at the bow and other appropriate deck locations.

6)	The entire hull, deck fittings and equipment installed shall be painted and properly marked in accordance with the internationally accepted painting scheme for boats.
7)	Fitted with welded 5086 marine grade aluminum fuel tank separately stored from the boat's shell with appropriate fittings such as but not limited with breather, fuel lines and other features on fuel system.
8)	10 x shock mitigated marine seats.
9)	1 x Dashboard with complete instrumentation
10)	Standard navigational and electronic equipment;
11)	Standard firefighting and lifesaving equipment;
12)	1 x set marine steering wheel and accessories;
13)	1 x set marine throttle and clutches;
14)	Breaker and electronic control switch and housing;
15)	Mechanical and electrical gauges;
16)	Gunnel is protected with rubberized bumping material;
17)	One (1) unit 6- wheeler trailer shall have the following features: <ul style="list-style-type: none"> a) 1 x galvanized or metal steel frame coated with marine epoxy paint; b) 1 x trailer lights; c) 1x manual winch; d) 6 x tires and rims; e) safety chains and rollers; f) The trailer shall be able to lift/hold the boat and can be towed at long distance travel/time.
18)	Standard scupper or drain system;
19)	The helm/accommodation shall be fitted with waterproofed overhead glass window (tinted).
20)	Dashboard shall be fitted with drawer and locker with locking mechanism for reference and maintenance manuals.

b. Propulsion System:

The marine propulsion shall be capable to deliver the following requirements to include but

not limited to:

- 1) at least 60 Knots - Maximum Speed
- 2) at least 35 Knots- Cruising Speed
- 3) at least 15 knots- Loiter Speed
- 4) at least 300NM range at cruising or transit speed
- 5) at least 1,500 hours MTBO equivalent to at least 6 years operation.
- 6) The engine should be able to be started, regulated, engaged, disengaged and stopped from the wheelhouse; and can be directly started and stopped at the engine itself in case of emergency.
- 7) Fuel tank level indicator shall be fitted at the wheelhouse and adequate fuel filtering system to be incorporated in the fuel suction lines in addition to the engine fuel filters.
- 8) The engine shall be protected against corrosion.
- 9) 1 x set repair kit shall be provided.

c. Safety and Lifesaving Equipment:

SOLAS and ISO standard safety equipment for boats included but not limited to the following features:

- 1) 10 x Life Jackets;
- 2) 2 x Ring buoy (color international orange) w/ 300 ft long x 1/2i n dia. polypropylene rescue rope
- 3) 1 x Electronic Pulsating Indicating Radio Beacon (EPIRB);
- 4) 1 x set Flares
- 5) 2 x 10 lbs fire extinguishers (Class “ABC”)
- 6) Assorted sizes of safety grab rails
- 7) 4 x paddles with 1 x oar
- 8) 1 x set First aid kit

d. Command and Surveillance:

The boat shall be provided with but not limited to the following equipment:

1) Communications Equipment:

- a) 1 x VHF/FM Marine Band radio
- b) 2 x VHF/UHF Handheld radio
- c) 1 x Multi-band radio (interoperability with AFP)
- d) 1 x Horn/Loud Hailer with Public Address System
 - High quality speaker for Intercom and Hailer capability;
 - 8-Warning signals;
 - 12-24 VDC - Power supply

2) Sensors/Electronic Equipment:

- a) 1 x GPS, Chartplotter with following features:
 - 800 cd/m² brightness;
 - Size: approx. 5-7"
 - excellent readability even in direct sunlight;
 - fog free;
 - easy installation antenna;
 - dual range chart display
 - 30,000 waypoints/track
 - 1,000 routes
 - 12-24 VDC power supply
- b) 1 x Standard marine search radar with sounder:
 - with Mini-Automatic Radar Plotting Aid (MARPA);
 - 8-10" Color LCD;
 - Antenna: approx. 24" diadome type
 - Range: 21-36 NM;
 - Power Output: 4 kW;
- c) 1 x Standard boat magnetic compass
- d) 2 x Standard Marine Binoculars
- e) 1 x Digital Telescope Camera for Long-distance Monitoring capability

with following features:

- Pixel: 2 Megapixel
- Light filter: Daily One
- Connector: USB 2.0 or upper version
- Size: 150*40 MM
- USB wire length: 1.5 M
- Tripod Size: 150 – 250MM Height.
- Functions: movement detection, spot monitor, photographing, videotaping, live webcasting.

f) 1 x Barometer

e. Electrical System:

The boat shall be provided with but not limited to the following units of electrical features:

1. Standard Navigational Lights (L.E.D.)

- a) 1 x set Port and Starboard lights;
- b) 1 x set forward 360 deg Search Light;
- c) 1 x set all around light;
- d) 1 x set Stern Light;
- e) 1 x set Mastheadlight;

2. Assorted L.E.D deck/floor lights;

3. 4 x each 12 V Deep Cycle batteries with locks and straps;

4. 2 x set Auto-charging relay (Starting Battery Isolators);

5. Dashboard switch panel with marine switches

6. 2 x units 800 gph Bilge pumps (1-automatic and 1-manual driven)

7. 2 x each battery powered emergency lights shall be fitted at the wheelhouse/accommodation.

8. Provision of dim controlled lightings throughout the boat for night operations. Light

switch shall be installed at the dashboard.
9. All lightings and fittings exposed at the weather deck shall be watertight and corrosion proof
10. Shore power connection box with at least 30 meters marine cable shall be provided.
11. International standard customs and police warning and signaling device fitted at the boat's canopy

Technical Specifications
SPEEDBOATS WITH FORTY (40) KNOTS AND TRAILERS

PROJECT DESCRIPTION:

The contractor shall comply with the following technical specification required by the Procuring Entity:

1. Capabilities and Performance Requirements:
a. Capable to carry 16 persons (4-crews; 8-passengers and 8-boarding Officers).
b. Designed with low surface signature capable to operate day and night of at least 5 hours continuous operations.
c. The boat shall be low draft, agile maneuverability with small turning circle or tactical diameter.
d. Capable to return fire against armed enemies with its 1 x LMG (bow) and 2 x LMG (stern).
e. Able to travel at least 162 Nautical Miles (NM) at maximum speed of at least 40 knots.
f. Can withstand dynamic forces of at least Sea State 3 at head-on seas.
g. Able to detect surface vessels at a range of at least 21-36 Nautical Miles.
h. Able to communicate with commercial and naval vessels with its VHF/UHF Marine radio communications equipment.
i. With enclosed accommodation and fully cushioned leather bench with grab rails in-front to prevent personnel from throwing during high speed and stressful sea condition.
j. Able to maintain positive buoyancy and seaworthiness with its floatation device and stability trim tab.
k. Protected with a bumping material to prevent damage from hull impact during alongside with boats; dock and minimize damage against collision.
2. General Requirements for Design and Construction:
a. The boat's hull shall be made of Fiberglass Reinforce Plastic (FRP) vacuum

	resin infused monohull construction that have longer service life of more than 20 years;
b.	Design and construction shall be in accordance with the classifications and standards set by MARINA (Circular # 2015-09 – Revised IRR on the Registration of Boatbuilders/Repairers) and ISO 9001:2008-2015 specifically on Small craft -- Hull construction and scantlings.
c.	Workmanship shall be of first class quality that is, exhibiting the latest technology and quality in fabrication details and appearance typically produced by competent and conscientious workers with TESDA certification or by its accredited Educational Institutions).
d.	Safety features for passengers and equipment shall be in accordance with international rules and regulations under Safety of Life at Sea (SOLAS), International Maritime Organization (IMO) and ISO 9001:2008-2015 specifically on Safety and Fire protection.
e.	The boat's hull geometry should be considered to be efficient in optimizing the speed performance and stability. The aft portion of the hull shall not introduce suction or negative lift which cause the stern to squat and yaw instability or to oscillate (steer itself) horizontally about a central vertical axis. The boat must be able to give greater directional stability (deeper keel), handles better in all conditions and has better, and safer, manners going downwind. The boat shall be fitted with stability trim tab.
f.	The hull structure shall be fitted with minimum number of openings to reduce hull strain and stress against stressful sea conditions.
g.	The Contractor shall establish and conduct an equipment maintenance, removal and handling program to ensure that equipment can be removed from its place of installation and move to an area within the boat, or remove for off-boat repair with minimum disruption to other equipment and system due to interference or secondary removals
h.	It shall be electro-hydraulically integrated to steering system. The fuel tank shall be made of marine grade 5086 aluminum separately fit/stored from the boat's shell fitted but not limited with breather, fuel lines and other features on fuel system. Fuel consumption per rpm shall be submitted together with the OBM's maintenance manual.
i.	The crew, passengers and equipment shall be protected by an enclosed accommodation structure against dynamic impact during high speed and severe weather condition.
j.	To prevent hull damage during collision and bumping situation, a bumping material at gunnel shall be fitted. It shall be made of light materials that can be compartmentalized to ensure safety.
k.	A small toilet with appropriate flushing and discharge system shall be fitted for

sanitary purposes.
l. Mooring and anchoring equipment shall be provided with standard fittings and stowage compartment.
m. Safety grab rails/handles and a high quality non-slip materials shall be applied all throughout boat floors to prevent passengers from throwing and sliding.
n. Fitted with tempered, scratch resistant, strong leak-proofed glass windshield and side glass windows with marine wipers with high breaking strength capable to withstand severe weather condition.
o. The marine propulsion shall have a life expectancy of at least 1,500 hours MTBO equivalent to at least 6 years operations.
p. The design and installation of the propulsion system shall be advantageous for speed performance and shall not be a cause of hull vibrations; high fuel consumption and drag.
q. The propulsion system shall be quick starting and requires a minimum time of less than one (1) minute to speed up to maximum speed.
r. The delivery of the engine and its accessories shall be of OEM low downtime for repair. It must undergo with satisfactory tests and performance to ensure customer's satisfaction.
s. Electronic equipment installed shall deliver superior performance; lightweight; energy efficient, high definition and higher sensitivity. There must a resilient mechanism that protects the installed equipment.
t. The boat shall be fitted with gun mounts at the following location: 1 x LMG at the bow; and 2 x LMG at port and starboard stern. Gun mounts shall be properly installed with easy to swing mechanism and vibration free that may not affect the boat's structural membrane.
u. The entire hull, deck fittings and equipment installed shall be painted and properly marked in accordance with the internationally accepted painting scheme for boats Hull markings particularly the name and number of the boat shall be clear and readable in letters not less than 4 inches in height being seen at the stern and bow.

3. Detailed Requirements:

Boat Particulars:	
a. Length Overall	35 feet
b. Breadth	9-10 feet
c. Draft	Function of Design
d. Displacement	Function of Design
e. Height of Transom	Function of Design
f. Speed	at least 40 knots - Maximum Speed;
	at least 30 Knots- Cruising Speed
	at least 10 knots- Loiter Speed
g. Range	at least 162NM
h. Propulsion System	at least Two (2) x 300HP OBM; 2 x Stroke Direct Fuel Injection
i. Complement	16 persons
j. Fuel Capacity	at least 500 Liters
k. Armament	3 x easy to swing gun mounts of 1 x LMG (bow) and 2 LMG (stern)

4. Systems Requirements:	
a. Hull Structure, Outfitting and Refurbishing:	
The design and construction of the boat shall include but not limited to the following requirements:	
1)	Fiberglass Reinforced Plastic (FRP) vacuum resin infused monohull construction with standard thickness of shell lamination.
2)	Stepped Hull, hard chine and strakes with variable deadrise angle.
3)	With enclosed structure for accommodation of 16 persons; sunbrella at stern and storage compartment convertible into billeting space of at least four (4) persons located at forward below deck of the console with appropriate ventilation.
4)	Tempered, scratch resistant, strong leak-proofed glass windshield and side glass windows with marine wipers.
5)	Stowage/compartment for anchor (Danforth Type), mooring lines, deck equipment and supplies shall be fitted at the bow and other appropriate

	deck locations. for anchor; mooring lines.
6)	The entire hull, deck fittings and equipment installed shall be painted and properly marked in accordance with the internationally accepted painting scheme for boats.
7)	Fitted with welded 5086 marine grade aluminum fuel tank separately stored from the boat's shell with appropriate fittings such as but not limited with breather, fuel lines and other features on fuel system.
8)	Fully cushioned leather bench for 16 persons
9)	1 x Dashboard with complete instrumentation
10)	Standard navigational and electronic equipment;
11)	Standard firefighting and lifesaving equipment;
12)	1 x set marine steering wheel and accessories;
13)	1 x set marine throttle and clutches;
14)	Breaker and electronic control switch and housing;
15)	Mechanical and electrical gauges;
16)	Gunnel is protected with rubberized bumping material;
17)	One (1) unit 6- wheeler trailer shall have the following features: <ul style="list-style-type: none"> a) 1 x galvanized or metal steel frame coated with marine epoxy paint; b) 1 x trailer lights; c) 1x manual winch; d) 6 x tires and rims; e) safety chains and rollers; f) The trailer shall be able to lift/hold the boat and can be towed at long distance travel/time.
18)	Standard scupper or drain system;
19)	The helm/accommodation shall be fitted with waterproofed overhead glass window (tinted).
20)	Dashboard shall be fitted with drawer and locker with locking mechanism for reference and maintenance manuals.

b. Propulsion System:

The marine propulsion shall be capable to deliver the following requirements to include but not limited to:

- 1) at least 40 Knots - Maximum Speed
- 2) at least 30 Knots- Cruising Speed
- 3) at least 10 knots- Loiter Speed
- 4) at least 162NM range at maximum speed of at least 40 knots
- 5) at least 1,500 hours MTBO equivalent to at least 6 years operation.
- 6) The engine should be able to be started, regulated, engaged, disengaged and stopped from the wheelhouse; and can be directly started and stopped at the engine itself in case of emergency.
- 7) Fuel tank level indicator shall be fitted at the wheelhouse and adequate fuel filtering system to be incorporated in the fuel suction lines in addition to the engine fuel filters.
- 8) The engine shall be protected against corrosion.
- 9) 1 x set repair kit shall be provided.

c. Safety and Lifesaving Equipment:

SOLAS and ISO 9001:2008-2015 standard safety equipment for boats included but not limited to the following features:

- 1) 16 x Life Jackets;
- 2) 2 x Ring buoy (color international orange) w/ 300 ft long x 1/2i n dia. polypropylene rescue rope
- 3) 1 x EPIRB;
- 4) 1 x set Flares
- 5) 2 x 10 lbs fire extinguishers (Class “ABC”)
- 6) Assorted sizes of safety grab rails
- 7) 4 x paddles with 1 x oar
- 8) 1 x set First aid kit

d. Command and Surveillance:

The boat shall be provided with but not limited to the following equipment:

1) Communications Equipment:

- a) 1 x VHF/FM Marine Band radio
- b) 2 x VHF/UHF Handheld radio
- c) 1 x Multi-band radio (interoperability with AFP)
- d) 1 x Horn/Loud Hailer with Public Address System
 - High quality speaker for Intercom and Hailer capability;
 - 8-Warning signals;
 - 12-24 VDC - Power supply

2) Sensors/Electronic Equipment:

- a) 1 x GPS, Chartplotter with following features:
 - 800 cd/m2 brightness;
 - Size: approx. 5-7"
 - excellent readability even in direct sunlight;
 - fog free;
 - easy installation antenna;
 - dual range chart display
 - 30,000 waypoints/track
 - 1,000 routes
 - 12-24 VDC power supply
- b) 1 x Standard marine search radar with sounder:
 - with Mini-Automatic Radar Plotting Aid (MARPA);
 - 8-10" Color LCD;
 - Antenna: approx. 24" diadome type
 - Range: 21-36 NM;
 - Power Output: 4 kW;
- c) 1 x Standard boat magnetic compass

- d) 2 x Standard Marine Binoculars
- e) 1 x Digital Telescope Camera for Long-distance Monitoring capability with following features:
 - o Pixel: 2 Megapixel
 - o Light filter: Daily One
 - o Connector: USB 2.0 or upper version
 - o Size: 150*40 MM
 - o USB wire length: 1.5 M
 - o Tripod Size: 150 – 250MM Height.
 - o Functions: movement detection, spot monitor, photographing, videotaping, live webcasting.
- f) 1 x Barometer

e. Electrical System:

The boat shall be provided with but not limited to the following units of electrical features:

1. Standard Navigational Lights (L.E.D.)

- a) 1 x set Port and Starboard lights;
- b) 1 x set forward 360 deg Search Light;
- c) 1 x set all around light;
- d) 1 x set Stern Light;
- e) 1 x set Mastheadlight;

2. Assorted L.E.D deck/floor lights;

3. 4 x each 12 V Deep Cycle batteries with locks and straps;

4. 2 x set Auto-charging relay (Starting Battery Isolators);

5. Dashboard switch panel with switches

6. 2 x units 800 gph Bilge pumps (1-automatic and 1-manual driven)

7. 2 x each battery powered emergency lights shall be fitted at the

wheelhouse/accommodation.
8. Provision of dim controlled lightings throughout the boat for night operations. Light switch shall be installed at the dashboard.
9. All lightings and fittings exposed at the weather deck shall be watertight and corrosion proof
10. Shore power connection box with at least 30 meters marine cable shall be provided.
11. International standard customs and police warning and signaling device fitted at the boat's canopy

***Statement of Compliance to
Section VII. Technical Specifications
(SPEEDBOATS WITH SIXTY (60) KNOTS AND TRAILERS)***

Item	Capabilities and Performance Requirements	Statement of Compliance (Comply/Not Comply)
1	Capable to carry 10 persons (4-crews; 2-passengers and 4-boarding Officers).	
2	Designed with low surface signature capable to operate day and night of at least 5 hours continuous operations.	
3	The boat shall be low draft, agile maneuverability with small turning circle or tactical diameter.	
4	Capable to return fire against armed enemies with its 1 x HMG (bow) and 2 x LMG (stern).	
5	Able to travel at least 300 Nautical Miles (NM) cruising or transit speed of at least 30 knots and ability to undertake at least one (1) hour hot pursuit operations at a maximum speed of 60 knots.	
6	Can withstand dynamic forces of at least Sea State 3 at head-on seas.	
7	Able to detect surface vessels at a range of at least 21-36 Nautical Miles.	
8	Able to communicate with commercial and naval vessels with its VHF/UHF Marine radio communications equipment.	
9	With enclosed accommodation and shock mitigated marine seats with grab rails in-front to prevent personnel from throwing during high speed and stressful sea condition.	
10	Able to maintain positive buoyancy and seaworthiness with its floatation device and stability trim tab.	
11	Protected with a bumping material to prevent damage from hull impact during alongside with boats; dock and minimize damage against collision.	

General Requirements for Design and Construction		
12	The boat's hull shall be made of Fiberglass Reinforce Plastic (FRP) vacuum resin infused monohull construction that have longer service life of more than 20 years;	
13	Design and construction shall be in accordance with the classifications and standards set by MARINA (Circular # 2015-09 – Revised IRR on the Registration of Boatbuilders/Repairers) and ISO 9001:2008-2015 specifically on Small craft -- Hull construction and scantlings.	
14	Workmanship shall be of first class quality that is, exhibiting the latest technology and quality in fabrication details and appearance typically produced by competent and conscientious workers with TESDA certification or by its accredited Educational Institutions).	
15	Safety features for passengers and equipment shall be in accordance with international rules and regulations under Safety of Life at Sea (SOLAS), International Maritime Organization (IMO) and ISO 9001:2008-2015 specifically on Safety and Fire Protection.	
16	The boat's hull geometry should be considered to be efficient in optimizing the speed performance and stability. The aft portion of the hull shall not introduce suction or negative lift which cause the stern to squat and yaw instability or to oscillate (steer itself) horizontally about a central vertical axis. The boat must be able to give greater directional stability (deeper keel), handles better in all conditions and has better, and safer, manners going downwind. The boat shall be fitted with stability trim tab.	
17	The hull structure shall be fitted with minimum number of openings to reduce hull strain and stress against stressful sea conditions.	
18	The Contractor shall establish and conduct an equipment maintenance, removal and handling program to ensure that equipment can be removed from its place of installation and move to an area within the boat, or remove for off-boat repair with minimum disruption to other equipment and system due to interference or secondary removals	
19	It shall be electro-hydraulically integrated to steering system. The fuel tank shall be made of marine grade 5086 aluminum separately fit/stored from the boat's shell fitted but not limited with breather, fuel lines and other features on fuel system. Fuel consumption per rpm shall be submitted together with the OBM's maintenance manual.	
20	The crew, passengers and equipment shall be protected by an enclosed accommodation structure against dynamic impact during high speed and severe weather condition.	

21	To prevent hull damage during collision and bumping situation, a bumping material at gunnel shall be fitted. It shall be made of light materials that can be compartmentalized to ensure safety.	
22	A small toilet with appropriate flushing and discharge system shall be fitted for sanitary purposes.	
23	Mooring and anchoring equipment shall be provided with standard fittings and stowage compartment.	
24	Safety grab rails/handles and a high quality non-slip materials shall be applied all throughout boat floors to prevent passengers from throwing and sliding.	
25	Fitted with tempered, scratch resistant, strong leak-proofed glass windshield and side glass windows with marine wipers with high breaking strength capable to withstand severe weather condition.	
26	The marine propulsion shall have a life expectancy of at least 1,500 hours MTBO equivalent to at least 6 years operations.	
27	The design and installation of the propulsion system shall be advantageous for speed performance and shall not be a cause of hull vibrations; high fuel consumption and drag.	
28	The propulsion system shall be quick starting and requires a minimum time of less than one (1) minute to speed up to maximum speed.	
29	The delivery of the engine and its accessories shall be of OEM low downtime for repair. It must undergo with satisfactory tests and performance to ensure customer's satisfaction.	
30	Electronic equipment installed shall deliver superior performance; lightweight; energy efficient, high definition and higher sensitivity. There must a resilient mechanism that protects the installed equipment.	
31	The boat shall be fitted with gun mounts at the following location: 1 x HMG at the bow; and 2 x LMG at port and starboard stern. Gun mounts shall be properly installed with easy to swing mechanism and vibration free that may not affect the boat's structural membrane.	
32	The entire hull, deck fittings and equipment installed shall be painted and properly marked in accordance with the internationally accepted painting scheme for boats Hull markings particularly the name and	

	number of the boat shall be clear and readable in letters not less than 4 inches in height being seen at the stern and bow.	
Detailed Requirements		
Particulars		
33	Length Overall	35-40 feet
34	Breadth	9-10 feet
35	Draft	Function of Design
36	Displacement	Function of Design
37	Height of Transom	Function of Design
38	Speed	at least 60 knots - Maximum Speed;
39		at least 35 Knots- Cruising Speed
40		at least 15 knots- Loiter Speed
41	Range	at least 300NM
42	Propulsion System	at least Three (3) x 300HP OBM; 2 x Stroke Direct Fuel Injection
43	Complement	10 persons
44	Fuel Capacity	at least 1,000 Liters
45	Armament	3 x Flexible gun mounts of 1 x HMG (bow) and 2 LMG (stern)
Systems Requirements		
Hull Construction, Outfitting and Refurbishing		
The design and construction of the boat shall include but not limited to the following requirements:		
46	Fiberglass Reinforced Plastic (FRP) vacuum resin infused monohull construction with standard thickness of shell lamination.	
47	Stepped Hull, hard chine and strakes with variable deadrise angle.	

48	With enclosed structure for accommodation of 10 persons; sunbrella at stern and storage compartment convertible into billeting space of at least four (4) persons located at forward below deck of the console with appropriate ventilation.	
49	Tempered, scratch resistant, strong leak-proofed glass windshield and side glass windows with marine wipers.	
50	Stowage/compartment for anchor (Danforth Type), mooring lines, deck equipment and supplies shall be fitted at the bow and other appropriate deck locations.	
51	The entire hull, deck fittings and equipment installed shall be painted and properly marked in accordance with the internationally accepted painting scheme for boats.	
52	Fitted with welded 5086 marine grade aluminum fuel tank separately stored from the boat's shell with appropriate fittings such as but not limited with breather, fuel lines and other features on fuel system.	
53	10 x shock mitigated marine seats.	
54	1 x Dashboard with complete instrumentation	
55	Standard navigational and electronic equipment;	
56	Standard firefighting and lifesaving equipment;	
57	1 x set marine steering wheel and accessories;	
58	1 x set marine throttle and clutches;	
59	Breaker and electronic control switch and housing;	
60	Mechanical and electrical gauges;	
61	Gunnel is protected with rubberized bumping material;	
62	One (1) unit 6- wheeler trailer shall have the following features: <ul style="list-style-type: none"> a. 1 x galvanized or metal steel frame coated with marine epoxy paint; b. 1 x trailer lights; c. 1x manual winch; d. 6 x tires and rims; e. safety chains and rollers; f. The trailer shall be able to lift/hold the boat and can be towed at 	

	long distance travel/time.	
63	Standard scupper or drain system;	
64	The helm/accommodation shall be fitted with waterproofed overhead glass window (tinted).	
65	Dashboard shall be fitted with drawer and locker with locking mechanism for reference and maintenance manuals.	
Propulsion System		
The marine propulsion shall be capable to deliver the following requirements to include but not limited to:		
66	at least 60 Knots - Maximum Speed	
67	at least 35 Knots- Cruising Speed	
68	at least 15 knots- Loiter Speed	
69	at least 300NM range at cruising or transit speed	
70	at least 1,500 hours MTBO equivalent to at least 6 years operation.	
71	The engine should be able to be started, regulated, engaged, disengaged and stopped from the wheelhouse; and can be directly started and stopped at the engine itself in case of emergency.	
72	Fuel tank level indicator shall be fitted at the wheelhouse and adequate fuel filtering system to be incorporated in the fuel suction lines in addition to the engine fuel filters.	
73	The engine shall be protected against corrosion.	
74	1 x repair kit shall be provided.	
Safety and Lifesaving Equipment		
SOLAS and ISO standard safety equipment for boats included but not limited to the following features:		
75	10 x Life Jackets;	
76	2 x Ring buoy (color international orange)w/ 300 ft long x 1/2i n dia. polypropylene rescue rope	

77	1 x EPIRB;	
78	1 x set Flares	
79	2 x 10 lbs fire extinguishers (Class “ABC”)	
80	Assorted sizes of safety grab rails	
81	4 x paddles with 1 x oar	
82	1 x set First aid kit	
Command and Surveillance		
The boat shall be provided with but not limited to the following equipment:		
Communications Equipment:		
83	1 x VHF/FM Marine Band radio	
84	2 x VHF/UHF Handheld radio	
85	1 x Multi-band radio (interoperability with AFP)	
86	1 x Horn/Loud Hailer with Public Address System <ul style="list-style-type: none"> ○ High quality speaker for Intercom and Hailer capability; ○ 8-Warning signals; ○ 12-24 VDC - Power supply 	
Sensors/Electronic Equipment		
87	1 x GPS, Chartplotter with following features: <ul style="list-style-type: none"> ○ 800 cd/m2 brightness; ○ Size: approx. 5-7” ○ excellent readability even in direct sunlight; ○ fog free; ○ easy installation antenna; 	

	<ul style="list-style-type: none"> ○ dual range chart display ○ 30,000 waypoints/track ○ 1,000 routes ○ 12-24 VDC power supply 	
88	<p>1 x Standard marine search radar with sounder:</p> <ul style="list-style-type: none"> ○ with Mini-Automatic Radar Plotting Aid (MARPA); ○ 8-10" Color LCD; ○ Antenna: approx. 24" diadome type ○ Range: 21-36 NM; ○ Power Output: 4 kW; 	
89	1 x Standard boat magnetic compass	
90	2 x Standard Marine Binoculars	
91	<p>1 x Digital Telescope Camera for Long-distance Monitoring capability with following features:</p> <ul style="list-style-type: none"> ○ Pixel: 2 Megapixel ○ Light filter: Daily One ○ Connector: USB 2.0 or upper version ○ Size: 150*40 MM ○ USB wire length: 1.5 M ○ Tripod Size: 150 – 250MM Height. ○ Functions: movement detection, spot monitor, photographing, videotaping, live webcasting. 	
92	1 x Barometer	
Electrical System		
The boat shall be provided with but not limited to the following units of electrical features:		
Standard Navigational Lights (L.E.D.)		

93	1 x set Port and Starboard lights;	
94	1 x set forward 360 deg Search Light;	
95	1 x set all around light;	
96	1 x set Stern Light;	
97	1 x set Mastheadlight;	
98	Assorted L.E.D deck/floor lights;	
99	4 x each 12 V Deep Cycle batteries with locks and straps;	
100	2 x set Auto-charging relay (Starting Battery Isolators);	
101	Dashboard switch panel with marine switches	
102	2 x units 800 gph Bilge pumps (1-automatic and 1-manual driven)	
103	2 x each battery powered emergency lights shall be fitted at the wheelhouse/accommodation.	
104	Provision of dim controlled lightings throughout the boat for night operations. Light switch shall be installed at the dashboard.	
105	All lightings and fittings exposed at the weather deck shall be watertight and corrosion proof	
106	Shore power connection box with at least 30 meters marine cable shall be provided.	
107	International standard customs and police warning and signaling device fitted at the boat's canopy	

Name of Company (in print)

Signature of Company Authorized Representative

Name & Designation (in print)

Date

***Statement of Compliance to
Section VII. Technical Specifications
(SPEEDBOATS WITH FORTY (40) KNOTS AND TRAILERS)***

	Capabilities and Performance Requirements	Statement of Compliance (Comply/Not Comply)
1	Capable to carry 16 persons (4-crews; 8-passengers and 4-boarding Officers).	
2	Designed with low surface signature capable to operate day and night of at least 5 hours continuous operations.	
3	The boat shall be low draft, agile maneuverability with small turning circle or tactical diameter.	
4	Capable to return fire against armed enemies with its 1 x LMG (bow) and 2 x LMG (stern).	
5	Able to travel at least 162 Nautical Miles (NM) at a maximum speed of at least 40 knots.	
6	Can withstand dynamic forces of at least Sea State 3 at head-on seas.	
7	Able to detect surface vessels at a range of at least 21-36 Nautical Miles.	
8	Able to communicate with commercial and naval vessels with its VHF/UHF Marine radio communications equipment.	
9	With enclosed accommodation and shock mitigated marine seats with grab rails in-front to prevent personnel from throwing during high speed and stressful sea condition.	
10	Able to maintain positive buoyancy and seaworthiness with its floatation device and stability trim tab.	
11	Protected with a bumping material to prevent damage from hull impact during alongside with boats; dock and minimize damage against	

	collision.	
General Requirements for Design and Construction		
12	The boat's hull shall be made of Fiberglass Reinforce Plastic (FRP) vacuum resin infused monohull construction that have longer service life of more than 20 years;	
13	Design and construction shall be in accordance with the classifications and standards set by MARINA (Circular # 2015-09 – Revised IRR on the Registration of Boatbuilders/Repairers) and ISO 9001:2008-2015 specifically on Small craft -- Hull construction and scantlings.	
14	Workmanship shall be of first class quality that is, exhibiting the latest technology and quality in fabrication details and appearance typically produced by competent and conscientious workers with TESDA certification or by its accredited Educational Institutions).	
15	Safety features for passengers and equipment shall be in accordance with international rules and regulations under Safety of Life at Sea (SOLAS), International Maritime Organization (IMO) ISO 9001:2008-2015 specifically on Safety and Fire Protection.	
16	The boat's hull geometry should be considered to be efficient in optimizing the speed performance and stability. The aft portion of the hull shall not introduce suction or negative lift which cause the stern to squat and yaw instability or to oscillate (steer itself) horizontally about a central vertical axis. The boat must be able to give greater directional stability (deeper keel), handles better in all conditions and has better, and safer, manners going downwind. The boat shall be fitted with stability trim tab.	
17	The hull structure shall be fitted with minimum number of openings to reduce hull strain and stress against stressful sea conditions.	
18	The Contractor shall establish and conduct an equipment maintenance, removal and handling program to ensure that equipment can be removed from its place of installation and move to an area within the boat, or remove for off-boat repair with minimum disruption to other equipment and system due to interference or secondary removals	
19	It shall be electro-hydraulically integrated to steering system. The fuel tank shall be made of marine grade 5086 aluminum separately fit/stored from the boat's shell fitted but not limited with breather, fuel lines and other features on fuel system. Fuel consumption per rpm shall be submitted together with the OBM's maintenance manual.	
20	The crew, passengers and equipment shall be protected by an enclosed accommodation structure against dynamic impact during high speed	

	and severe weather condition.	
21	To prevent hull damage during collision and bumping situation, a bumping material at gunnel shall be fitted. It shall be made of light materials that can be compartmentalized to ensure safety.	
22	A small toilet with appropriate flushing and discharge system shall be fitted for sanitary purposes.	
23	Mooring and anchoring equipment shall be provided with standard fittings and stowage compartment.	
24	Safety grab rails/handles and a high quality non-slip materials shall be applied all throughout boat floors to prevent passengers from throwing and sliding.	
25	Fitted with tempered, scratch resistant, strong leak-proofed glass windshield and side glass windows with marine wipers with high breaking strength capable to withstand severe weather condition.	
26	The marine propulsion shall have a life expectancy of at least 1,500 hours MTBO equivalent to at least 6 years operations.	
27	The design and installation of the propulsion system shall be advantageous for speed performance and shall not be a cause of hull vibrations; high fuel consumption and drag.	
28	The propulsion system shall be quick starting and requires a minimum time of less than one (1) minute to speed up to maximum speed.	
29	The delivery of the engine and its accessories shall be of OEM low downtime for repair. It must undergo with satisfactory tests and performance to ensure customer's satisfaction.	
30	Electronic equipment installed shall deliver superior performance; lightweight; energy efficient, high definition and higher sensitivity. There must a resilient mechanism that protects the installed equipment.	
31	The boat shall be fitted with gun mounts at the following location: 1 x LMG at the bow; and 2 x LMG at port and starboard stern. Gun mounts shall be properly installed with easy to swing mechanism and vibration free that may not affect the boat's structural membrane.	

32	The entire hull, deck fittings and equipment installed shall be painted and properly marked in accordance with the internationally accepted painting scheme for boats Hull markings particularly the name and number of the boat shall be clear and readable in letters not less than 4 inches in height being seen at the stern and bow.		
Detailed Requirements			
Particulars			
33	Length Overall	35 feet	
34	Breadth	9-10 feet	
35	Draft	Function of Design	
36	Displacement	Function of Design	
37	Height of Transom	Function of Design	
38	Speed	at least 40 knots - Maximum Speed;	
39		at least 30 Knots- Cruising Speed	
40		at least 10 knots- Loiter Speed	
41	Range	at least 162NM	
42	Propulsion System	at least Two (2) x 300HP OBM; 2 x Stroke Direct Fuel Injection	
43	Complement	16 persons	
44	Fuel Capacity	at least 500 Liters	
45	Armament	3 x Flexible gun mounts of 1 x LMG (bow) and 2 LMG (stern)	
Systems Requirements			
Hull Construction, Outfitting and Refurbishing			
The design and construction of the boat shall include but not limited to the following requirements:			
46	Fiberglass Reinforced Plastic (FRP) vacuum resin infused monohull		

	construction with standard thickness of shell lamination.	
47	Stepped Hull, hard chine and strakes with variable deadrise angle.	
48	With enclosed structure for accommodation of 16 persons; sunbrella at stern and storage compartment convertible into billeting space of at least four (4) persons located at forward below deck of the console with appropriate ventilation.	
49	Tempered, scratch resistant, strong leak-proofed glass windshield and side glass windows with marine wipers.	
50	Stowage/compartments for anchor (Danforth Type), mooring lines, deck equipment and supplies shall be fitted at the bow and other appropriate deck locations.	
51	The entire hull, deck fittings and equipment installed shall be painted and properly marked in accordance with the internationally accepted painting scheme for boats.	
52	Fitted with welded 5086 marine grade aluminum fuel tank separately stored from the boat's shell with appropriate fittings such as but not limited with breather, fuel lines and other features on fuel system.	
53	Fully cushioned leather bench for 16 persons	
54	1 x Dashboard with complete instrumentation	
55	Standard navigational and electronic equipment	
56	Standard firefighting and lifesaving equipment;	
57	1 x set marine steering wheel and accessories;	
58	1 x set marine throttle and clutches;	
59	Breaker and electronic control switch and housing;	
60	Mechanical and electrical gauges;	
61	Gunnels are protected with rubberized bumping material;	
62	One (1) unit 6-wheeler trailer shall have the following features: <ul style="list-style-type: none"> a. 1 x galvanized or metal steel frame coated with marine epoxy paint; b. 1 x trailer lights; c. 1x manual winch; 	

	<ul style="list-style-type: none"> d. 6 x tires and rims; e. safety chains and rollers; f. The trailer shall be able to lift/hold the boat and can be towed at long distance travel/time. 	
63	Standard scupper or drain system;	
64	The helm/accommodation shall be fitted with waterproofed overhead glass window (tinted).	
65	Dashboard shall be fitted with drawer and locker with locking mechanism for reference and maintenance manuals.	
Propulsion System		
The marine propulsion shall be capable to deliver the following requirements to include but not limited to:		
66	at least 40 Knots - Maximum Speed	
67	at least 30 Knots- Cruising Speed	
68	at least 10 knots- Loiter Speed	
69	at least 162NM range at maximum speed of at least 40 knots	
70	at least 1,500 hours MTBO equivalent to at least 6 years operation.	
71	The engine should be able to be started, regulated, engaged, disengaged and stopped from the wheelhouse; and can be directly started and stopped at the engine itself in case of emergency.	
72	Fuel tank level indicator shall be fitted at the wheelhouse and adequate fuel filtering system to be incorporated in the fuel suction lines in addition to the engine fuel filters.	
73	The engine shall be protected against corrosion.	
74	1 set repair kit shall be provided.	
Safety and Lifesaving Equipment		
SOLAS and ISO standard safety equipment for boats included but not limited to the following features:		

75	16 x Life Jackets;	
76	2 x Ring buoy (color international orange)w/ 300 ft long x 1/2i n dia. polypropylene rescue rope	
77	1 x EPIRB;	
78	1 x set Flares	
79	2 x 10 lbs fire extinguishers (Class “ABC’)	
80	Assorted sizes of safety grab rails	
81	4 x paddles with 1 x oar	
82	1 x set First aid kit	
Command and Surveillance		
The boat shall be provided with but not limited to the following equipment:		
Communications Equipment:		
83	1 x VHF/FM Marine Band radio	
84	2 x VHF/UHF Handheld radio	
85	1 x Multi-band radio (interoperability with AFP)	
86	1 x Horn/Loud Hailer with Public Address System <ul style="list-style-type: none"> ○ High quality speaker for Intercom and Hailer capability; ○ 8-Warning signals; ○ 12-24 VDC - Power supply 	
Sensors/Electronic Equipment		
87	1 x GPS, Chartplotter with following features: <ul style="list-style-type: none"> ○ 800 cd/m2 brightness; ○ Size: approx. 5-7” ○ excellent readability even in direct sunlight; 	

	<ul style="list-style-type: none"> ○ fog free; ○ easy installation antenna; ○ dual range chart display ○ 30,000 waypoints/track ○ 1,000 routes ○ 12-24 VDC power supply 	
88	<p>1 x Standard marine search radar with sounder:</p> <ul style="list-style-type: none"> ○ with Mini-Automatic Radar Plotting Aid (MARPA); ○ 8-10" Color LCD; ○ Antenna: approx. 24" diadome type ○ Range: 21-36 NM; ○ Power Output: 4 kW; 	
89	1 x Standard boat magnetic compass	
90	2 x Standard Marine Binoculars	
91	<p>1 x Digital Telescope Camera for Long-distance Monitoring capability with following features:</p> <ul style="list-style-type: none"> ○ Pixel: 2 Megapixel ○ Light filter: Daily One ○ Connector: USB 2.0 or upper version ○ Size: 150*40 MM ○ USB wire length: 1.5 M ○ Tripod Size: 150 – 250MM Height. ○ Functions: movement detection, spot monitor, photographing, videotaping, live webcasting. 	
92	1 x Barometer	
Electrical System		

The boat shall be provided with but not limited to the following units of electrical features:

93	1 x set Port and Starboard lights;	
94	1 x set forward 360 deg Search Light;	
95	1 x set all around light;	
96	1 x set Stern Light;	
97	1 x set Mastheadlight;	
98	Assorted L.E.D deck/floor lights;	
99	4 x each 12 V Deep Cycle batteries with locks and straps;	
100	2 x set Auto-charging relay (Starting Battery Isolators);	
101	Dashboard switch panel with marine switches	
102	2 x units 800 gph Bilge pumps (1-automatic and 1-manual driven)	
103	2 x each battery powered emergency lights shall be fitted at the wheelhouse/accommodation.	
104	Provision of dim controlled lightings throughout the boat for night operations. Light switch shall be installed at the dashboard.	
105	All lightings and fittings exposed at the weather deck shall be watertight and corrosion proof	
106	Shore power connection box with at least 30 meters marine cable shall be provided.	
107	International standard customs and police warning and signaling device fitted at the boat's canopy	

Name of Company (in print)

Signature of Company Authorized Representative

Name & Designation (in print)

Date

Section VIII. Bidding Forms

TABLE OF CONTENTS

BID FORM	106
CONTRACT AGREEMENT FORM	113
OMNIBUS SWORN STATEMENT	115
BANK GUARANTEE FORM FOR ADVANCE PAYMENT	119
BID SECURING DECLARATION FORM	120

Bid Form

Date: _____
Invitation to Bid¹ N°: _____

To: *[name and address of Procuring Entity]*

Gentlemen and/or Ladies:

Having examined the Bidding Documents including Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform] [description of the Goods]* in conformity with the said Bidding Documents for the sum of *[total Bid amount in words and figures]* or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.

We undertake, if our Bid is accepted, to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

If our Bid is accepted, we undertake to provide a performance security in the form, amounts, and within the times specified in the Bidding Documents.

We agree to abide by this Bid for the Bid Validity Period specified in **BDS** provision for **ITB** Clause 18.2 and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:²

Name and address of agent	Amount and Currency	Purpose of Commission or gratuity
_____	_____	_____
_____	_____	_____
_____	_____	_____

(if none, state "None")

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

¹ If ADB, JICA and WB funded projects, use IFB.

² Applicable only if the Funding Source is the ADB, JICA or WB.

We certify/confirm that we comply with the eligibility requirements as per **ITB** Clause 5 of the Bidding Documents.

We likewise certify/confirm that the undersigned, *[for sole proprietorships, insert: as the owner and sole proprietor or authorized representative of Name of Bidder, has the full power and authority to participate, submit the bid, and to sign and execute the ensuing contract, on the latter's behalf for the Name of Project of the Name of the Procuring Entity]* *[for partnerships, corporations, cooperatives, or joint ventures, insert: is granted full power and authority by the Name of Bidder, to participate, submit the bid, and to sign and execute the ensuing contract on the latter's behalf for Name of Project of the Name of the Procuring Entity].*

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Dated this _____ day of _____ 20_____.

[signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

Breakdown of Bid Price

Breakdown of Bid Price for **Supply and Delivery of Twenty (20) Speedboats with Trailers**

A. PROJECT DESCRIPTION:

The Supplier (winning bidder) shall provide labor, services, materials, tools and equipment to accomplish the following works:

Item No.	Description of Work	Unit Price		Total Price
		60 Knots	40 Knots	
1.	Hull Structure			
2.	Propulsion System			
3.	Electrical System			
4.	Command and Surveillance Equipment a. Communications b. Sensors/Electronics			
5.	Auxiliary Machineries			
6.	Safety and Lifesaving Equipment			
7.	Electrical System			
8.	Trailer			
9.	Onboard Spares			
10.	Training Package			
11.	FOL Consumption			
SUB-TOTAL				

B. INSPECTION AND TEST COSTS:

- 1. Cost of Materials _____
- 2. Other costs (if applicable) _____
- TOTAL _____

C. INCIDENTAL COSTS:

- 1. Total Cost of Freight/Transportation _____
 - a) Boat cost (if applicable) _____
 - b) Overland Hauling Cost (if applicable) _____
 - c) Other transport related cost (if applicable) _____
- 2. Total Cost of Insurances (if applicable) _____
- 3. Total Amount of Taxes to be paid by the Bidder (if applicable) _____
- 4. Other costs (if applicable) _____

TOTAL _____

For Goods Offered From Abroad

Name of Bidder _____ Invitation to Bid³ Number ___. Page ____ of _____.

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

[signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

_____ ³ If ADB, JICA and WB funded projects, use IFB.

For Goods Offered From Within the Philippines

Name of Bidder _____ . Invitation to Bid⁴ Number _ . Page . of ____.

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and Insurance and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)

[signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

⁴ If ADB, JICA and WB funded projects, use IFB.

Contract Agreement Form

THIS AGREEMENT made the _____ day of _____ 20____ between [*name of PROCURING ENTITY*] of the Philippines (hereinafter called “the Entity”) of the one part and [*name of Supplier*] of [*city and country of Supplier*] (hereinafter called “the Supplier”) of the other part:

WHEREAS the Entity invited Bids for certain goods and ancillary services, viz., [*brief description of goods and services*] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [*contract price in words and figures*] (hereinafter called “the Contract Price”).

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
2. The following documents shall be deemed to form and be read and construed as part of this Agreement, viz.:
 - (a) the Supplier’s Bid, including the Technical and Financial Proposals, and all other documents/statements submitted (*e.g.* bidder’s response to clarifications on the bid), including corrections to the bid resulting from the Procuring Entity’s bid evaluation;
 - (b) the Schedule of Requirements;
 - (c) the Technical Specifications;
 - (d) the General Conditions of Contract;
 - (e) the Special Conditions of Contract;
 - (f) the Performance Security; and
 - (g) the Entity’s Notice of Award.
3. In consideration of the payments to be made by the Entity to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Entity to provide the goods and services and to remedy defects therein in conformity in all respects with the provisions of the Contract
4. The Entity hereby covenants to pay the Supplier in consideration of the provision of the goods and services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the contract at the time and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

Signed, sealed, delivered by _____ the _____ (for the Entity)

Signed, sealed, delivered by _____ the _____ (for the Supplier).

Omnibus Sworn Statement

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, *[Name of Affiant]*, of legal age, *[Civil Status]*, *[Nationality]*, and residing at *[Address of Affiant]*, after having been duly sworn in accordance with law, do hereby depose and state that:

1. **Select one, delete the other:**

If a sole proprietorship: I am the sole proprietor or authorized representative of *[Name of Bidder]* with office address at *[address of Bidder]*;

If a partnership, corporation, cooperative, or joint venture: I am the duly authorized and designated representative of *[Name of Bidder]* with office address at *[address of Bidder]*;

2. **Select one, delete the other:**

If a sole proprietorship: As the owner and sole proprietor, or authorized representative of *[Name of Bidder]*, I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for *[Name of the Project]* of the *[Name of the Procuring Entity]*, as shown in the attached duly notarized *Special Power of Attorney*;

If a partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for *[Name of the Project]* of the *[Name of the Procuring Entity]*, as shown in the attached *[state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable:)]*;

3. *[Name of Bidder]* is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board;
4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
5. *[Name of Bidder]* is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. **Select one, delete the rest:**

If a sole proprietorship: The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a partnership or cooperative: None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a corporation or joint venture: None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the following responsibilities as a Bidder:
- a) Carefully examine all of the Bidding Documents;
 - b) Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;
 - c) Made an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d) Inquire or secure Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

IN WITNESS WHEREOF, I have hereunto set my hand this ___ day of ___, 20__ at _____, Philippines.

Bidder's Representative/Authorized Signatory

SUBSCRIBED AND SWORN to before me this ____ day of *[month]* *[year]* at *[place of execution]*, Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her *[insert type of government identification card used]*, with his/her photograph and signature appearing thereon, with no. _____ and his/her Community Tax Certificate No. _____ issued on ____ at _____.

Witness my hand and seal this ____ day of *[month]* *[year]*.

NAME OF NOTARY PUBLIC

Serial No. of Commission _____

Notary Public for _____ until _____

Roll of Attorneys No. _____

PTR No. _____ *[date issued]*, *[place issued]*

IBP No. _____ *[date issued]*, *[place issued]*

Doc. No. _____

Page No. _____

Book No. _____

Series of _____

* This form will not apply for WB funded projects.

Checklist of Requirements

FIRST ENVELOPE – ELIGIBILITY DOCUMENTS

Eligibility and Technical Components	
Eligibility Documents	
PhilGEPS Certificate of Registration and Membership	
Statement of all ongoing government and private contracts including contracts awarded but not yet started.	
Statement of Single Largest Completed Contract (SLCC) which is similar to the contract to be bid, and at least 50% of the ABC.	
Photocopy of Single Largest Completed Contract, Notice of Award (NOA), Notice to Proceed (NTP), Technical Inspection and Acceptance Committee (TIAC) Report or Certificate of Final Acceptance Report or equivalent in the Private Sector.	
Net Financial Contracting Capacity (NFCC) computation in accordance with ITB Clause 5.5 or a committed Line of Credit (CLC) from a Universal or Commercial Bank.	
Technical Documents	
<p>Bid Security in any of the following forms:</p> <ul style="list-style-type: none"> • Bid Securing Declaration • Cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit in the amount of not less than Php5,800,000.00 or 2% of ABC • Surety Bond, accompanied by a certification by the Insurance Commission that the surety or insurance company is authorized to issue such instruments, in the amount of not less than Php14,500,000.00 or 5% of ABC 	
Conformity with Section VI. Schedule of Requirements	
Conformity with Section VII. Technical Specifications	
<p>Bid Security in any of the following forms:</p> <p>(a) Cash or cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank- 2% of the ABC (P341,320.00)</p> <p>(b) Surety bond - 5% of the ABC (P853,300.00), duly Certified by the Insurance Commission</p> <p>(c) Bid Securing Declaration</p>	
Omnibus Sworn Statement	
Proof of authority of the authorized representative	
MARINA License to engage in Boatbuilding/Repair	
Capable of providing tug services to tow the boats during sea/TIAC trials	

SECOND ENVELOPE - FINANCIAL COMPONENT

Financial Component	
Duly Signed Bid Form and Bid Prices in the Bill of Quantities	
Duly signed detailed estimates including a summary sheet indicating the unit prices of each work item as basis in coming up with the bid.	

Bank Guarantee Form for Advance Payment

To: *[name and address of PROCURING ENTITY]*
 [name of Contract]

Gentlemen and/or Ladies:

In accordance with the payment provision included in the Special Conditions of Contract, which amends Clause 10 of the General Conditions of Contract to provide for advance payment, *[name and address of Supplier]* (hereinafter called the “Supplier”) shall deposit with the PROCURING ENTITY a bank guarantee to guarantee its proper and faithful performance under the said Clause of the Contract in an amount of *[amount of guarantee in figures and words]*.

We, the *[bank or financial institution]*, as instructed by the Supplier, agree unconditionally and irrevocably to guarantee as primary obligator and not as surety merely, the payment to the PROCURING ENTITY on its first demand without whatsoever right of objection on our part and without its first claim to the Supplier, in the amount not exceeding *[amount of guarantee in figures and words]*.

We further agree that no change or addition to or other modification of the terms of the Contract to be performed thereunder or of any of the Contract documents which may be made between the PROCURING ENTITY and the Supplier, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition, or modification.

This guarantee shall remain valid and in full effect from the date of the advance payment received by the Supplier under the Contract until *[date]*.

Yours truly,

Signature and seal of the Guarantors

[name of bank or financial institution]

[address]

[date]

BID SECURING DECLARATION FORM

REPUBLIC OF THE PHILIPPINES)
CITY OF _____) S.S.

X-----X

BID SECURING DECLARATION **Invitation to Bid:** *[Insert Reference number]*

To: *[Insert name and address of the Procuring Entity]*

I/We⁵, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - (a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - (b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;
 - (c) I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

⁵ Select one and delete the other. Adopt the same instruction for similar terms throughout the document.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER'S AUTHORIZED REPRESENTATIVE]
[Insert Signatory's Legal Capacity]
Affiant

SUBSCRIBED AND SWORN to before me this ____ day of [month] [year] at [place of execution], Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her [insert type of government identification card used], with his/her photograph and signature appearing thereon, with no. _____ and his/her Community Tax Certificate No. _____ issued on ____ at _____.

Witness my hand and seal this ____ day of [month] [year].

NAME OF NOTARY PUBLIC

Serial No. of Commission _____
Notary Public for _____ until _____
Roll of Attorneys No. _____
PTR No. _____ [date issued], [place issued]
IBP No. _____ [date issued], [place issued]

Doc. No. _____
Page No. _____
Book No. _____
Series of _____

Section IX. Foreign-Assisted Projects

TABLE OF CONTENTS

INVITATION TO BID FOR FOREIGN-ASSISTED PROJECTS.....	125
ASIAN DEVELOPMENT BANK BID DATA SHEET	128
ASIAN DEVELOPMENT BANK SPECIAL CONDITIONS OF CONTRACT	135
WORLD BANK BID DATA SHEET	138
WORLD BANK SPECIAL CONDITIONS OF CONTRACT	142

Invitation to Bid for Foreign-Assisted Projects

[Letterhead of the Procuring Entity] INVITATION TO BID FOR *[Insert name of Project]*

1. The Government of the Philippines (GOP) *[has received/has applied for/intends to apply for]* a *[Loan/Grant]* from the *[state the foreign government/foreign or international financing institution, (e.g. Asian Development Bank, Japan International Cooperative Agency, or World Bank)]* toward the cost of *[insert name of project]*, and it intends to apply part of the proceeds of this *[Loan/Grant]* to payments under the contract for *[insert name/no. of contract]*.

Select this for lot-procurement:

The Government of the Philippines (GOP) *[has received/has applied for/intends to apply for]* a *[Loan/Grant]* from the *[state the foreign government/foreign or international financing institution, (e.g. Asian Development Bank, Japan International Cooperative Agency, or World Bank)]* toward the cost of *[insert name of project]*, and it intends to apply part of the proceeds of this *[Loan/Grant]* to payments under the contract for *[insert name/no. of contract]* for Lot *[insert number and identification of lot]*.

2. The *[insert name of Procuring Entity]* now invites bids for *[insert brief description of Goods to be procured]*.⁶ Delivery of the Goods is required *[insert the required delivery date or expected contract duration]*. Bidders should have completed, within *[insert relevant period]* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Sub-section 5, Section II. Instructions to Bidders and the corresponding *{[insert Asian Development Bank or World Bank, as appropriate]}* Bid Data Sheet.
3. Bidding will be conducted in accordance with relevant procedures for open competitive bidding as specified in the Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the “Government Procurement Reform Act”, with some amendments, as stated in these Bidding Documents and is open to all Bidders from eligible source countries as defined in the applicable procurement guidelines of the *[state the foreign government/foreign or international financing institution concerned (e.g. Asian Development Bank, Japan International Cooperation Agency, or World Bank)]*. The contract shall be awarded to the Lowest Calculated Responsive Bidder (LCRB) who was determined as such during post-qualification. The approved budget for the contract (ABC) *{in case of lot-procurement, insert: “for Lot [insert number and identification]”}* is *[insert here the amount of the ABC]*.

[If ADB-funded project, ABC may be published, but it shall not be stated or implied that bid prices may not exceed ABC.]

⁶ A brief description of the type(s) of Goods should be provided, including quantities, location of project, and other information necessary to enable potential bidders to decide whether or not to respond to the invitation.

4. Interested bidders may obtain further information from *[insert name of the Procuring Entity]* and inspect the Bidding Documents at the address given below during *[insert office hours]*.
5. A complete set of Bidding Documents may be acquired by interested Bidders on *[insert date of availability of Bidding Documents]* from the address below *{[Insert if necessary: and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB⁷, in the amount of [insert amount in Pesos]. Note: For lot procurement, the maximum fee for the Bidding Documents for each lot shall be based on its ABC, in accordance with the Guidelines issues by the GPPB; provided that the total fees for the Bidding Documents of all lots shall not exceed the maximum fee prescribed in the Guidelines for the sum of the ABC of all lots.}*

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) *{[insert and the website of the Procuring Entity, as applicable]}* provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.

6. The *[insert name of the Procuring Entity]* will hold a Pre-Bid Conference⁸ on *[insert time and date]* at *[insert address for Pre-Bid Conference, if applicable]*, which shall be open to prospective bidders.
7. Bids must be duly received by the BAC Secretariat at the address below on or before *[insert time and date]*. All Bids must be accompanied by a bid security in the amount of _____ in *[insert the acceptable form]*.

Bid opening shall be on *[insert time and date]* at *[insert address for Bid opening]*. Bids will be opened in the presence of the Bidders' representatives who choose to attend at the address below. Late bids shall not be accepted.

8. *[Insert such other necessary information deemed relevant by the Procuring Entity]*
9. The *[insert name of the Procuring Entity]* reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to contract award, in accordance with Section 41 of RA 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.
10. For further information, please refer to:

[Insert name of officer]
[Insert name of office]

⁷ For ADB-funded projects, the cost of bidding documents must be nominal, and may not be in accordance with the Guidelines issued by the GPPB. As such, the text “, pursuant to the latest Guidelines issued by the GPPB,” shall be deleted.

⁸ May be deleted in case the ABC is less than One Million Pesos (PhP 1,000,000.00) where the Procuring Entity may not hold a pre-bid conference.

[Insert postal address] and/or [Insert street address]
[Insert telephone number, indicate city code]
[Insert contact's email address]
[Insert facsimile number]
[Insert website address, if applicable]

*[Insert Name and Signature of the BAC
Chairperson or the Authorized
Representative of the BAC Chairperson]*

Asian Development Bank Bid Data Sheet

ITB Clause	
1.1	The Procuring Entity is <i>[insert name of Procuring Entity]</i>
1.2	The lot(s) and reference is/are: <i>[insert name]</i>
2	<p>The Funding Source is the Asian Development Bank (ADB) through <i>[indicate the Loan/Grant/Financing No.]</i> in the amount of <i>[insert amount of funds]</i>.</p> <p>The name of the Project is: <i>[Insert the name of the project]</i></p> <p>Payments by the Foreign Funding Source will be made only at the request of the Procuring Entity and upon approval by the Funding Source in accordance with the terms and conditions of Loan <i>{[or Grant, or Financing]}</i> Agreement No. _____ (hereinafter called the "Financing Agreement"), and will be subject in all respect to the terms and conditions of that Financing Agreement and the applicable law. No party other than the Procuring Entity shall derive any rights from the Financing Agreement or have any claim to the funds.</p>
3.1	<p>ADB's Anticorruption Policy requires Borrowers (including beneficiaries of ADB-financed activity), as well as Bidders, Suppliers, and Contractors under ADB-financed contracts, observe the highest standard of ethics during the procurement and execution of such contracts. In pursuance of</p>

	<p>this policy, ADB</p> <p>(a) defines, for the purposes of this provision, the terms set forth below as follows:</p> <ul style="list-style-type: none">(i) “corrupt practice” means the offering, giving, receiving, or soliciting, directly or indirectly, anything of value to influence improperly the actions of another party;(ii) “fraudulent practice” means any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;(iii) “coercive practice” means impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;(iv) “collusive practice” means an arrangement between two or more parties designed to achieve an improper purpose, including influencing improperly the actions of another party;(v) “obstructive practice” means (a) deliberately destroying, falsifying, altering, or concealing of evidence material to an ADB investigation; (b) making false statements to investigators in order to materially impede an ADB investigation; (c) failing to comply with requests to provide information, documents or records in connection with an Office of Anticorruption and Integrity (OAI) investigation; (d) threatening, harassing, or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation; or (e)
--	--

	<p>materially impeding ADB's contractual rights of audit or access to information; and</p> <p>(vi) "integrity violation" is any act which violates ADB's Anticorruption Policy, including (i) to (v) above and the following: abuse, conflict of interest, violations of ADB sanctions, retaliation against whistleblowers or witnesses, and other violations of ADB's Anticorruption Policy, including failure to adhere to the highest ethical standard.</p> <p>(b) will reject a proposal for award if it determines that the Bidder recommended for award has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices or other integrity violations in competing for the Contract;</p> <p>(c) will cancel the portion of the financing allocated to a contract if it determines at any time that representatives of the borrower or of a beneficiary of ADB-financing engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices or other integrity violations during the procurement or the execution of that contract, without the borrower having taken timely and appropriate action satisfactory to ADB to remedy the situation;</p> <p>(d) will impose remedial actions on a firm or an individual, at any time, in accordance with ADB's Anticorruption Policy and Integrity Principles and Guidelines (both as amended from time to time), including declaring ineligible, either indefinitely or for a stated period of time, to participate in ADB-financed, administered, or supported activities or to benefit from an ADB-financed, administered, or supported contract, financially or otherwise, if it at any time determines that the firm or individual has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices or other integrity violations; and</p>
--	--

	<p>(e) will have the right to require that a provision be included in bidding documents and in contracts financed by ADB, requiring Bidders, suppliers and contractors to permit ADB or its representative to inspect their accounts and records and other documents relating to the bid submission and contract performance and to have them audited by auditors appointed by ADB.</p>
5.1	<p>Eligible Bidders are as described in ADB Procurement Guidelines as stated in the Financing Agreement and as described on Asian Development Bank’s web page www.adb.org.</p> <p>An Eligible Bidder shall be deemed to have the nationality of a country if it is a citizen or constituted or incorporated, and operates in conformity with the provisions of the laws of that country.</p>
5.2	<p>Eligible Bidders are as described in ADB Procurement Guidelines as stated in the Financing Agreement and as described on Asian Development Bank’s web page www.adb.org.</p>
5.4	<p>Instruction is the same as the GOP Bid Data Sheet</p>
7	<p>Eligible goods and services shall have their origin in eligible source countries as described in ADB Procurement Guidelines as stated in the Financing Agreement and as described on Asian Development Bank’s web page www.adb.org.</p> <p>For the purpose of this Clause, origin means the country where the goods have been grown in, mined, cultivated, produced, manufactured, or processed; or through manufacture, processing, or assembly, another commercially recognized article results that differs substantially in its basic characteristics from its imported components.</p>

8.1	Instruction is the same as the GOP Bid Data Sheet
8.2	Instruction is the same as the GOP Bid Data Sheet
9.1	Instruction is the same as the GOP Bid Data Sheet
10.1	Instruction is the same as the GOP Bid Data Sheet
12.1	<p>The first envelope shall contain the following eligibility and technical documents:</p> <p>a. Eligibility Requirements</p> <ul style="list-style-type: none"> i. Registration Certification of the Company; ii. List and copy of relevant contracts that comply to the experience requirement as specified in ITB Clause 5.4; iii. Audited financial statement for the past two years; iv. Committed Line of Credit from a universal or commercial bank, in accordance with ITB Clause 5.5 v. In case of Joint Venture, the JV Agreement, if existing, or a signed Statement from the partner companies that they will enter into a JV in case of award of contract; <p>b. Technical Documents</p> <ul style="list-style-type: none"> vi. Bid Security or Bid Securing Declaration as required in the ITB 18; vii. Conformity with the technical specifications, as enumerated and specified in Sections VI and VII of the Bidding Documents; viii. Sworn statement in accordance with Section 25.3 of the IRR of RA 9184 and using the form prescribed in Section VIII. Bidding Forms. <p>Foreign bidders may submit the equivalent documents, if any, issued by the</p>

	country of the foreign bidder.
12.1(a)(ii)	Instruction is the same as the GOP Bid Data Sheet
13.1	Instruction is the same as the GOP Bid Data Sheet
13.1(b)	Domestic preference is not applicable
13.1(c)	Instruction is the same as the GOP Bid Data Sheet
13.2	ABC does not apply as ceiling for bid prices
15.4(a)(iv)	Instruction is the same as the GOP Bid Data Sheet
15.4(b)	Instruction is the same as the GOP Bid Data Sheet
16.1(b)	Instruction is the same as the GOP Bid Data Sheet
16.3	Instruction is the same as the GOP Bid Data Sheet
17.1	Instruction is the same as the GOP Bid Data Sheet
18.1	Instruction is the same as the GOP Bid Data Sheet
18.2	Instruction is the same as the GOP Bid Data Sheet
20.3	Instruction is the same as the GOP Bid Data Sheet
21	Instruction is the same as the GOP Bid Data Sheet
24.1	<p>The BAC shall open the bids in public on <i>[insert date and time of bid opening]</i>, at <i>[insert place of bid opening]</i>.</p> <p>The time for the bid opening shall be the same as the deadline for receipt of bids or promptly thereafter. Rescheduling the date of the opening of bids</p>

	shall not be considered except for force majeure, such as natural calamities. In re-scheduling the opening of bids, the BAC shall issue a Notice of Postponement to be posted at the PhilGEPS and the procuring entity's websites.
24.2	During Bid opening, if the first envelope lacks any of the documents listed in the ADB BDS 12.1, the bid shall be declared non-responsive but the documents shall be kept by the Procuring Entity. Only the unopened second envelope shall be returned to the Bidder.
24.3	The BAC shall immediately open the financial proposals in the second envelope of the responsive bids. The bid price shall be read and recorded.
27.1	Domestic preference is not applicable
28.3(a)	Instruction is the same as the GOP Bid Data Sheet
28.3(b)	Instruction is the same as the GOP Bid Data Sheet
28.4	ABC does not apply as ceiling for bid prices
29.2	Instruction is the same as the GOP Bid Data Sheet
32.4(f)	Instruction is the same as the GOP Bid Data Sheet

Asian Development Bank Special Conditions of Contract

The ADB adopts the provisions of the Special Conditions of Contract of the GOP as contained in the Harmonized Philippine Bidding Documents dated _____, except GCC Clause 1.1(j) (Funding Source) and GCC Clause 2.1 (Corrupt, Fraudulent, Collusive, and Coercive Practices) which shall read as follows:

SCC Clause	
1.1(j)	The Funding Source is the Asian Development Bank (ADB) through <i>[indicate the Loan/Grant/Financing No.]</i> in the amount of [insert amount of funds].
2.1	<p>ADB’s Anticorruption Policy requires Borrowers (including beneficiaries of ADB-financed activity), as well as Bidders, Suppliers, and Contractors under ADB-financed contracts, observe the highest standard of ethics during the procurement and execution of such contracts. In pursuance of this policy, ADB</p> <p>(a) defines, for the purposes of this provision, the terms set forth below as follows:</p> <p style="padding-left: 40px;">(i) “corrupt practice” means the offering, giving, receiving, or soliciting, directly or indirectly, anything of value to influence improperly the actions of another party;</p> <p style="padding-left: 40px;">(ii) “fraudulent practice” means any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;</p>

(iii) “coercive practice” means impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;

(iv) “collusive practice” means an arrangement between two or more parties designed to achieve an improper purpose, including influencing improperly the actions of another party;

(v) “obstructive practice” means (a) deliberately destroying, falsifying, altering, or concealing of evidence material to an ADB investigation; (b) making false statements to investigators in order to materially impede an ADB investigation; (c) failing to comply with requests to provide information, documents or records in connection with an Office of Anticorruption and Integrity (OAI) investigation; (d) threatening, harassing, or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation; or (e) materially impeding ADB’s contractual rights of audit or access to information; and

(vi) “integrity violation” is any act which violates ADB’s Anticorruption Policy, including (i) to (v) above and the following: abuse, conflict of interest, violations of ADB sanctions, retaliation against whistleblowers or witnesses, and other violations of ADB’s Anticorruption Policy, including failure to adhere to the highest ethical standard.

(b) will reject a proposal for award if it determines that the Bidder recommended for award has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices or other integrity violations in competing for the Contract;

(c) will cancel the portion of the financing allocated to a contract if it determines at any time that representatives of the borrower or of a beneficiary of ADB-financing engaged in corrupt, fraudulent, collusive, coercive, or

obstructive practices or other integrity violations during the procurement or the execution of that contract, without the borrower having taken timely and appropriate action satisfactory to ADB to remedy the situation; and

(d) will impose remedial actions on a firm or an individual, at any time, in accordance with ADB's Anticorruption Policy and Integrity Principles and Guidelines (both as amended from time to time), including declaring ineligible, either indefinitely or for a stated period of time, to participate in ADB-financed, administered, or supported activities or to benefit from an ADB-financed, administered, or supported contract, financially or otherwise, if it at any time determines that the firm or individual has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices or other integrity violations.

World Bank Bid Data Sheet

ITB Clause	
1.1	The Procuring Entity is <i>[insert name of purchasing organization]</i>
1.2	The lot(s) and reference is/are: <i>[insert name]</i>
2	The Funding Source is the World Bank through <i>[indicate the Loan/Grant No.]</i> in the amount of <i>[insert amount of funds]</i> . The name of the Project is: <i>[Insert the name of the project]</i>
3.1	The World Bank Guidelines on Anti-Corruption, as stated in the Loan Agreement and as annexed to the World Bank Standard Conditions of Contract, shall be adopted.
5.1	No further instruction.
5.2	The Loan/Grant Agreement provides that procurement shall follow the Bank's Procurement Guidelines and Section 1.8 thereof permits the participation of firm from all countries except for those mentioned in Section 1.10 thereof.”.
5.4	Instruction is the same as the GOP Bid Data Sheet
7	Instruction is the same as the GOP Bid Data Sheet
8.1	Instruction is the same as the GOP Bid Data Sheet
8.2	Instruction is the same as the GOP Bid Data Sheet
9.1	Instruction is the same as the GOP Bid Data Sheet
10.1	Instruction is the same as the GOP Bid Data Sheet
12.1	<p>During Bid opening, if the first bid envelope lacks any of the following documents, the bid shall be declared non-responsive.</p> <p>The first envelope shall contain the following eligibility and technical documents:</p> <p>a. Eligibility Requirements</p> <p>i. Registration Certification of the Company; ii. List of relevant contracts that comply to experience requirement as</p>

	<p>specified in ITB Clause 5.4;</p> <p>iii. Audited financial statement for the past 2 years;</p> <p>iv. Line of Credit from a universal or commercial bank, in accordance with ITB Clause 5.5;</p> <p>v. In case of Joint Venture, the JV Agreement, if existing, or a signed Statement from the partner companies that they will enter into a JV in case of award of contract.</p> <p>b. Technical Document</p> <p>v. Bid Security or bid securing declaration as required in ITB 18;</p> <p>vi. Conformity with the technical specifications, as enumerated and specified in Sections VI and VII of the Bidding Documents;</p> <p>vii. Sworn statement in accordance with Section 25.3 of the IRR of RA 9184 and using the form prescribed in Section VIII. Bidding Forms.</p> <p>Foreign bidders may submit the equivalent documents, if any, issued by the country of the foreign bidder.</p>
12.1(a)(ii)	Instruction is the same as the GOP Bid Data Sheet
13.1	Instruction is the same as the GOP Bid Data Sheet
13.1.(b)	Domestic preference is not applicable.
13.2	<p>ABC does not generally apply as a ceiling for bid prices.</p> <p>However, subject to prior concurrence of the World Bank, a ceiling may be applied to bid prices provided the following conditions are met:</p> <p>a) Bidding Documents are obtainable free of charge on a freely accessible website. If payment of Bidding Documents is required by the procuring entity, payment could be made upon the submission of bids.</p> <p>b) The procuring entity has procedures in place to ensure that the ABC is based on recent estimates made by the engineer or the responsible unit of the procuring entity and that the estimates are based on adequate detailed engineering (in the case of works) and reflect the quality, supervision and risk and inflationary factors, as well as prevailing market prices, associated with the types of works or goods to be procured.</p> <p>c) The procuring entity has trained cost estimators on estimating prices and analyzing bid variances. In the case of infrastructure projects, the procuring entity must also have trained quantity surveyors.</p>

	<p>d) The procuring entity has established a system to monitor and report bid prices relative to ABC and engineer's/procuring entity's estimate.</p> <p>e) The procuring entity has established a monitoring and evaluation system for contract implementation to provide a feedback on actual total costs of goods and works.</p>
15.4(a)(iv)	Instruction is the same as the GOP Bid Data Sheet
15.4(b)	Instruction is the same as the GOP Bid Data Sheet
16.1(b)	Instruction is the same as the GOP Bid Data Sheet
16.3	Instruction is the same as the GOP Bid Data Sheet
17.1	Instruction is the same as the GOP Bid Data Sheet
18.1	Instruction is the same as the GOP Bid Data Sheet
18.2	Instruction is the same as the GOP Bid Data Sheet
20.3	Instruction is the same as the GOP Bid Data Sheet
21	Instruction is the same as the GOP Bid Data Sheet
24.1	<p>The BAC shall open the bids in public on <i>[insert date and time of bid opening]</i>, at <i>[insert place of bid opening]</i>.</p> <p>The time for the bid opening shall be the same as the deadline for receipt of bids or promptly thereafter. Rescheduling the date of the opening of bids shall not be considered except for force majeure, such as natural calamities. In re-scheduling the opening of bids, the BAC shall issue a Notice of Postponement to be posted at the PhilGEPS and the procuring entity's websites.</p>
24.2	During Bid opening, if the first envelope lacks any of the documents listed in World Bank BDS 12.1, the bid shall be declared non-responsive but the documents shall be kept by the Procuring Entity.
24.3	The financial proposals in the second envelope of all the bidders shall be read for record purposes. The first and second envelopes shall not be returned to the bidders.
27.1	No domestic preference is applicable.
28.3(a)	Instruction is the same as the GOP Bid Data Sheet
28.3(b)	Instruction is the same as the GOP Bid Data Sheet
28.4	<i>Follow Clause ITB No. 13.2 on whether ABC as a price ceiling will apply.</i>

29.2	Instruction is the same as the GOP Bid Data Sheet
32.4(f)	Instruction is the same as the GOP Bid Data Sheet

World Bank Special Conditions of Contract

The World Bank adopts the provisions of the Special Conditions of Contract of the GOP as contained in the Harmonized Philippine Bidding Documents dated _____, except GCC Clause 2.1 (Corrupt, Fraudulent, Collusive, and Coercive Practices) which shall read as follows:

SCC Clause	
1.1(j)	The World Bank is the Funding Source through Loan Agreement No. _____
1.1(k)	Instruction is the same as the GOP SCC
2.1	Adopted is Guidelines on Preventing and Combating Fraud and Corruption in Projects Financed by IBRD Loans and IDA Credits and Grants dated October 15, 2006 and Revised in January 2011, that is Annex to the SCC.
6.2	Instruction is the same as the GOP SCC
10.4	Instruction is the same as the GOP SCC
10.5	Instruction is the same as the GOP SCC
11.3	Instruction is the same as the GOP SCC
13.4(c)	Instruction is the same as the GOP SCC
16.1	Instruction is the same as the GOP SCC
17.3	Instruction is the same as the GOP SCC
17.4	Instruction is the same as the GOP SCC
21.1	Instruction is the same as the GOP SCC

