



BUREAU OF CUSTOMS

MAKABAGONG ADUANA, MATATAG NA EKONOMIYA

MASTER COPY *mm*



PROFESSIONALISM INTEGRITY ACCOUNTABILITY

AOCG Memo No. 08-2023

MEMORANDUM

TO : ALL DISTRICT COLLECTORS
ALL SUB-PORT COLLECTORS
ALL OTHERS CONCERNED

FROM : ATTY. EDWARD JAMES A. DY BUÑO
Deputy Commissioner, AOCG

SUBJECT : INTERPOSING NO OBJECTION TO THE PROPOSED EXPORT OF
WATER SAMPLE TO JAPAN FOR LABORATORY ANALYSIS/
TESTING PURPOSES WITH CONDITION

DATE : 23 December 2022

This is with reference to the attached letter reply dated 16 December 2022 from Engr. William P. Cuñado, Director, Environmental Management Bureau, Department of Environment and Natural Resources (EMB-DENR) addressed to Ms. Kimberly Matedios ESH Engineer, FIRST SUMIDEN CIRCUITS, INC. in response to the latter's letter dated 17 November 2022 inquiring the requirements from EMB-DENR for the export of two (2) liters of wastewater sample to Japan for laboratory analysis/testing purposes.

EMB-DENR interposes NO objection to the proposed export provided that it shall be limited to the declared types and quantity of material. Thus, an export Clearance is not required from that Bureau.

For information and reference.



A Modernized and Credible Customs Administration-That is Among the World's Best

South Harbor, Gate 3, Port Area, Manila 1099
8527-4537, 8527-1935 | www.customs.gov.ph | boc.cares@customs.gov.ph



AOCG Memo No. 08-2023 p. 2

Department of Environment and Natural Resources
ENVIRONMENTAL MANAGEMENT BUREAU
DENR Compound, Visayas Avenue, Diliman, Quezon City 1116
Tel.Nos. (632)927-1517; 928-3725; Fax No.(632)920-2258
Website: www.emb.gov.ph Email: recordsco@emb.gov.ph

MASTER COPY



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9106082327




December 16, 2022

MS. KIMBERLY MATEDIOS
ESH Engineer
FIRST SUMIDEN CIRCUITS, INC.
LISP1, Cabuyao, Laguna
E-mail: kmatedios@fsci.sei.co.jp



BOC-09-36594



Subject: **INTERPOSING NO OBJECTION TO THE PROPOSED EXPORT OF WATER SAMPLE TO JAPAN FOR LABORATORY ANALYSIS/TESTING PURPOSES WITH CONDITION**

Dear **Ms. Matedios**:

This has reference to your letter (IIS Transaction No.: CO-2022-045479) dated 17 November 2022 inquiring the requirements from this Office for the export of two (2) liters of wastewater sample to Japan for laboratory analysis/testing purposes. Please be informed that we interpose no objection to the proposed export provided that it shall be limited to the declared type and quantity of material.

In this regard, an Export Clearance is not required from us. However, this does not preclude you from complying with the domestic regulation of Japan as the country of import.

We hope we have addressed your concern.

Very truly yours,

ENGR. WILLIAM P. CUNADO
Director

Digitally signed by Cuñado William Purgatorio
DN: CN=Cuñado William Purgatorio, SERIALNUMBER=001006000462A, OU=Environmental Management Bureau, O=Department of the Environment and Natural Resources, C=PH

cc: **The Commissioner**
Bureau of Customs
Port Area, Manila

