

REQUEST FOR QUOTATION

The Bureau of Customs (BOC), through its Administration Office (AO), will undertake a Small Value Procurement for **Supply and Delivery of Various Office Equipment for SGL Office**, in accordance with the Revised Implementing Rules and Regulations of Republic Act No. 9184. The details of the project are as follows:

Name of Project : S

: Supply and Delivery of Various Office Equipment

for SGL Office

Location

: General Services Division OCOM Building, Gate 3, South

Harbor, Port Area, Manila

Approved Budget for the Contract: Eighty Three Thousand Nine Hundred

Ninety Pesos (Php83,990.00), inclusive

of tax

Specifications:

QTY	UNIT	DESCRIPTION
1	set	Projector and Projector Screen
		Projector
		-White and Colour Brightness at 3,600lm
		-XGA resolution
		-High contrast ratio of 15,000:1
		-Horizontal keystone slider -10,000 hours lamp life in eco-mode
		Projector Screen
		Size: 70" x 70"
		Ultra bright Screen surface without bellows
		Wrinkle Free
		Thicker surface for lifetime usage
		White Finish
		Black Border
		Strong Support stand for windproof
		performance
1	Unit	Binding Machine
		Max punch: 20 sheets
		Max bind: 120 sheets
		Margin: 205/405/6.5mm
		Paper size: F4,A4,LETTER,B5,A5,LEGAL
		etc.
		Hole Distance: 8.47mm
		Hole size: 4x4mm square Number of Holes: 40 holes all selectable
		pins

		Product Size: 450x340x210mm
		Net weight: 17kgs
		Gross weight: 19kgs
		Box Dimension: 540x425x285mm
1	unit	Laminating Machine
		Laminating Speed: 50Hz:460mm/min,
		60Hz:560mm/min
		Laminating Width: 320mm
		Laminating Films: 75mic ~ 250mic
		Thickness of substrate(Paper): 80g/nf ~
		250g/nf
		Power Requirements: 220 ~ 240v, 50/60Hz
		Power Consumption: 520W, 2.1A
		Heating System: Heat Plate (Ruthnox)
		Operating Temperature: 150 Max.
		Speed Control: Fixed
		Temperature Control: Knob & Volume
		Dimensions(WxLxH): 500 x 185 x 95mm
		Type of Main Motor: Synchronous Motor-S
1	unit	Shredder Machine
		Cut Type: Crosscut
		Sheet Capacity: 14
		Shred Size: 0.16" x 1.57" (4 x 40mm)
		Speed (feet per min): 10
		Continuous Run Time (min): 20
		Auto Start/ Stop: Yes
		Manual Reverse/Forward: Yes
		Throat Entry Width: 9.06 (230mm)
		Shreds: Credit Cards, CDs/DVDs
		Overload Indicator: Yes
		Overheat Indicator: Yes
		Bin Full Indicator: Yes
		Basket Capacity(gallons): 7
		Dimensions(inches) : $15.3 \times 11.0 \times 21.4$
		Weight (lbs): 27.8
1	unit	Industrial Fan
		Size: 20"
		150 watts
		5 blades
		Metal Grill
	10	
		Switch Fan Control Black Blade Finish

Delivery Term: Seven (7) calendar days from signing of PO

Interested suppliers are required to submit their valid and current Mayor's Permit, DTI/SEC Registration, PHILGEPS Registration Certificate, Omnibus Sworn Statement, Latest Income/Business Tax Return and duly signed price quotation form (Annex "A").

Submission of quotation and eligibility documents is on or before September 28, 2018, 10:00 a.m., at General Services Division (GSD), Ground Floor, OCOM Building, Port Area, Manila.

Award of contract shall be made to the lowest quotation, which complies with the minimum description as stated above and other terms and conditions stated in the price quotation form.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative/s.

The BOC reserves the right to accept or reject any or all quotations and to impose additional terms and conditions as it may deem proper.

For inquiry, you may contact us at Telefax no. 527-9757 or email us at bacsecretariat@customs.gov.ph.

Very truly yours,

GLADYS F. ROSALES, MPA, CESE

Deputy Commissioner

Internal Administration Group

PRICE QUOTATION FORM

_		
D۶	ite	

The Bids and Awards Committee Bureau of Customs Port Area, Manila

Sir/Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our quotation/s for the items as follows:

QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
1	set	Projector and Projector Screen		
		Projector -White and Colour Brightness at 3,600lm -XGA resolution -High contrast ratio of 15,000:1 -Horizontal keystone slider -10,000 hours lamp life in eco-mode Projector Screen Size: 70" x 70" Ultra bright Screen surface without bellows Wrinkle Free Thicker surface for lifetime usage White Finish Black Border Strong Support stand for windproof		
1	Unit	performance Binding Machine Max punch: 20 sheets Max bind: 120 sheets Margin: 205/405/6.5mm Paper size: F4,A4,LETTER,B5,A5,LEGAL etc. Hole Distance: 8.47mm Hole size: 4x4mm square Number of Holes: 40 holes all selectable pins Product Size: 450x340x210mm Net weight: 17kgs Gross weight: 19kgs Box Dimension: 540x425x285mm		
1	unit	Laminating Machine Laminating Speed: 50Hz:460mm/min, 60Hz:560mm/min Laminating Width: 320mm		

	T	1	
		Laminating Films: 75mic ~ 250mic	
		Thickness of substrate(Paper): 80g/nf ~	
		250g/nf	
		Power Requirements: 220 ~ 240v, 50/60Hz	
		Power Consumption: 520W, 2.1A	
		Heating System: Heat Plate (Ruthnox)	
		Operating Temperature: 150 Max.	
		Speed Control: Fixed	
		Temperature Control: Knob & Volume	
		Dimensions(WxLxH): 500 x 185 x 95mm	
		Type of Main Motor: Synchronous Motor-S	
1	unit	Shredder Machine	
		Cut Type: Crosscut	
		Sheet Capacity: 14	
		Shred Size: 0.16" x 1.57" (4 x 40mm)	
		Speed (feet per min): 10	
		Continuous Run Time (min): 20	
		Auto Start/ Stop: Yes	
		Manual Reverse/Forward: Yes	
		Throat Entry Width: 9.06 (230mm)	
		Shreds: Credit Cards, CDs/DVDs	
		Overload Indicator: Yes	
		Overheat Indicator: Yes	
		Bin Full Indicator: Yes	
		Basket Capacity(gallons): 7	
		Dimensions(inches): $15.3 \times 11.0 \times 21.4$	
		Weight (lbs): 27.8	
1	unit	Industrial Fan	
		Size: 20"	
		150 watts	
		5 blades	
		Metal Grill	
		Switch Fan Control	
		Black Blade Finish	

Warranty: months from the date of delivery
Total amount in words:
The above-quoted prices are inclusive of all costs and applicable taxes. Very truly yours,
Name/ Signature of Representative
Name of Company
Mayor's Permit No PhilGEPS Registration No.
(Please submit the photocopies of the above documents upon submission of quotation)