



# BUREAU OF CUSTOMS

Professionalism Integrity Accountability



## REQUEST FOR QUOTATION

The Bureau of Customs (BOC), through its Administration Office (AO), will undertake a Small Value Procurement for "**Supply and Delivery of Printer**" in accordance with the Revised Implementing Rules and Regulations of Republic Act No. 9184. The details of the project are as follows:

Name of Project: **Supply and Delivery of Printer**  
Location: **Bureau of Customs Port Area Manila**  
Approved Budget for the Contract: **Sixty-Five Thousand Pesos (Php65,000.00) inclusive of tax**

### Specifications

QTY.	DESCRIPTION
6 Units	<p><b>Printing Technology:</b></p> <p><b>Print Method:</b> On-demand inkjet (Piezoelectric)</p> <p><b>Maximum Print Resolution:</b> 720 x 720 dpi (with Variable-Sized Droplet Technology)</p> <p><b>Minimum Ink Droplet Volume:</b> 3pl</p> <p><b>Automatic Duplex Printing:</b> No</p> <p><b>Black Nozzle Configuration:</b> 180</p> <p><b>Colour Nozzle Configuration:</b> 59 per colour (Cyan, Magenta, Yellow)</p> <p><b>Print Direction:</b> Bi-directional printing, Uni-directional printing</p> <p><b>Print Speed:</b></p> <p><b>ISO 24734, A4 Simplex (Black / Color):</b> Up to 8.5ipm / 4.5ipm</p> <p><b>Paper Handling</b></p> <p><b>Number of Paper Trays:</b>1</p> <p><b>Standard Paper Input Capacity:</b> Up to 50 sheets, A4 Plain paper (75g/m<sup>2</sup>)</p> <p><b>Maximum Paper Size:</b> 215.9x1117.6mm (8.5 x 44")</p> <p><b>Paper Feed Method:</b> Friction feed</p> <p><b>Print Margin:</b>3mm top, left, right, bottom</p> <p>Type of Ink: Pigment</p>

South Harbor, Gate 3, Port Area, Manila 1099

Tel. Nos 8527-4537, 8527-1935

Website: [www.customs.gov.ph](http://www.customs.gov.ph) Email: [Boc.cares@customs.gov.ph](mailto:Boc.cares@customs.gov.ph)

*A Modernized and Credible Customs Administration That is Among the World's Best*



# BUREAU OF CUSTOMS

Professionalism Integrity Accountability



<b>1 Unit</b>	<p>Machine Specification 4-colour A3+ Ink Tank System Printer Energy rating (stars) 0.0 RAM (GB) 2 Megapixels 0.0 Model VillMan-VLLMNEPSON9 Optical Zoom 0.0 Printer Connectivity Type USB Size (L x W x H cm) 70.5 x 32.2 x 21.5 Weight (kg) 12</p> <p>Capacity (GB) 16 RAM (GB) 4 <b>Type of Ink</b> Pigment Ink</p> <p><b>Printing Technology:</b> <b>Print Method:</b> On-demand inkjet (Piezoelectric) <b>Maximum Print Resolution:</b> 5760 x 1440 dpi (with Variable-Sized Droplet Technology) <b>Minimum Ink Droplet Volume:</b> 3pl <b>Automatic Duplex Printing:</b> No <b>Black Nozzle Configuration:</b> 360 <b>Colour Nozzle Configuration:</b> 59 per colour (Cyan, Magenta, Yellow) <b>Print Direction:</b> Bi-directional printing, Uni-directional printing <b>Print Speed:</b> <b>Photo Default – 10 x 15 cm / 4 x 6 " *2:</b> Approx. 58 sec per photo (with Border) *1 <b>Max Photo Draft – 10 x 15 cm / 4 x 6 " *2:</b> Approx. 31 sec per photo (with Border) *1 <b>Draft, A4 (Black / Colour):</b> Approx. 30 ppm / 17 ppm *1 <b>ISO 24734, A4 Simplex (Black / Colour):</b> Approx. 15 ipm / 5.5ipm *1</p>
---------------	--

South Harbor, Gate 3, Port Area, Manila 1099

Tel. Nos 8527-4537, 8527-1935

Website: [www.customs.gov.ph](http://www.customs.gov.ph) Email: [Boc.cares@customs.gov.ph](mailto:Boc.cares@customs.gov.ph)

*A Modernized and Credible Customs Administration That is Among the World's Best*



# BUREAU OF CUSTOMS

Professionalism Integrity Accountability



<p><b>Paper Handling:</b> Number of Paper Trays: 1</p> <p><b>Standard Paper Input Capacity:</b> Up to 100 sheets, A4 Plain paper (75g/m2) Up to 20 sheets, Premium Glossy Photo Paper</p> <p><b>Output Capacity:</b> Up to 50 sheets, A4 Plain paper Up to 30 sheets, Premium Glossy Photo Paper</p> <p><b>Maximum Paper Size:</b> 12.95 x 44"</p> <p><b>Paper Sizes:</b> A3+, A3, B4, A4, A5, A6, B5, 10x15cm (4x6), 13x18cm (5x7"), 16:9 wide size, Letter (8.5x11"), Legal (8.5x14"), Half Letter (5.5x8.5"), 9x13cm (3.5x5"), 13x20cm(5x8"), 20x25cm(8x10") Envelopes: #10(4.125x9.5") DL(110x220mm), C4 (229x324mm), C6(114x162mm)</p> <p><b>Paper Feed Method:</b> Friction feed</p> <p><b>Print Margin:</b> 3mm top, left, right, bottom</p> <p><b>Connectivity:</b> Standard: USB 2.0</p> <p><b>Supported OS and Applications:</b> <b>Supported OS:</b> Windows XP / Vista / 7 / 8 / 8.1 / 10 Mac OS X 10.5.8 or later</p> <p><b>Consumables:</b> Standard Capacity Black: 7,100 pages *3 (2 bottles of black ink) – T6641</p> <p><b>Standard Capacity Cyan:</b> 5,700 pages (Composite Yield) *3 – T6642</p> <p><b>Standard Capacity Magenta:</b> 5,700 pages (Composite Yield) *3 – T6643</p> <p><b>Standard Capacity Yellow:</b> 5,700 pages (Composite Yield) *3 – T6644</p> <p><b>Power:</b> Rated Voltage: 220-240V</p>
---

South Harbor, Gate 3, Port Area, Manila 1099

Tel. Nos 8527-4537, 8527-1935

Website: [www.customs.gov.ph](http://www.customs.gov.ph) Email: [Boc.cares@customs.gov.ph](mailto:Boc.cares@customs.gov.ph)

*A Modernized and Credible Customs Administration That is Among the World's Best*



# BUREAU OF CUSTOMS

*Professionalism Integrity Accountability*



## **Delivery Duration/ Term: 5 working days**

Interested suppliers are required to submit their valid and current Mayor's Permit, DTI/SEC Registration (for partnerships/corporations, General Information Sheet & Articles of Incorporation shall also submitted), PHILGEPS Registration Certificate, Omnibus Sworn Statement, Latest Income/Business Tax Return and duly signed price quotation form (Annex "A").

Submission of quotation and eligibility documents in hard copy is on or before **November 23, 2020 10:00 a.m., at General Services Division (GSD), Ground Floor**, OCOM Building, Port Area, Manila and see posting in PhilGeps website.

Award of contract shall be made to the lowest quotation, which complies with the minimum description as stated above and other terms and conditions stated in the price quotation form.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative/s

The BOC reserves the right to accept or reject any or all quotations and to impose additional terms and conditions as it may deem proper.

For inquiry, you may contact us at Telefax no. 527-9757 or email us at [bacsecretariat@customs.gov.ph](mailto:bacsecretariat@customs.gov.ph).

Very truly yours,

**RAQUEL G. DE JESUS**

Acting Chief, General Services Division

South Harbor, Gate 3, Port Area, Manila 1099

Tel. Nos 8527-4537, 8527-1935

Website: [www.customs.gov.ph](http://www.customs.gov.ph) Email: [Boe.cares@customs.gov.ph](mailto:Boe.cares@customs.gov.ph)

*A Modernized and Credible Customs Administration That is Among the World's Best*



# BUREAU OF CUSTOMS

Professionalism Integrity Accountability



Annex "A"

## PRICE QUOTATION FORM

Date

The Bids and Awards Committee  
Bureau of Customs  
Port Area, Manila

Sir/Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our quotation/s for the items as follows:

QTY.	DESCRIPTION	UNIT PRICE	TOTAL PRICE
6 Units	<p><b>Printing Technology:</b> <b>Print Method:</b> On-demand inkjet (Piezoelectric) <b>Maximum Print Resolution:</b> 720 x 720 dpi (with Variable-Sized Droplet Technology) <b>Minimum Ink Droplet Volume:</b> 3pl <b>Automatic Duplex Printing:</b> No <b>Black Nozzle Configuration:</b> 180 <b>Colour Nozzle Configuration:</b> 59 per colour (Cyan, Magenta, Yellow) <b>Print Direction:</b> Bi-directional printing, Uni-directional printing</p> <p><b>Print Speed:</b> <b>ISO 24734, A4 Simplex (Black / Color):</b> Up to 8.5ipm / 4.5ipm <b>Paper Handling</b> <b>Number of Paper Trays:1</b> <b>Standard Paper Input Capacity:</b> Up to 50 sheets, A4 Plain paper (75g/m<sup>2</sup>) <b>Maximum Paper Size:</b> 215.9x1117.6mm (8.5 x 44")</p>		

South Harbor, Gate 3, Port Area, Manila 1099

Tel. Nos 8527-4537, 8527-1935

Website: [www.customs.gov.ph](http://www.customs.gov.ph) Email: [Boc.cares@customs.gov.ph](mailto:Boc.cares@customs.gov.ph)

*A Modernized and Credible Customs Administration That is Among the World's Best*



# BUREAU OF CUSTOMS

Professionalism Integrity Accountability



	<b>Paper Feed Method:</b> Friction feed <b>Print Margin:</b> 3mm top, left, right, bottom Type of Ink: Pigment		
<b>1 Unit</b>	Machine Specification 4-colour A3+ Ink Tank System Printer Energy rating (stars) 0.0 RAM (GB) 2 Megapixels 0.0 Model VillMan-VLLMNEPSON9 Optical Zoom 0.0 Printer Connectivity Type USB Size (L x W x H cm) 70.5 x 32.2 x 21.5 Weight (kg) 12 Capacity (GB) 16 RAM (GB) 4 <b>Type of Ink</b> Pigment Ink  <b>Printing Technology:</b> <b>Print Method:</b> On-demand inkjet (Piezoelectric) <b>Maximum Print Resolution:</b> 5760 x 1440 dpi (with Variable-Sized Droplet Technology) <b>Minimum Ink Droplet Volume:</b> 3pl <b>Automatic Duplex Printing:</b> No <b>Black Nozzle Configuration:</b> 360 <b>Colour Nozzle Configuration:</b> 59 per colour (Cyan, Magenta, Yellow) <b>Print Direction:</b> Bi-directional printing, Uni-directional printing <b>Print Speed:</b> <b>Photo Default – 10 x 15 cm / 4 x 6 " *2:</b> Approx. 58 sec per photo (with Border) *1 <b>Max Photo Draft – 10 x 15 cm / 4 x 6 " *2:</b> Approx. 31 sec per photo (with Border) *1		

South Harbor, Gate 3, Port Area, Manila 1099

Tel. Nos 8527-4537, 8527-1935

Website: [www.customs.gov.ph](http://www.customs.gov.ph) Email: [Boc.cares@customs.gov.ph](mailto:Boc.cares@customs.gov.ph)

*A Modernized and Credible Customs Administration That is Among the World's Best*



# BUREAU OF CUSTOMS

Professionalism Integrity Accountability



<p><b>Draft, A4 (Black / Colour):</b> Approx. 30 ppm / 17 ppm *1</p> <p><b>ISO 24734, A4 Simplex (Black / Colour):</b> Approx. 15 ipm / 5.5ipm *1</p> <p><b>Paper Handling:</b> Number of Paper Trays: 1</p> <p><b>Standard Paper Input Capacity:</b> Up to 100 sheets, A4 Plain paper (75g/m2) Up to 20 sheets, Premium Glossy Photo Paper</p> <p><b>Output Capacity:</b> Up to 50 sheets, A4 Plain paper Up to 30 sheets, Premium Glossy Photo Paper</p> <p><b>Maximum Paper Size:</b> 12.95 x 44"</p> <p><b>Paper Sizes:</b> A3+, A3, B4, A4, A5, A6, B5, 10x15cm (4x6), 13x18cm (5x7"), 16:9 wide size, Letter (8.5x11"), Legal (8.5x14"), Half Letter (5.5x8.5"), 9x13cm (3.5x5"), 13x20cm(5x8"), 20x25cm(8x10") Envelopes: #10(4.125x9.5") DL(110x220mm), C4 (229x324mm), C6(114x162mm)</p> <p><b>Paper Feed Method:</b> Friction feed</p> <p><b>Print Margin:</b> 3mm top, left, right, bottom</p> <p><b>Connectivity:</b> Standard: USB 2.0</p> <p><b>Supported OS and Applications:</b> <b>Supported OS:</b> Windows XP / Vista / 7 / 8 / 8.1 / 10 Mac OS X 10.5.8 or later</p> <p><b>Consumables:</b> Standard Capacity Black: 7,100 pages *3 (2 bottles of black ink) – T6641</p> <p><b>Standard Capacity Cyan:</b> 5,700 pages (Composite Yield) *3 – T6642</p> <p><b>Standard Capacity Magenta:</b> 5,700 pages (Composite Yield) *3 – T6643</p>		
---	--	--

South Harbor, Gate 3, Port Area, Manila 1099

Tel. Nos 8527-4537, 8527-1935

Website: [www.customs.gov.ph](http://www.customs.gov.ph) Email: [Boc.cares@customs.gov.ph](mailto:Boc.cares@customs.gov.ph)

*A Modernized and Credible Customs Administration That is Among the World's Best*



# BUREAU OF CUSTOMS

*Professionalism Integrity Accountability*



	<b>Standard Capacity Yellow:</b> 5,700 pages (Composite Yield) *3 – T6644 <b>Power:</b> Rated Voltage: 220-240V		
--	---	--	--

**Delivery Duration/ Term: 5 working days**

Total amount in words:

The above-quoted prices are inclusive of all costs and applicable taxes.

Very truly yours,

\_\_\_\_\_  
Name/ Signature of Representative

\_\_\_\_\_  
Name of Company

Mayor's Permit No. \_\_\_\_\_

PhilGEPS Registration No. \_\_\_\_\_

(Please submit the photocopies of the above documents upon submission of quotation)

South Harbor, Gate 3, Port Area, Manila 1099

Tel. Nos 8527-4537, 8527-1935

Website: [www.customs.gov.ph](http://www.customs.gov.ph) Email: [Boc.cares@customs.gov.ph](mailto:Boc.cares@customs.gov.ph)

*A Modernized and Credible Customs Administration That is Among the World's Best*