

BUREAU OF CUSTO MAKABAGONG ADUANA, MATATAG NA EKONOMIYA

PROFESSIONALISM INTEGRITY ACCOUNTABILITY

AOCG Memo No. 151 - 2022 **MEMORANDUM**

TO

ALL DISTRICT COLLECTORS

ALL SUB-PORT COLLECTORS ALL OTHERS CONCERNED

FROM

ATTY, EDWARD JAMES A. DY BUCO

Deputy Commissioner #

Assessment and Operations Coordinating Group

SUBJECT

Environmental Corporation recognized

> Management Bureau Recognized

Laboratory

Environmental

DATE

26 April 2022

Forwarded herein is the attached letter-reply dated 22 April 2022 addressed to Mr. Ike Tan, Procurement Head, Holcim Philippines Inc., on the request for a confirmation if CRL Environmental Corporation is accredited to conduct hazardous content sampling.

For your information and guidance.



VICNIAL MANAGEMENT BUREAU

DENR Compound, Visayas Avenue, Diliman, Quezon City 1116 Tel.Nos. (632)927-1517; 928-3725; Fax No.(632)920-2258 Website: www.emb.gov.ph Email: recordsco@emb.gov.ph



Management System ISO 9001:2015 ISO 14001:2015



April 22, 2022

MR. IKE TAN
Head, Procurement
HOLCIM PHILIPPINES INC.

BOC-09-30087

7F Two World Square, McKinley Hill Fort Bonifacio, 1634 Taguig City

Tel. No.: +63 2 465 9585 E-mail: ike.tan@holcim.com



Subject: CRL Environmental Corporation is an EMB-Recognized Laboratory

Dear Mr. Tan:

This has reference to your letter dated 22 April 2022 requesting for a confirmation that CRL Environmental Corporation is accredited to conduct hazardous content sampling.

Please be informed that CRL Environmental Corporation, with office address at Building 2, Berthaphil Compound I, Berthaphil Industrial Park, Jose Abad Santos Avenue, Clark Freeport Zone, Pampanga, is recognized by the Environmental Management Bureau to analyze wastes for the following parameters:

1. Arsenic and its compounds

2. Barium and its compounds

3. Cadmium and its compounds

4. Chromium and its compounds

5. Lead compounds

6. Mercury and Mercury compounds

7. pH

8. Selenium and its compounds.

Please be guided accordingly.

Very truly yours,

 Digitally signed by Cuñado William

ENGR. WILLIAM P. CUÑADOPurgatorio

Director

cc: Th

The Commissioner Bureau of Customs Port Area, Manila

