



REQUEST FOR QUOTATION

The Bureau of Customs (BOC), through its Administration Office (AO), will undertake a Small Value Procurement for **"Supply and Delivery of Camera Accessories"** in accordance with the Revised Implementing Rules and Regulations of Republic Act No. 9184. The details of the project are as follows:

Name of Project: **Supply and Delivery of Camera Accessories**
 Location: **General Services Division, OCOM Building, Gate 3, South Harbor, Port Area, Manila**
 Approved Budget for the Contract: **One Hundred Twenty-Four Thousand and Seventy-Six Pesos (PHP124,076.00) - inclusive of tax**

Specifications:
1LOT

QTY	UNIT	ITEM	DESCRIPTION
1	Unit	Canon Lens 18-55mm	Angle of View (Diagonal) 74°20'~27°50' Angle of View (Horizontal) 64°30'~23°20' Angle of View (Vertical) 45°30'~15°40' Closest Focusing Distance (m, ft) 0.25/0.82 Diameter x Length (mm) (Approx.) 69 x 75.2 Distance Scale: o Drive System: Stepping Motor-driven lead screw + Filter Size (mm): rack system Max. Magnification (x) 58 Min. Aperture 0.36 No. of Diaphragm Blades 22~38(36) Anti-dust and Moisture 7 Weight (g) (Approx.) Not Supported Accessories (Lens Cap) 205 Accessories (Lens Hood) E-58 II Accessories (Lens Bag) EW 63C E-58 II EW-63C LP1016
1	Unit	Canon Lens 50mm	Filter Size 49mm Max Magnification 0.21x

			Focal Length 50mm Aperture Min $f/1.8$, Max $f/22$ Angle of View 46° Dimension (diameter x length) Mount 49mm 0.21x 50mm 6.91 x 3.94 Canon EF
2	Pcs	Battery Canon	Lithium-Ion 7.2 VDC Canon EOS 7D Mark II, 7D, 5D Mark II, 5D Mark III, 5D Mark IV, 5DS, 5DSR, 60D, 60Da, 70D, and 6D Cameras 2.2 x 0.8 x 1.5" / 5.6 x 2.0 x 3.8 cm Capacity: 1000mAh x 2 Voltage: 7.2V-8.4V (for grip) / 3V (for remote control) / Battery: EN-EL15 Lithium batteries (for grip) / 2xAAA batteries (for remote control)
1	Unit	Canon Charger	Lithium Ion 7.2 VDC Canon EOS 7D Mark II, 7D, 5D Mark II, 5D Mark III, 5D Mark IV, 5DS, 5DSR, 60D, 60Da, 70D, and 6D Cameras 2.2 x 8.0 x 1.5" / 5.6 x 2.0 x 3.8 cm Capacity: 1000 mAh x 2
1	Unit	Canon Battery Grip	Voltage: 7.2-8.4V (for grip) / 3V (for remote control)/ Battery: EN-EL15 Lithium batteries (for grip) / 2xAAA batteries (for remote control)
1	Unit	Canon Flash	60/196.9 24-200mm 1/892-1/1 14mm* to 200mm (*with wide panel) 120 degree upward, 7degree down and 180 degree horizontally (left and right) Optical transmission and Radio Transmission Approx. 335-2345 with a fully charged battery pack LP-EL LP-EL lithium-ion battery pack



2	Pcs	Battery (Fuji)	Lithium-Ion X-T2, X-Pro2, X-A series, X-T100, XT3, X-T30
1	Unit	Fuji charger	Capacity: 1000mAh
2	Pcs	External Hard Drive 1TB	Appearance M3 : 129.5 mm x 82.4 mm x 18.8 mm (5.10" x 3.24" x 0.74")M3G / M3S: 129.5 mm x 80.8 mm x 16.1 mm (5.10" x 3.18" x 0.63") M3 500GB & 1TB: 216 g (7.62 oz)M3 2TB: 230 g (8.11 oz)M3S / M3G: 185 g (6.53 oz) Iron gray/ Military green Interface micro USB to USB Type A USB 3.1 Gen 1 Storage 500 GB/ 1 TB/ 2 TB 2.5" HDD Operating Environment 5°C (41°F) ~ 55°C (131°F) 5V Transcend Elite software is required for One Touch Auto-backup and AES encryption functions. Dimensions given are exclusive of protruding elements.
4	Pcs	Flash Memory Card	32GB (extreme pro) Up to 300MB/s Up to 260 MB/s U3 SDHC
2	Pcs	Tripod	
1	Pc	Rode wireless go (MIC)	1 x Graphic LCD (AF Level, Battery Status, RF Level) 50 Hz to 20 kHz 100 dB SPL Pressure Operated Omnidirectional Battery or USB Bus Power Mono Digital 2.4 GHz Max Operating Range: 229.7' / 70 m Dynamic Range: 100 dBA (Mic Input) 7 Hours 1.7 x 1.8 x 0.7" / 44.0 x 46.4 x 18.5 mm 1.1 oz / 31.0 g 1 x Built-In Rechargeable (Included)



1	Pc	Lapel microphone wireless	
1	Pc	Audio video switcher	
2	Pcs	LED Lights	
8	Unit	Digital camcorder video light rechargeable battery	5200mAh Li-ion battery YN 360, devices compatible with NP-F750
1	Unit	Teleprompter (Bestview T2 Big Screen Prompter Professional Interview Teleprompter Anchorman Host for DSLR For iPad Smartphone video prompter)	Kit 1 product list: Bestview T2 Teleprompter x 1 Remote control x 1 Kit 2 product list: Bestview T2 Teleprompter x 1 Remote control x 1 mini tripod x 1
Delivery Term: 7 calendar days Subject to Retention Money 1-5% of Contract Amount			

Note: 2017-12-29

NPM No. 126-2017

Thus, as a rule, specifications for the procurement of goods shall be based on relevant characteristics and/or performance requirements. Reference to brand names, including tailor fitting, is not allowed. But where necessary to maintain the performance, functionality and useful life of the equipment, reference to brand names relative to the existing fleet or equipment is allowed.

Interested suppliers are required to submit hard copies of their valid and current Mayor’s Permit, DTI/SEC Registration (for partnerships/corporations, General Information Sheet & Articles of Incorporation shall also submit), PHILGEPS Registration Certificate, Omnibus Sworn Statement, Latest Income/Business Tax Return, and duly signed price quotation form (Annex “A”). All must be properly sealed.

Submission of quotation and eligibility documents is on or before **April 02, 2021** 10:00 a.m., at General Services Division (GSD), Ground Floor, OCOM Building, Port Area, Manila.

Award of contract shall be made to the lowest quotation, which complies with the minimum description as stated above and other terms and conditions stated in the price quotation form.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative/s.

The BOC reserves the right to accept or reject any or all quotations and to impose additional terms and conditions as it may deem proper.



For inquiry, you may contact us at Telefax no. 527-9757 or email us at bacsecretariat@customs.gov.ph.

Very truly yours,

RAQUEL G. DE JESUS

Acting Chief, General Services Division



Annex "A"

PRICE QUOTATION FORM

Date

The Bids and Awards Committee
Bureau of Customs
Port Area, Manila

Project Name: Supply and Delivery of Camera Accessories

Sir/Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our quotation/s for the items as follows:

QTY	UNIT	ITEM	DESCRIPTION	UNIT PRICE	TOTAL PRICE
1	Unit	Canon Lens 18-55mm	Angle of View (Diagonal) 74°20'~27°50' Angle of View (Horizontal) 64°30'~23°20' Angle of View (Vertical) 45°30'~15°40' Closest Focusing Distance (m, ft) 0.25/0.82 Diameter x Length (mm) (Approx.) 69 x 75.2 Distance Scale: 0 Drive System: Stepping Motor-driven lead screw + Filter Size (mm): rack system Max. Magnification (x) 58 Min. Aperture 0.36 No. of Diaphragm Blades 22~38(36) Anti-dust and Moisture 7 Weight (g) (Approx.) Not Supported Accessories (Lens Cap) 205		



			Accessories (Lens Hood) E-58 II Accessories (Lens Bag) EW 63C E-58 II EW-63C LP1016		
1	Unit	Canon Lens 50mm	Filter Size 49mm Max Magnification 0.21x Focal Length 50mm Aperture Min $f/1.8$, Max $f/22$ Angle of View 46° Dimension (diameter x length) Mount 49mm 0.21x 50mm 6.91 x 3.94 Canon EF		
2	Pcs	Battery Canon	Lithium-Ion 7.2 VDC Canon EOS 7D Mark II, 7D, 5D Mark II, 5D Mark III, 5D Mark IV, 5DS, 5DSR, 60D, 60Da, 70D, and 6D Cameras 2.2 x 0.8 x 1.5" / 5.6 x 2.0 x 3.8 cm Capacity: 1000mAh x 2 Voltage: 7.2V-8.4V (for grip) / 3V (for remote control) / Battery: EN-EL15 Lithium batteries (for grip) / 2xAAA batteries (for remote control)		
1	Unit	Canon Charger	Lithium Ion 7.2 VDC Canon EOS 7D Mark II, 7D, 5D Mark II, 5D Mark III, 5D Mark IV, 5DS, 5DSR, 60D, 60Da, 70D, and 6D Cameras 2.2 x 8.0 x 1.5" / 5.6 x 2.0 x 3.8 cm Capacity: 1000 mAh x 2		
1	Unit	Canon Battery Grip	Voltage: 7.2-8.4V (for grip) / 3V (for remote control) / Battery: EN-EL15 Lithium batteries (for grip) / 2xAAA batteries (for remote control)		



1	Unit	Canon Flash	60/196.9 24-200mm 1/892-1/1 14mm* to 200mm (*with wide panel) 120 degree upward, 7degree down and 180 degree horizontally (left and right) Optical transmission and Radio Transmission Approx. 335-2345 with a fully charged battery pack LP-EL LP-EL lithium-ion battery pack		
2	Pcs	Battery (Fuji)	Lithium-Ion X-T2, X-Pro2, X-A series, X-T100, XT3, X-T30		
1	Unit	Fuji charger	Capacity: 1000mAh		
2	Pcs	External Hard Drive 1TB	Appearance M3 : 129.5 mm x 82.4 mm x 18.8 mm (5.10" x 3.24" x 0.74")M3G / M3S: 129.5 mm x 80.8 mm x 16.1 mm (5.10" x 3.18" x 0.63") M3 500GB & 1TB: 216 g (7.62 oz)M3 2TB: 230 g (8.11 oz)M3S / M3G: 185 g (6.53 oz) Iron gray/ Military green Interface micro USB to USB Type A USB 3.1 Gen 1 Storage 500 GB/ 1 TB/ 2 TB 2.5" HDD Operating Environment 5°C (41°F) ~ 55°C (131°F) 5V Transcend Elite software is required for One Touch Auto-backup and AES encryption functions. Dimensions given are exclusive of protruding elements.		
4	Pcs	Flash Memory Card	32GB (extreme pro) Up to 300MB/s Up to 260 MB/s U3		



			SDHC		
2	Pcs	Tripod			
1	Pc	Rode wireless go (MIC)	1 x Graphic LCD (AF Level, Battery Status, RF Level) 50 Hz to 20 kHz 100 dB SPL Pressure Operated Omnidirectional Battery or USB Bus Power Mono Digital 2.4 GHz Max Operating Range: 229.7' / 70 m Dynamic Range: 100 dBA (Mic Input) 7 Hours 1.7 x 1.8 x 0.7" / 44.0 x 46.4 x 18.5 mm 1.1 oz / 31.0 g 1 x Built-In Rechargeable (Included)		
1	Pc	Lapel microphone wireless			
1	Pc	Audio video switcher			
2	Pcs	LED Lights			
8	Unit	Digital camcorder video light rechargeable battery	5200mAh Li-ion battery YN 360, devices compatible with NP-F750		
1	Unit	Teleprompter (Bestview T2 Big Screen Prompter Professional Interview Teleprompter Anchorman Host for DSLR for iPad Smartphone video prompter)	Kit 1 product list: Bestview T2 Teleprompter x 1 Remote control x 1 Kit 2 product list: Bestview T2 Teleprompter x 1 Remote control x 1 mini tripod x 1		
<p>Delivery Term: 7 calendar days Subject to Retention Money 1-5% of Contract Amount</p>					



Total amount in words:

Note: 2017-12-29

NPM No. 126-2017

Thus, as a rule, specifications for the procurement of goods shall be based on relevant characteristics and/or performance requirements. Reference to brand names, including tailor fitting, is not allowed. But where necessary to maintain the performance, functionality and useful life of the equipment, reference to brand names relative to the existing fleet or equipment is allowed.

The above-quoted prices are inclusive of all costs and applicable taxes.

Very truly yours,

Name/ Signature of Representative

Name of Company

Mayor's Permit No. _____

PhilGEPS Registration No. _____

(Please submit the photocopies of the above documents upon submission of quotation)