



MEMORANDUM

TO : ALL DISTRICT AND SUB-PORT COLLECTORS  
ALL CHIEFS, FORMAL ENTRY DIVISION and  
EQUIVALENT UNITS  
ALL EXAMINERS AND APPRAISERS


FROM DEC 11 2017 ISIDRO S. LAPEÑA, PhD, CSEE  
Commissioner

SUBJECT : Food and Drug Administration's (FDA) Cancellation  
of Certificate of Product Registration for BAOMA®  
Black Mosquito Coil


DATE : December 7, 2017

- 
- 1.0 References:
- 1.1 Letter of Engr. Ana Trinidad F. Rivera, MSc., Director IV, Center for Cosmetics Regulation and Research of FDA dated November 2, 2017.
- 1.2 FDA Advisory No. 2017-235 on "Cancellation of the Certificate of Product Registration for BAOMA® Black Mosquito Coil with FDA Registration No. HSR-7656"
- 2.0 The FDA particularly the Center for Cosmetics Regulation and Research (CCRR) has observed that despite the cancelled Certificate of Product Registration (CPR) of BAOMA® Black Mosquito Coil, it is "still being imported from China and distributed in some parts of the country".
- 3.0 In view of this, you are hereby ordered to seize the shipments of the abovementioned article pursuant to Republic Act. No. 10863 (CMTA), Title XI, Chapter 4, Sec. 1113, par. f and Republic Act No. 3720, Chapter XII, Sec. 30, par. a, as amended by R.A. 9711.
- 4.0 For strict and immediate implementation.





Republic of the Philippines  
Department of Health  
**FOOD AND DRUG ADMINISTRATION**

**Center for Cosmetics Regulation and Research**



2 November 2017

**Isidro S. Lapeña**  
Commissioner  
Bureau of Customs  
G/F, OCOM Bldg., Port Area, Metro Manila



Dear Commissioner Lapeña,

Greetings!

It has come to the attention of the Food and Drug Administration (FDA), Center for Cosmetics Regulation and Research (CCRR) that the product **“Baoma® Black Mosquito Coil** is still being imported from China and distributed in some parts of the country despite the cancellation of the certificate of product registration (CPR).


Please be advised that on 4 August 2017, the FDA issued FDA Advisory No. 2017-235 “Cancellation of the Certificate of Product Registration for Baoma® Black Mosquito Coil with FDA Registration No. HSR-7656”, warning the consuming public and concerned stakeholders that the CPR/authorization had been cancelled. Attached for your easy reference is the aforementioned advisory.

In light of this, the FDA respectfully requests for the Bureau’s assistance in ensuring that only registered Household/Urban Pesticide (HUP) with corresponding HSR numbers are allowed to be released from the Bureau of Customs Port nationwide.

Thank you for your usual support and coordination.

By authority of the Director General:

  
**ENGR. ANA TRINIDAD F. RIVERA, MSc.**  
*Director IV, Center for Cosmetics Regulation and Research*



DIN: 20171102171755  
AFR/RDM/OCC





Republic of the Philippines  
Department of Health  
FOOD AND DRUG ADMINISTRATION




FDA ADVISORY  
No. 2017-235

04 AUG 2017

TO: GENERAL CONSUMING PUBLIC AND OTHER CONCERNED STAKEHOLDERS AND PARTIES

SUBJECT: Cancellation of the Certificate of Product Registration for Baoma® Black Mosquito Coil with FDA Registration No. HSR-7656

The Food and Drug Administration (FDA) advises the public that the Certificate of Product Registration for the product: **Baoma® Black Mosquito Coil** with FDA Registration No. HSR-7656 issued to Marketing Authorization Holder (MAH) Targeline Marketing Corp. located at No. 349 Mac Arthur Highway, Malinao, Valenzuela City, is hereby **CANCELLED**.




After a judicious review of the records of the administrative case and the evidence presented, this Office rules against MAH and respondent Targeline Marketing Corp. for violation of Sec. V (A) (a), (3), AD 2014-4038, in relation to Sec. 11 (a), (b) and (c) of RA 3720, as amended by RA 9711, for importing, distributing, selling and offering for sale of adulterated, misbranded and unregistered Household/Urban Hazardous Substances.

In light of the above, the public is advised not to purchase and use the aforementioned violative product. The safety, efficacy and quality of any health product that is adulterated, misbranded, and/or unregistered cannot be guaranteed. The use and exposure to such products may pose imminent danger to human and animal health.

All concerned establishments are warned not to distribute the above-identified violative product. Non-compliance thereto shall warrant regulatory actions and sanctions to be strictly pursued.

Civic Drive, Filinvest City, Alabang 1781 Marikina, Philippines  
Track Line - 833 357 1800  
Website: www.fda.gov.ph

800 800 8000  
Fax: +63 2 807 0751  
Email: info@fda.gov.ph



All Local Government Units (LGUs) and Law Enforcement Agencies (LEAs) are requested to ensure that this product is not sold or made available in their localities or areas of jurisdiction.





For more information and inquiries, please e-mail us at [info@fda.gov.ph](mailto:info@fda.gov.ph). To report continuous sale or distribution of the above violative product, utilize our online reporting facility, eReport, at [www.fda.gov.ph/ereport](http://www.fda.gov.ph/ereport), or e-mail us via [report@fda.gov.ph](mailto:report@fda.gov.ph) or call us at the Center for Cosmetics Regulation and Research (CCRR) Hotline (02) 857-1979 or (02) 857-1984.

Dissemination of the information to all concerned is requested.

*NELA CHAMBERG, PUNO, RPH*  
Director General

DTC-101.70613.162928

Tacloban Public Market



Cases at the back with C/NO: contains BAOMA Coils