

BUREAU OF CUSTOMS Professionalism Integrity Accountability



REQUEST FOR QUOTATION

The Bureau of Customs (BOC), through its Administration Office (AO), will undertake a Small Value Procurement for **"Supply and Delivery of Printer"** in accordance with the Revised Implementing Rules and Regulations of Republic Act No. 9184. The details of the project are as follows:

Name of Project:Supply and Delivery of PrinterLocation:Bureau of Customs Port Area ManilaApproved Budget for the Contract:Sixty-Five Thousand Pesos (Php65,000.00)inclusive of tax

Specifications

QTY.	Y. DESCRIPTION	
	Printing Technology:	
6 Units	Print Method:	
	On-demand inkjet (Piezoelectric)	
	Maximum Print Resolution:	
	720 x 720 dpi (with Variable-Sized Droplet Technology)	
	Minimum Ink Droplet Volume:	
	3pl	
	Automatic Duplex Printing:	
v	No	
	Black Nozzle Configuration:	
	180	
	Colour Nozzle Configuration:	
	59 per colour (Cyan, Magenta, Yellow)	
	Print Direction:	
	Bi-directional printing, Uni-directional printing	
	Print Speed:	
	ISO 24734, A4 Simplex (Black / Color):	
	Up to 8.5ipm / 4.5ipm	
	Paper Handling	
	Number of Paper Trays:1	
	Standard Paper Input Capacity:	
	Up to 50 sheets, A4 Plain paper $(75g/m^2)$	
	Maximum Paper Size:	
	215.9x1117.6mm (8.5 x 44")	
	Paper Feed Method:	
,	Friction feed	
	Print Margin:3mm top, left, right, bottom	
	Type of Ink: Pigment	

South Harbor, Gate 3, Port Area, Manila 1099 Tel. Nos 8527-4537, 8527-1935 Website: www.customs.gov.ph Email: Boc.cares@customs.gov.ph



Professionalism Integrity Accountability



1 Unit	Machine Specification
	4-colour A3+ Ink Tank System Printer
	Energy rating (stars) 0.0
	RAM (GB) 2
	Megapixels 0.0
	Model VIIIMan-VLLMNEPSON9
	Optical Zoom 0.0
	Printer Connectivity Type USB
51	Size (L x W x H cm) 70.5 x 32.2 x 21.5
	Weight (kg) 12
	Capacity (GB) 16
	RAM (GB) 4
	Type of Ink
	Pigment Ink
	Printing Technology:
	Print Method:
x ¹	On-demand inkjet (Piezoelectric)
	Maximum Print Resolution:
	5760 x 1440 dpi (with Variable-Sized Droplet Technology)
	Minimum Ink Droplet Volume:
	3pl
	Automatic Duplex Printing:
	No ·
	Black Nozzle Configuration:
	360
	Colour Nozzle Configuration:
	59 per colour (Cyan, Magenta, Yellow)
	Print Direction:
	Bi-directional printing, Uni-directional printing
	Print Speed:
	Photo Default – 10 x 15 cm / 4 x 6 " *2:
	Approx. 58 sec per photo (with Border) *1
	Max Photo Draft – 10 x 15 cm / 4 x 6 " *2:
	Approx. 31 sec per photo (with Border) *1
	Draft, A4 (Black / Colour):
	Approx. 30 ppm / 17 ppm *1
	ISO 24734, A4 Simplex (Black / Colour):
	Approx. 15 ipm / 5.5ipm *1

South Harbor, Gate 3, Port Area, Manila 1099 Tel. Nos 8527-4537, 8527-1935 Website: www.customs.gov.ph Email: Boc.cares@customs.gov.ph



Professionalism Integrity Accountability



Participan and in	
	Paper Handling:
	Number of Paper Trays:
	1 .
	Standard Paper Input Capacity:
	Up to 100 sheets, A4 Plain paper (75g/m2)
	Up to 20 sheets, Premium Glossy Photo Paper
	Output Capacity:
	Up to 50 sheets, A4 Plain paper
	Up to 30 sheets, Premium Glossy Photo Paper
	Maximum Paper Size:
	12.95 x 44″
	Paper Sizes:
	A3+, A3, B4, A4, A5, A6, B5, 10x15cm (4×6), 13x18cm (5×7"),
	16:9 wide size, Letter (8.5×11"), Legal (8.5×14"), Half Letter
	(5.5×8.5"), 9x13cm (3.5×5"), 13x20cm(5×8"), 20x25cm(8×10")
	Envelopes: #10(4.125×9.5") DL(110x220mm), C4 (229x324mm),
	C6(114x162mm)
	Paper Feed Method:
	Friction feed
	Print Margin:
	3mm top, left, right, bottom
	Connectivity:
	Standard:
	USB 2.0
	Supported OS and Applications:
	Supported OS:
	Windows XP / Vista / 7 / 8 / 8.1 / 10
	Mac OS X 10.5.8 or later
	Consumables:
	Standard Capacity Black:
	7,100 pages *3 (2 bottles of black ink) – T6641
	Standard Capacity Cyan:
	5,700 pages (Composite Yield) *3 – T6642
	Standard Capacity Magenta:
	5,700 pages (Composite Yield) *3 – T6643
	Standard Capacity Yellow:
	5,700 pages (Composite Yield) *3 – T6644
	Power:
	Rated Voltage:
	220-240V

South Harbor, Gate 3, Port Area, Manila 1099 Tel. Nos 8527-4537, 8527-1935 Website: www.customs.gov.ph Email: Boc.cares@customs.gov.ph



BUREAU OF CUSTOMS Professionalism Integrity Accountability



Delivery Duration/ Term: 5 working days

Interested suppliers are required to submit their valid and current Mayor's Permit, DTI/SEC Registration (for partnerships/corporations, General Information Sheet & Articles of Incorporation shall also submitted), PHILGEPS Registration Certificate, Omnibus Sworn Statement, Latest Income/Business Tax Return and duly signed price quotation form (Annex "A").

Submission of quotation and eligibility documents in hard copy is on or before **December 14, 2020 10:00 a.m., at General Services Division (GSD), Ground Floor**, OCOM Building, Port Area, Manila and see posting in PhilGeps website.

Award of contract shall be made to the lowest quotation, which complies with the minimum description as stated above and other terms and conditions stated in the price quotation form.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative/s

The BOC reserves the right to accept or reject any or all quotations and to impose additional terms and conditions as it may deem proper.

For inquiry, you may contact us at Telefax no. 527-9757 or email us at <u>bacsecretariat@customs.gov.ph</u>.

Very truly yours,

RAQUEL G. DE JESUS

Acting Chief, General Services Division

South Harbor, Gate 3, Port Area, Manila 1099 Tel. Nos 8527-4537, 8527-1935 Website: www.customs.gov.ph Email: Boc.cares@customs.gov.ph



Annex "A"

PRICE QUOTATION FORM

Date

The Bids and Awards Committee Bureau of Customs Port Area, Manila

Sir/Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our quotation/s for the items as follows:

QTY.	DESCRIPTION	UNIT PRICE	TOTAL PRICE
	Printing Technology:		
6 Units	Print Method: On-demand inkjet (Piezoelectric) Maximum Print Resolution: 720 x 720 dpi (with Variable-Sized Droplet Technology) Minimum Ink Droplet Volume: 3pl Automatic Duplex Printing: No Black Nozzle Configuration: 180 Colour Nozzle Configuration:	,	
	59 per colour (Cyan, Magenta, Yellow) Print Direction: Bi-directional printing, Uni-directional printing Print Speed:		
	ISO 24734, A4 Simplex (Black / Color): Up to 8.5ipm / 4.5ipm Paper Handling		
	Number of Paper Trays:1 Standard Paper Input Capacity: Up to 50 sheets, A4 Plain paper (75g/m ²) Maximum Paper Size: 215.9x1117.6mm (8.5 x 44")		

South Harbor, Gate 3, Port Area, Manila 1099 Tel. Nos 8527-4537, 8527-1935 Website: www.customs.gov.ph Email: Boc.cares@customs.gov.ph



			The second strength and the
	Paper Feed Method:		
	Friction feed		
	Print Margin: 3mm top, left, right, bottom Type of Ink: Pigment		
1 Unit	Machine Specification		
- 01110	4-colour A3+ Ink Tank System Printer		
	Energy rating (stars) 0.0		
	RAM (GB) 2		
	Megapixels 0.0		
	Model VillMan-VLLMNEPSON9		
	Optical Zoom 0.0		
	Printer Connectivity Type USB		
	Size (L x W x H cm) 70.5 x 32.2 x 21.5		
	Weight (kg) 12		
	Capacity (GB) 16		
	RAM (GB) 4		
	Type of Ink		
	Pigment Ink		
	Printing Technology:		
	Print Method:		
	On-demand inkjet (Piezoelectric)		
	Maximum Print Resolution:		
k	5760 x 1440 dpi (with Variable-Sized Droplet		
	Technology)		
	Minimum Ink Droplet Volume:		
	3pl	24	
	Automatic Duplex Printing:		
	No		
	Black Nozzle Configuration:		
	360		
	Colour Nozzle Configuration:		
	59 per colour (Cyan, Magenta, Yellow)		
	Print Direction:		
	Bi-directional printing, Uni-directional printing		
	Print Speed:	,	
	Photo Default – 10 x 15 cm / 4 x 6 " *2:		
	Approx. 58 sec per photo (with Border) *1		
	Max Photo Draft – 10 x 15 cm / 4 x 6 " *2:		
	Approx. 31 sec per photo (with Border) *1		
		I	

South Harbor, Gate 3, Port Area, Manila 1099 Tel. Nos 8527-4537, 8527-1935 Website: www.customs.gov.ph Email: Boc.cares@customs.gov.ph



Professionalism Integrity Accountability



	Draft, A4 (Black / Colour):		
ν.	Approx. 30 ppm / 17 ppm *1		
	ISO 24734, A4 Simplex (Black / Colour):		
	Approx. 15 ipm / 5.5ipm *1		
	Paper Handling:		
	Number of Paper Trays:		
	1		
	Standard Paper Input Capacity:		
	Up to 100 sheets, A4 Plain paper (75g/m2)		
	Up to 20 sheets, Premium Glossy Photo Paper		
	Output Capacity:		
	Up to 50 sheets, A4 Plain paper		
	Up to 30 sheets, Premium Glossy Photo Paper		
	Maximum Paper Size:	6	
	12.95 x 44″		
	Paper Sizes:		
	A3+, A3, B4, A4, A5, A6, B5, 10x15cm (4×6),		
	13x18cm (5×7"), 16:9 wide size, Letter (8.5×11"),		
	Legal (8.5×14"), Half Letter (5.5×8.5"), 9x13cm		
÷ .	(3.5×5"), 13x20cm(5×8"), 20x25cm(8×10")		
	Envelopes: #10(4.125×9.5") DL(110x220mm), C4		
	(229x324mm), C6(114x162mm)		
	Paper Feed Method:		
	Friction feed		
	Print Margin:		
	3mm top, left, right, bottom		
	Connectivity:		
	Standard:		
	JSB 2.0		
	Supported OS and Applications:		
	Supported OS:		
	Windows XP / Vista / 7 / 8 / 8.1 / 10		
	Mac OS X 10.5.8 or later		
	Consumables:		
	Standard Capacity Black:		
	7,100 pages *3 (2 bottles of black ink) – T6641		
	Standard Capacity Cyan:		
	,700 pages (Composite Yield) *3 – T6642		
	Standard Capacity Magenta:		
5	,700 pages (Composite Yield) *3 — T6643		

South Harbor, Gate 3, Port Area, Manila 1099 Tel. Nos 8527-4537, 8527-1935 Website: www.customs.gov.ph Email: Boc.cares@customs.gov.ph



Professionalism Integrity Accountability



Standard Capacity Yellow: 5,700 pages (Composite Yield) *3 – T6644 **Power:** Rated Voltage: 220-240V

Delivery Duration/ Term: 5 working days

Total amount in words:

The above-quoted prices are inclusive of all costs and applicable taxes.

Very truly yours,

Name/ Signature of Representative

Name of Company

Mayor's Permit No.____

PhilGEPS Registration No.

(Please submit the photocopies of the above documents upon submission of quotation)

South Harbor, Gate 3, Port Area, Manila 1099 Tel. Nos 8527-4537, 8527-1935 Website: www.customs.gov.ph Email: Boc.cares@customs.gov.ph