

BUREAU OF CUSTOMS

MAKABAGONG ADUANA, MATATAG NA EKONOMIYA



PROFESSIONALISM

A

BIDS AND AWARDS COMMITTEE SUPPLEMENTAL/BID BULLETIN ADDENDUM NO. 1

PROCUREMENT OF ADDITIONAL MILITARY, SECURITY AND POLICE EQUIPMENT

This Addendum No. 1 dated 02 December 2022 is issued to clarify, modify or amend items in the Bid Documents. This shall form an integral part of the Bid Documents.

ISSUES

Section I. Invitation to Bid

1. The Bureau of Customs (BOC) through the authorized appropriations under the CY 2022 General Appropriations Act intends to apply the sum of Five Million Forty-Nine Thousand Pesos (Php5,049,000.00) being the Approved Budget for the Contract (ABC) to payments under the contract for the "Procurement of additional Military, Security and Police Equipment" Bids received in excess of the ABC shall be automatically rejected at the bid opening.

CLARIFICATION/AMENDMENTS

Section I. Invitation to Bid

1. The Bureau of Customs (BOC) through the authorized appropriations under the CY 2022 General Appropriations Act intends to apply the sum of Five Million Forty-Nine Thousand Pesos (Php5,049,000.00) being the Approved Budget for the Contract (ABC) to payments under the contract for the "Procurement of additional Military, Security and Police Equipment" Bids received in excess of the ABC shall be automatically rejected at the bid opening. Details are as follows:

Lot No.	Project ID No.	Description	ABC
1	BOC- GOODS- 2022- 11A	Procurement Of Additional Military, Security and Police Equipment	Php4,594,000.00
2	BOC- GOODS- 2022-11B	Procurement Of Additional Military, Security and Police Equipment	Php455,000.00
-	Total	ABC	Php5,049,000.00

Section II. Instruction to Bidders

1. Scope of Bid

The Procuring Entity, Bureau of Customs-Bids and Awards Committee (BOC-BAC) wishes to receive Bids for the "Procurement of additional Military, Security and Police Equipment" with identification number BOC-GOODS-2022-11.

Section II. Instruction to Bidders

1. Scope of Bid

The Procuring Entity, Bureau of Customs-Bids and Awards Committee (BOC-BAC) wishes to receive Bids for the "Procurement of additional Military, Security and Police Equipment" with identification number BOC-GOODS-2022-11.



JREAU OF CUSTO MAKABAGONG ADUANA, MATATAG NA EKONOMIYA

The Procu	rem	ent Pr	oject	(ref	errec	l to h	nerei	n as
"Project")	is	comp	osed	of	one	(1)	lot	the
details of	whi	ch are	desc	ribe	ed in	Sec	tion	VII
(Technica	Sp	ecifica	ations).				

The Procurement Project (referred to herein as "Project") is composed of two (2) lots the details of which are described in Section VII (Technical Specifications).

Section III. Bid Data sheet

Section III. Bid Data sheet

Please see attached revised Bid Data sheet

Section VI. Schedule of Requirements

Section IV. Schedule of Requirements

Please see attached revised Schedule of Requirements

Section VII. Technical Specifications

Section VII. Technical Specifications

Please see attached revised Technical Specifications

Bid Form

Bid Form

Please see attached revised Bid Form

Reminders:

- Submission of bids will be on or before 12 December 2022, 9:30 AM.
- Bids must be properly sealed and signed.
- Late submission will not be accepted.

For guidance and information of all concerned.

ATTY. ALVIN LEBRES, CESO IV Chairperson, BOC-BAC

Section III. Bid Data Sheet

ITB Clause				-			
1	The Procuring Entity is the Bureau of Customs.						
	The name Police Equ		s "Procurement of addit	ional Military, Security and			
	The identif	ication number of	the Contract is BOC-GO	ODS-2022-11			
1	Lot No.	Project ID No.	Description	ABC			
	1	BOC-GOODS- 2022-11A	Procurement Of Additional Military, Security and Police Equipment	Php4,594,000.00			
	2	BOC-GOODS- 2022-11B	Procurement Of Additional Military, Security and Police Equipment	Php455,000.00			
		Total A	BC	Php5,049,000.00			
2	The Funding Source is: The Government of the Philippines (GOP) through the authorized appropriation under the CY 2022 General Appropriations Act in the amount of Five Million For Nine Thousand Pesos (Php5,049,000.00).						
3	No further	instruction.					
5		for Bidders found ed as defined in ITI		, and financially capable will			
5.2	Foreign bio	lders are not allow	ed.				
5.3	The bidder must have completed, five (5) years prior to December 12, 20 contract that is similar to the project at hand and whose value must be at percent (50%) of the ABC to be bid.						
	Bidders must include in their Bid a photocopy of Single Largest Completed Contract, Notice of Award (NOA), Notice to Proceed (NTP), Technical Inspection and Acceptance Committee (TIAC) Report or Certificate of Final Acceptance Report or equivalent in the Private Sector.						
	Failure to submit a copy of Single Largest Completed Contract with proof of Completion or a failure against the veracity of such shall be a ground for disqualification of the bidder for award and forfeiture of the bid security.						

		For this purpose, similar contract shall refer to "Supply and Delivery of Bod						
5.4		ms and Ammunition"						
J.4	Joint Vent	Joint Venture is not allowed.						
7.1 (a)	Subcontrac	cting is not al	lowed.					
8	GSD Conf Area, Man	The BOC will hold a Pre-Bid Conference on November 29, 2022, 10:00 a.m. at the GSD Conference Room, Ground Floor, OCOM Building, South Harbor, Gate 3, Por Area, Manila, and/or through videoconferencing/webcasting via Microsoft Teams which shall be open to prospective bidders.						
14.1		curity shall b forms and am		ring Declaration or any of th				
	Lot 1							
	1. The ar	mount of not r's/manager's	less than Php91,880.00 , or check, bank draft/guarantee	2% if bid security is in cash or irrevocable letter of credit				
	2. The an Bond.	The state of the s						
	Lot 2							
	1. The amount of not less than Php9,100.00, or 2% if bid security is in cash cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit							
	2. The amount of not less than Php22,750.00 or 5% if bid security is in Surety Bond.							
15	original de			d certified true copy of the				
19.3	Partial bids have the ocontract aw into sub-lo	s are allowed option of sub- yard will be un- ts for the purpose, the NFCC co	mitting a proposal on any on andertaken on a per lot basis. Le pose of bidding, evaluation, a	ots listed below. Bidders sha or all lots and evaluation an ots shall not be divided furthe and contract award. ust be sufficient for all the lot				
	Lot No.	Project ID No.	Description	ABC				
	1	BOC- GOODS- 2022- 11A	Procurement Of Additional Military, Security and Police Equipment	Php4,594,000.00				
		BOC- GOODS-	Procurement Of					

	Security and Police							
	Equipment							
	Total ABC	Php5,049,000.00						
	,							
20.1	Within a non-extendible period of five (5) calendar	days from receipt by the Bidde						
	of the notice from the BAC that it submitted the Lo							
	shall submit the following documents:	7						
		,						
	<u>Lot 1</u>							
	1. Latest product brochure or other related document	nts containing the description o						
	the firearm;	ID I /6 1 1						
		2. Valid License to deal issued by the Philippine National Police (for both partners in case of Joint Venture) pursuant to Section 16 of the IRR of RA 10591;						
	3. Certificate of Performance Evaluation with a rati							
	4. Certificate of Exclusive Distributorship;	ing of at least very Satisfactory						
	, , , , , , , , , , , , , , , , , , ,							
	Lot 2							
	Body Worn Camera being offered;							
	2. List of Service Center/s: List of service centers of equipment of the							
	manufacturer and/or authorized service centers of the manufacturer in Metro							
	Manila, Visayas and Mindanao must be provided;							
	3. Certificate of Performance Evaluation: at least "Very Satisfactory", issued by							
	bidder's Single Largest Completed Contract Client; 4. Required Licenses or Certification:							
	4.1. Business Registration							
	4.2. Certificate of Distributorship issued by the r	nanufacturer as authorized loca						
	distributor.							
	4.3. Certification issued by the Third-Party Co							
	Worn Camera - Submerge to one (1) meter	in water for up 30 minutes (IP68						
	TESTING/ IP68 TEST REPORT)	in and it Milita C						
	4.4. Certification that the Body Worn Camera Drop-Test Standard MIL STD 810G.	is compliant with Military Spec						
	4.5. National Privacy Commission (NPC) Certif	ication: Required: Must present						
	proof that bidder have complied with the	5						
	Act of 2012.	1						
	5. ISO of the manufacturer: ISO 9001 of the Bo	dy Worn Camera and docking						
	station manufacturer.							
	6. Latest Income Tax Return and business Tax Return							
	and paid through BIR Electronic Filing and Pays							
	7. VAT Returns (Form 2550M and 2550Q) or Per							
	with proof of payment covering the last 6 month	is;						
	Latest Audited Financial Statement; and Other appropriate licenses and permits required	by law						
21.1	No further instruction	by law.						
21.1	130 further instruction							

Section VI. Schedule of Requirements

Lot	Description	Unit	Qty	Delivery Date
1	Caliber 40 Pistols	Units	100	Deliver within thirty (30) calendar days after receipt of Notice to Proceed to be delivered in GSD Office, G/F OCOM Bldg., South Harbor, Port Area Manila.
2	Body-Worn Camera	Sets	10	Deliver within one hundred twenty (120) calendar days after receipt of Notice to Proceed to be delivered in GSD Office, G/F OCOM Bldg., South Harbor, Port Area Manila.

Name of Company (in print)	
Signature of Company Authorized Repre	esentative
Name & Designation (in print)	
Date	

I hereby commit to comply and deliver the above requirements.

Section VII. Technical Specifications

STATEMENT OF COMPLIANCE TO TECHNICAL SPECIFICATIONS

A. INSTRUCTION:

The bidder must state in the last column opposite each parameter and required specifications either "Comply" or "Not Comply". All pages shall be properly signed. Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause above goods manufactured by us.

Lot	Specification	Statement of Compliance
1	Pistol Caliber .40	
	A. Frame: Polymer/Steel B. Magazine Capacity: 8-17 rounds C. Length: 6.5 in - 7.95 in D. Height: 5.4 in - 5.47 in. E. Barrel Length: 4.1 in 4.49 in. F. Weight: without magazine - 22.75 oz with empty magazine - 34.39 oz G. Trigger Pull: 2lbs 5.5 lbs. H. Accessories: I. Each unit comes with: Two (2) magazines Modular back strap Cleaning kit brush Magazine reloader Carrying case Service manual I. Certified True Copy of Licenses/Authority: I. For importers/traders/dealers/distributors: Certified True Copy of valid and current License to Operate and License to Deal in Firearms/Ammunition issued by FED-PNP, Camp Crame, Quezon City.	•
	2. PARAMETERS FOR POST-QUALIFICATIONS, ACCEPTANCE TEST, AND EVALUATION:	

A. NUMBER OF SAMPLES SUBJECT TO EVALUATION AND TEST FIRING:

- I. For post-qualification: Two (2) sample units of the same product are to be delivered.
- II. For acceptance: Ten percent (10%) of the goods delivered will be chosen at random by the Team Inspection and Acceptance Committee.

B. PRE-TEST FIRING:

- Procedure: Conduct visual and dimensional inspection to determine the actual dimensions, weight, and firearms characteristics vis-à-vis the required technical specifications. Firearms will be fired with 50 rounds each.
- II. Purpose: Ascertain if the submitted sample firearms conform with the required technical specifications.
- III. Standard: After the initial firing, the pistols must have no evidence of burrs and bulges in the bore and or exterior rim of the barrel.

C. ACCURACY TEST:

- Procedure: Sample pistol will be fired using a machine rest or its equivalent at a distance of 25 meters. Firearms will be fired with 100 rounds each.
- II. Purpose: To determine the accuracy of the pistol using machine rest or equivalent.
- III. Standard: Must not exceed the maximum mean radius square (mrs) of 6 inches.

D. INTERCHANGEABILITY TEST:

- Procedure: Major parts of pistols (slide, barrel, recoil, spring, and receivers) will be interchanged and then fired with 50 rounds each.
- Purpose: To determine the reliability of the pistol when parts from identical weapons are interchanged.
- III. Standard: The pistol must function properly without any bidding of moving parts.

E. FUNCTIONAL TEST:

I. Procedure: For post-qualification purposes, sample items will be fired using fifty (50) rounds each, and malfunction will be recorded. For acceptance purposes, sample units will be fired using sixteen (16) rounds each per unit.

o re III. S ir	urpose: To ensure that the sample perationally functional and conforms to the equirements of the Bureau of Customs. tandard: All sample items must fire properly accordance with the test parameters of the fureau of Customs.
Body Worn Camera	
A. Camera	
Number of Megapixels	At least 16 Megapixel or higher
Field of View	Diagonal 116°, horizontal 101°, vertical 57°
Camera Lens	Aperture: F/2.4 Can be rotated to capture the best angle of view
B. Video	
Video Compression	High-Efficiency Video Coding video compression technology. MPEG or higher.
Recording Resolution/ Video Frame Rate	Minimum of 1280 x 720 (30 fps) or higher
Audio	With dual microphone for noise reduction
Display	At least 2.8-inch TFT-LCD color screen with playback feature
C. Photo Resolution	16-megapixel 5-megapixel 3-megapixel or higher
Image	Up to 16MP
Image Format	JPEG
D. General	
Weight	Overall weight (unit with battery only) not more than 205g
GPS	Built-in
Wireless Transmission	The device shall be capable of live upload
for real Time monitoring	by at least 4G, LTE or WIFI to the BOC
(Live streaming)	existing system.
Sim-card Slot	Built-in
Storage Capacity	The device must have at least 32GB storage.
High Volume	Device must support dual 1.5W speakers,
Memory	At least 2-GB
Bluetooth	The device should support Bluetooth 4.2
Data Collection	Shall be able to automatically upload the evidence to the BOC BWC Docking Stations.

Stations.

Environment Protection	The device be compliant with MIL-STD 810 G and IP68	
Operating Temperature	-30°C to+60°C	
Storage Temperature	-40 to 60°C	
Shock/Impact	At least 2 meters (with belt clip)	
Watermark	User ID, GPS coordinates, time and date embedded into video	
Security Protocols	 Passwords protected/security features/encryptions/tampered proof Administrator password protected: user cannot delete files or change settings Support AES 256 encryption technology for local storage or during Transmission 	
SOS Alarm	System should be able to get SOS Alarm if personnel are in danger	
Voice Communication	Built-in PTT for voice communication.	
E. Battery		
Туре	Removable battery	
Recording Life	 The device is equipped with a high-capacity battery to ensure long battery life. The standard battery capacity is 3500mAh, the supplier can provide 2 batteries, which can provide more than 8 hours battery life for continuous video shooting with 720P under normal operation. 	
F. Accessories		
Camera Clips	Body mounting strap and appropriate clip for body camera	
Camera Chargers	Yes	
G. Recording		
Fast Operation Switch for Video Recording Pre and post-recording	Yes. Designed to avoid misoperation that could interrupt recording. Minimum 10 sec /30 sec	
Night Mode Vision Function	Auto night mode capable to 10 meters or above.	
. Operational Character	ristics	
1.1. Recording Fo	rmat Video and audio to record and export in a standard, open, non-	

4

.

	proprietary format, including both Codec and Container, such that it can be replayed in freely available software (e.g., VLC player) without processing or conversion. Standard open formats should be used for interoperability. Examples include MP4 and MKV. Data formats that can only be viewed within manufacturer-specific replay software are not recommended.	
	VGA, HD 720P, and 1080 HD are predominant standard resolutions. The higher the resolution, the more storage is needed. Estimates below were created assuming H.264 compression with medium to high motion at 30 frames per second (fps) derived using a heuristic formula widely used in industry. Actual storage utilized is dependent on scene complexity and the motion of the video captured. Consider what sort of analysis may be conducted on the video before selecting a resolution.	
1.2. Video resolution	Not less than VGA (720 X per hour not less than (0.55-1.1 GB) or higher Not less than 1,650-3,325 MB HD 720P per hour (1.65-(1280 X720) 3.325 GB) or	,
	At least 1080 3,750-7,550 MB HD (1920 X hour (3.65-7.55) 1080) or higher higher	
1.3. Video Encoding / Compression	Use the lowest possible amount of compression in order to maximize the amount of information available to law enforcement. Consider what sort of analysis may be conducted on the video before selecting video encoding or compression. Examples include MPEG-4, and H.264. H.264 is an improvement over MPEG-4 compression. Moreover, Highefficiency Video coding should be supported.	

	1.4.	Frame rate	stand recor motion stora	rames per second (fps) is a lard video frame rate. Higher rding speeds capture more on detail but require increased ge. Frame rates lower than 25 suffer from increased motion	
ū.	1.5.	Horizontal Field of View	activ This 90-de angle scene detai fram- requi view	quate to capture a majority of ity at a reasonable distance. would likely require at least a egree field of view. Wide e lenses capture more of a e, but distort the view and lose I towards the edges of the e. Software tools may be ited to properly analyze or the video from extremely angle video.	
	1.6.	Camera Focus	The con a away autof employers can con and the contact	device should be able to focus about 1 foot to infinity. Continuous focus or fixed focus should be oyed for usability. Manual ags should be avoided as they distract the user. Motion jitter blur can be significant when camera is moving. Automatic the stabilization can reduce this	9:
	1.7.	Audio Quality	The captua dis	system is capable of clearly aring conversational speech at stance of not less than 3 feet out wind or excessive ground noise.	
*	1.8.	Separate Audio and Resolution and Encoding Compression	If the to re audio video micro quali need 16 kl is s High to ca dista with sugg	de device will be used in a mode coord audio only, compressed or requires less storage than to (4-60 MB per hour per cophone depending on desired aty). If high speech quality is ed, a sampling rate of at least Hz with at least 24-bit capture suggested per microphone. Her values might be necessary apture increased fidelity at a nece. Standard open encoding speech quality resolution ested. Examples include MP3, A and AAC.	
	1.9.	Recording Triggerin		Cameras could record continuously or be user-triggered or event-triggered. Cameras take time to start	j.

1.10. Night-time/Low Light Functionality	recording video after being powered on and after recording is initiated. This recording latency period should be minimal The quality of video footage recorded in low light or night conditions should be usable.	
¥)	Visible flash and infrared illumination can increase the quality of video taken at night but will affect battery life. Low-light filtering, infrared, near-infrared, and other low-light compensation technologies or mechanical filters can increase the quality of video taken in low light and severe weather conditions but can affect scene and motion detail.	
1.11. Synchronization	The device is capable of recording audio simultaneously and time synchronized with the video. Consider the additional information that should be collected with the recorded material. Automatically generated data about the wearer, location, date, and time can be collected and packaged in video format. The device clock must be synchronized with an external universal clock, either GPS or another source, when the unit is plugged in for absolute time of day to ensure accuracy.	
1.12. Tamper Resistance	The device prohibits recordings from being edited or deleted and should not overwrite existing data before they have been transferred. Systems that can export a hash value of files being transferred may provide an enhanced capability to demonstrate tamper resistance. Standard encryption such as AES can be employed to protect data and improve the management	•

		of lost devices and memory cards.	
1.13.	Data Transfer	Recommend standard USB2/USB3 compliant connection (mini/micro) for charging and/or data transfer. The connections should be standard on both the device and on any docking station. Data connections that use a proprietary form factor are not recommended.	
1.14,	Data Export	Device exports all recorded footage to data archiving or data management system in its original file format and without loss of quality or associated metadata. Device should record an audit log which should include information such as device serial number and device events—e.g., on/off,	
		charging, start/stop recording, remaining storage capacity, etc.	*
1.15.	Onboard Storage	Storage can be integrated into the device or provided on removable industry standard memory cards. Removable media has utility in terms of versatility and expansion but comes with security risks. Consider whether enough storage should be available to record a full shift by the officer wearing the device, such as 8-12 hours of nonvolatile onboard storage. Loss of power must not cause data to be lost or corrupted.	
1.16.	Battery Life	Consider whether the battery should provide enough power to record a full shift by the officer wearing the device, such as an 8–12-hour battery life. Devices that do not run on rechargeable batteries are not recommended.	ī
1.17.	Durability	Device should withstand considerable and repetitive pressure, vibration, and mechanical shock. It should operate within a temperature range from very cold to very hot	

			4
1.18. Weight a Factor	hinder the office device from performance functions, especial to officer safety designed with we mounting method Device should be	azards, such as ation, water interference not distract or er wearing the arming other job ally ones related a. Cameras are widely varying ds and options. See selected for	
	maximum usabili	ty and safety	
by the project proponents the Enforcement and Sec Manila. Winning bidder sl to the 17 sites. A. Installation/Testin B. Bidder Testing P stated requirement C. Manuals: Supplier for each unit of Bo D. Site Delivery Insp Area, Manila E. Post Qualification Concept (POC) re- in Annex 2. F. Customer Premise the Brand and Mo	ment must be ready for use ar prior to the distribution. This curity Service, also in BOC nall shoulder the cost of distribution and Place: Provided by arameters/Procedures: Computs shall provide Hard and/or Sofody Worn Camera upon deliverection: Bureau of Customs, Sofon and/or Acceptance Paramquirements of the Bureau of Camera equipment Accreditation is adel of the Body Worn Camera	s will be done in , South Harbor, oution of the units the Winning pliance with the copy in English ery. Outh Harbor, Port neters: Proof of ustoms as shown sued by NTC for	*
Test Acceptance Parame	ters		
internet connecti 2. The Body Worn 3. Server is powere	Camera are connected to the sed and connected to the internet to Vault, docking station and connected to the second station station and connected to the second station station and connected to the second station station and connected station stat	server.	
PARAMETERS	TEST PATTERN	PASS/FAIL	
FUNCTIONAL TEST	Check the monitor/screen of the Body Worn Camera a. Confirm that the Body Worn Camera are connected to the internet with indicator		

on screen.

	Users can open/access the following: a. Confirm that the streams are displayed from the Body Worn to the system. b. Confirm a minimum acceptable video stream quality of 720p. Open Client app on any system: a. Confirm the selection of the Body Worn Camera feeds are available b. Select a specific camera feed.
49	Dock Body Worn Cameras to the docking station: a. Confirm that the registered Body Worn Cameras are connected to the Video Vault. b. Confirm recorded footage from the Body Worn Cameras are automatically uploaded to the Video Vault c. Confirm evidential incidents can be created d. Confirm that the retention period of recorded footage can be set

I hereby commit to comply and deliver the above requirements.

Signatu	re of Company Authorized Representative
	Name & Designation (in print)

Bid Form

		Invit	ation to Bid	Date:	
To: [n	ame and address of Pro	ocuring Entit	v]		
Gentler	men and/or Ladies:			•	
BOC, of Equips words	Having examined the rs], the receipt of which our services for the proment" in conformity wand figures] or such ot attached herewith and r	ch is hereby of ject, "Procu ith the said B her sums as r	duly acknown rement of a idding Documay be asce	vledged, we, the unde additional Military, uments for the sum of	ersigned, offer to the Security and Police Itotal Bid amount in
Lot	DESCRIPTION	UNIT	QTY.	UNIT COST	TOTAL COST
1	Caliber 40 Pistols	Units	100		
If and with Wich Clause expirate	We undertake, if our Bile specified in the Schelle specified in the Schelle specified in the Schelle specified when the times specified we agree to abide by this 14.2 and it shall remaion of that period. Commissions or gratuiting ract execution if we are	e undertake to in the Biddir is Bid for the Hain binding we es, if any, pai	irements. o provide a pag Documer Bid Validity upon us and id or to be p	performance security ints. Period specified in BI may be accepted at a aid by us to agents re-	on the form, amounts, OS provision for ITB any time before the
	Name and address of agent	Amount an Currency	d	Purpose of Commission or gratu	ity

(if none, state "None")

If ADB, JICA and WB funded projects, use IFB.
 Applicable only if the Funding Source is the ADB, JICA or WB.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements as per ITB Clause 10 of the Bidding Documents.

We likewise certify/confirm that the undersigned, [for sole proprietorships, insert: as the owner and sole proprietor or authorized representative of <u>Name of Bidder</u>, has the full power and authority to participate, submit the bid, and to sign and execute the ensuing contract, on the latter's behalf for the <u>Name of Project</u> of the <u>Name of the Procuring Entity</u>] [for partnerships, corporations, cooperatives, or joint ventures, insert: is granted full power and authority by the <u>Name of Bidder</u>, to participate, submit the bid, and to sign and execute the ensuing contract on the latter's behalf for <u>Name of Project</u> of the <u>Name of the Procuring Entity</u>].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Dated this	day of	20	
[signature]		[in the capacity of]	
Duly authorized to s	ign Bid for and on beha	alf of	

Bid Form

	Date: Invitation to Bid ³ N°:					
		Invit	ation to Bid ³	N°:		
To: [n	ame and address of Pro	ocuring Entity	v]			
Gentle	men and/or Ladies:					
Having examined the Bidding Documents including Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to the BOC, our services for the project, "Procurement of additional Military, Security and Police Equipment" in conformity with the said Bidding Documents for the sum of [total Bid amount in words and figures] or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.						
Lot	DESCRIPTION	UNIT	QTY.	UNIT COST	TOTAL COST	
2	Body Worn Camera	Units	10			
We undertake, if our Bid is accepted, to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.						
	four Bid is accepted, we thin the times specified		•	5	the form, amounts,	
We agree to abide by this Bid for the Bid Validity Period specified in BDS provision for ITB Clause 14.2 and it shall remain binding upon us and may be accepted at any time before the						

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and

Purpose of

Commission or gratuity

Name and address

expiration of that period.

of agent

to contract execution if we are awarded the contract, are listed below:4

Amount and

Currency

³ If ADB, JICA and WB funded projects, use IFB.

⁴ Applicable only if the Funding Source is the ADB, JICA or WB.

(if none, state "None")

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements as per ITB Clause 10 of the Bidding Documents.

We likewise certify/confirm that the undersigned, [for sole proprietorships, insert: as the owner and sole proprietor or authorized representative of <u>Name of Bidder</u>, has the full power and authority to participate, submit the bid, and to sign and execute the ensuing contract, on the latter's behalf for the <u>Name of Project</u> of the <u>Name of the Procuring Entity</u>] [for partnerships, corporations, cooperatives, or joint ventures, insert: is granted full power and authority by the <u>Name of Bidder</u>, to participate, submit the bid, and to sign and execute the ensuing contract on the latter's behalf for <u>Name of Project</u> of the <u>Name of the Procuring Entity</u>].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Dated this	day of	20	
[signature]		[in the capacity of]	
Duly authorized to si	ion Rid for and on be	ehalf of	