

MAKABAGONG ADUANA, MATATAG NA EKONOMIYA



PROFESSIONALISM

CCOUNTABILITY

REQUEST FOR QUOTATION

The Bureau of Customs (BOC), through its Administration Office (AO), will undertake a Small Value Procurement for **"Supply and Delivery of Office Equipment for MISTG Conference Room"** in accordance with the Revised Implementing Rules and Regulations of Republic Act No. 9184. The details of the project are as follows:

Name of Project:

Supply and Delivery of Office Equipment for MISTG

Conference Room

Location:

General Services Division, OCOM Building, Gate 3,

South Harbor, Port Area, Manila

Approved Budget for the Contract:

Eight Hundred Forty-One Thousand Forty-Seven

Pesos (PHP841,047.00) - inclusive of tax

Specifications:

Unit	Description/Specifications	Qty
рс	Conduct Type: LED Display Screen Size: 75" Refresh Rate: 60Hz Resolution: 3,840 x 2,160 Video Picture Engine: Crystal Processor 4k PQI (Picture Quality Index): 2000 HDR (High Dynamic Range): HDR HDR 10+: Support HLG (Hybrid Log Gamma): Yes Contrast: Mega Contrast Color: Pur Color Brightness/Color Detection: Brightness Detection Micro Dimming: UHD Dimming Contrast Enhancer: Yes Auto Motion Plus: Yes Film Mode: Yes Natural Mode Support: Yes Filmmaker Mode (FMM): Yes Audio Dolby Digital Plus: Yes Adaptive Sound: Yes Q-Symphony: Yes Sound Output (RMS): 20W	



MAKABAGONG ADUANA, MATATAG NA EKONOMIYA



PROFESSIONALISM

Αc*

Speaker Type: 2CHMultiroom Link: YesBluetooth Audio: Yes

Smart Service

· SMART TV: Yes

Operating System: Tizen or Manufacturer's OS

• Web Browser: Yes

SmartThings App Support: Yes

Gallery: Yes

Smart Feature

• Mobile to TV-Mirroring, DLNA: Yes

Tap View: Yes

Remote Access: Basic

Bluetooth Low Energy: Yes

· Wifi Direct: Yes

TV Sound to Mobile: Yes

· Sound Mirroring: Yes

Differentiation

Analog Clean View: Yes

Tuner/Broadcasting

• Digital Broadcasting: ISDB-T

Analog Tuner: Yes

TV Key Support: Yes

Connectivity

• HDMI: 3

• USB: 1

Ethernet (LAN): Yes

• Digital Audio Out (Optical): 1

 RF In (Terrestial/Cable Input): 1/1 (Common Use for Terrestial)/0

• HDMI A/ Return Ch Support: Yes

eARC: Yes (HDMI 2)

HDMI Quick Switch: Yes

Wireless LAN Built-in: Yes (WIFI 5)

Bluetooth: Yes (BT5.2)

Anynet+(HMMI-CEC): Yes

Design

Design: new Bezel-less

Bezel Type: 3 Bezel-less

• Slim Type: Slim look

• Front Color: Titan Gray

Stand Type: SLIM FEET

Stand Color: Titan Gray

Additional Feature

Digital Clean View: Yes



	 Auto Channel Search: Yes Caption (Subtitle): Yes Connect Share[™] (HDD): Yes ConnectShare[™] (USB 2.0): Yes EPG: Yes OSD Language: Local Languages BT HID Built-in: Yes USB HID Support: Yes IPv6 Support: Yes MBR Support: Yes MBR Support: Yes Accessibility Accessibility - Voice Guide: UK English, Korean, Mandarin Chinese Accessibility - Learn TV Remote/ Learn Menu Screen: UK English Accessibility - Others: Enlarge/High Contrast/ Color Inversion/Grayscale/Sign Language Zoom/Multi-output Audio/Slow Button Repeat/Picture Off Power and Eco Solution Power Consumption (Max): 260 W Eco Sensor: Yes Auto Power Off: Yes Dimension Package Size (WxHxD): 1840 x 1118 x 198 mm Set Size with Stand (WxHxD): 1673.2 x 1047.9 x 341.1mm 	
	 Set Size without Stand (WxHxD): 1673.2 x 958.2 x 59.9 mm Accessory Remote Controller Model: TM2140A with batteries Vesa Wall Mount Support: Yes User Manual: Yes E-Manual: Yes Power Cable: Yes 	v
set	Audio and Video Conference Inclusions:	3



MAKABAGONG ADUANA, MATATAG NA EKONOMIYA



PROFESSIONALISM

EGRITY

- Remote Control
- USB Type C to USB Type C
- USB Type A to USB Type B
- CAT6A Ethernet Cable
- HDMI Type A (x2)
- A/C cables (x2)
- Power Supplies (x2)
- Documentation

A. Camera

- 1. Ultra-HD imaging system supports: @ 30fps: 4K, 1440p, 1080p, 900p, 720p and SD @60fps: 1080p, 720p
 - 2. Smooth motorized pan, tilt and zoom"
 - 3. Pan: 180° (±90°)
 - 4. Tilt: 140° (+50°/-90°)
 - 5. 15x HD zoom (5x optical + 3x digital)
 - 6. Field of view: Diagonal: 90% Horizontal:
- 82. Vertical: 52º
- 7. Adaptive pan and tilt speed up to 70°/second (slows when zoomed in for easier control)
- 8. Automatic inversion detection to correct image orientation and camera controls when mounted upside down
 - 9. Autofocus
 - 10.3 camera presets
 - 11. Kensington® security slot
 - 12. Video mute/unmute LED indicator
 - 13. Standard tripod thread
 - 14. Lens parks at

B. Speaker

- 1. High-performance 3"(76mm) driver with rare-earth magnet
- 2. Patent pending suspension system eliminates
- 3. Vibration-induced camera shake and audio interference
- Mini XLR cable (9.6 ft(2.95m)) connects to Display Hub for both signal and power
- 5. Speaker volume 95dB SPL @1W, 100dB SPL @ 7.5W, both +/-2dB at ½ meter
- 6. Sensitivity: 95+/-2 dB SPL at 1/2 meter



MAKABAGONG ADUANA, MATATAG NA EKONOMIYA



FESSI ON ALISM

ACCOUNTABILIT

- 7. Distortion: 200Hz-300Hz <2.5%, 300Hz-10kHz <1%@7.5W
- 8. Sampling rate: 48 kHz

C. MIC POD

- 1. Pickup range: 15ft / 4.5m diameter
- 2. Four Microphones with eight beamforming elements
- 3. Mute button with LED status indicator
- 4. AEC: acoustic Echo Cancellation
- 5. VAD: Voice Activity Detector
- 6. Background noise suppression
- 7. Captive 2.95 m 12-pin cable
- 8. Daisy chain up to 7 Rally Mic Pods
- 9. Frequency Response: 90Hz 16kHz
- 10. Sensitivity >-27 dB +/-1dB @1Pa
- 11. Microphone data rate: 48 kHz
- 12. Recommended participants
 - Two Mic Pods: 16
 - Additional participants per Mic Pod: 6
 - Recommended participants for Rally with
 - 7 Mic Pods: 46

D. Table Hub

- 1. Single cable (CAT6A) connection to Display Hub (16.4 ft (5m) CAT 6A Ethernet cable included, supports customer-supplied cables up to 164 ft (50m))
- Active speaker detection: analyzes audio from up to 7 Mic Pods and 56 beams every 8ms
- 3. 12 Pin Connector for Mic Pod
- 4. HDMI Type A for wired content sharing
- 5. HDMI Type A for display (passthrough to Display Hub (x2))
- 6. Power input
- 7. USB Type C (Ultra HD / 4K capable
- 8. USB Type A (reserved for future capability)
- 9. USB Type B (connects to meeting room computer)
- 10. RJ45 (Ethernet)
- 11. Bluetooth wireless technology



MAKABAGONG ADUANA, MATATAG NA EKONOMIYA



PROFESSIONALISM

ACCOUNTABILIT

E. Display HUB

- 1. HDMI Type A (x2) (connects to displays)
- 2. Power Input
- 3. USB C (connects to Camera)
- 4. USB Type B (connects to meeting room computer)
- 5. RJ45 (connects to Table Hub)
- 6. Mini XLR (x2)(connects to Speakers)
- 7. Powers one or two speakers

F. Remote Control

- RF remote control (line of sight not required)
- 2. CR2032 batteries (included)

G. Cables/Power

- 1. Camera to Display Hub: 6.5ft (2m) USB 3.1 Type C to USB Type C 3.1
- 2. Conference Room Computer to Display or Table Hub: 6.5ft (2m) USB 3.1 Type A to USB Type B
- 3. Display Hub to Table Hub: 16.4 ft (5m) CAT6A Ethernet cable
- 4. Customer supplied cables up to 164 ft (50m)
- 5. Display Hub to Speaker (x2): 9.6 ft (2.95m) Mini XLR (supports customer supplied extension cables up to 9.8 ft (3m)
- 6. Conference Room Computer to Displays (x2):6.5 ft (2m) HDMI A
- 7. Mic Pod: 9.6 ft (2.95m): Hardwired with 12 pin connector
- 8. Power Outlets to Power Supplies (x2): 3.2 ft (1m)
- 9. Power Supplies to Table Hub/Display Hub (x2): 4.9ft (1.5m)

H. Rightsense Technologies

- RightLight with Wide Dynamic Range (WDR)
- 2. RightSight automatic camera control1
- 3. RightSound Mic Matrix
- 4. RightSound Anti-Vibration Speakers

I. Compatibility

- 1. Plug and play USB connectivity
- 2. Certified for Skype for Business and ready for Teams



MAKABAGONG ADUANA, MATATAG NA EKONOMIYA



PROFESSIONALISM

EGRITY ACCOUNTA

- 3. Certified for Google Hangouts Meet Hardware
- 4. Zoom Certified
- 5. Cisco Compatible
- **6.** Compatible with BlueJeans, BroadSoftm GotoMeeting, Vidyo and other video conferencing, recording and broadcasting applications that support USB cameras

Delivery Term/Duration: 7 calendar days

Subject to Retention Money 1-5% Contract Amount

Interested suppliers are required to submit **original/certified true copy** of the following: 1) valid and current Mayor's Permit, (In case of expired MP/BP, Submit copy of recently expired permit and official receipt as proof of renewal), 2) DTI/SEC Registration (for partnerships/corporations, attach General Information Sheet & Articles of Incorporation), 3) PHILGEPS Registration Certificate, 4) Original Omnibus Sworn Statement, 5) Latest Income/Business Tax Return, and 6) duly signed price quotation form (Annex "A"). All must be properly signed and sealed. Must be submitted in hard copy.

Submission of quotation and eligibility documents is on or before **December 06**, **2022**, **10:00** a.m., at **General Services Division (GSD)**, **Ground Floor**, **OCOM Building**, **Port Area**, **Manila**.

Award of contract shall be made to the lowest quotation, which complies with the minimum description as stated above and other terms and conditions stated in the price quotation form.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative/s.

The BOC reserves the right to accept or reject any or all quotations and to impose additional terms and conditions as it may deem proper.


For inquiry, you may contact us at Telefax no. 527-9757 or email us at bacsecretariat@customs.gov.ph.

Very truly yours,

Head, BAC Secretariat/

Chief, General Services Division







Annex "A"

PRICE QUOTATION FORM

Date

The Bids and Awards Committee **Bureau of Customs** Port Area, Manila

Project Title: Supply and Delivery of Office Equipment for MISTG Conference Room

Sir/Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our quotation/s for the items as follows:

1LOT

Unit	Description	Qty	Unit Price	Total Price
	Conduct Type: LED Display Screen Size: 75" Refresh Rate: 60Hz Resolution: 3,840 x 2,160 Video Picture Engine: Crystal Processor 4k PQI (Picture Quality Index): 2000 HDR (High Dynamic Range): HDR HDR 10+: Support HLG (Hybrid Log Gamma): Yes Contrast: Mega Contrast Color: Pur Color Brightness/Color Detection: Brightness Detection Micro Dimming: UHD Dimming Contrast Enhancer: Yes Auto Motion Plus: Yes	3	Price	Price
	Film Mode: YesNatural Mode Support: Yes			





PROFESSIONALISM INTEGRITY ACCOUNTABILITY

		· · · · · · · · · · · · · · · · · · ·		
	• Filmmaker Mode (FMM): Yes			
Au	dio			
	 Dolby Digital Plus: Yes 			
	 Adaptive Sound: Yes 	İ		
	Q-Symphony: Yes			
	Sound Output (RMS): 20W			
	Speaker Type: 2CH			
	Multiroom Link: Yes			
	Bluetooth Audio: Yes			
Sm	nart Service			[
	SMART TV: Yes			ŀ
	Operating System: Tizen or Manufacture 10.5		ļ	
	Manufacturer's OS			
	Web Browser: Yes	•		
	SmartThings App Support:			
	Yes			
	Gallery: Yes			
Sm	art Feature			٠
	 Mobile to TV-Mirroring, 			
	DLNA: Yes			
	 Tap View: Yes 			
	Remote Access: Basic			
	Bluetooth Low Energy: Yes			
	Wifi Direct: Yes			ļ
	TV Sound to Mobile: Yes	1		
	Sound Mirroring: Yes			
Dif	ferentiation			
	Analog Clean View: Yes			
Tru	ner/Broadcasting			
''	• Digital Broadcasting: ISDB-T			
	 Analog Tuner: Yes 			
	3			
	TV Key Support: Yes			
	nnectivity			
	HDMI: 3			
	• USB: 1			
	Ethernet (LAN): Yes			
	• Digital Audio Out (Optical): 1			
	 RF In (Terrestial/Cable 			
	Input): 1/1 (Common Use for		İ	
	Terrestial)/0			
	 HDMI A/ Return Ch Support: 			
	Yes			
	eARC: Yes (HDMI 2)			
	 HDMI Quick Switch: Yes 			
				



MAKABAGONG ADUANA, MATATAG NA EKONOMIYA



PROFESSIONALISM

ACCOUNTABILIT

•	Wireless LAN Built-in: Yes	
	(WIFI 5)	

- Bluetooth: Yes (BT5.2)
- Anynet+(HMMI-CEC): Yes

Design

- Design: new Bezel-less
- Bezel Type: 3 Bezel-less
- Slim Type: Slim look
- Front Color: Titan Gray
- Stand Type: SLIM FEET
- Stand Color: Titan Gray

Additional Feature

- Digital Clean View: Yes
- Auto Channel Search: Yes
- Caption (Subtitle): Yes
- Connect Share[™] (HDD): Yes
- ConnectShareTM (USB 2.0): Yes
- EPG: Yes
- OSD Language: Local Languages
- BT HID Built-in: Yes
- USB HID Support: Yes
- IPv6 Support: Yes
- MBR Support: Yes

Accessibility

- Accessibility Voice Guide: UK English, Korean, Mandarin Chinese
- Accessibility Learn TV Remote/ Learn Menu Screen: UK English
- Accessibility Others:
 Enlarge/High Contrast/ Color
 Inversion/Grayscale/Sign
 Language Zoom/Multi-output
 Audio/Slow Button
 Repeat/Picture Off

Power and Eco Solution

- Power Supply AC100-240V 50/60Hz
- Power Consumption (Max): 260 W
- Eco Sensor: Yes
- Auto Power Off: Yes





PROFESSIONALISM INTEGRITY ACCOUNTABILITY

 Package Size (WxHxD): 1840 x 1118 x 198 mm Set Size with Stand (WxHxD): 1673.2 x 1047.9 x 341.1mm Set Size without Stand (WxHxD): 1673.2 x 958.2 x 59.9 mm Accessory Remote Controller Model: TM2140A with batteries Vesa Wall Mount Support: Yes User Manual: Yes E-Manual: Yes Power Cable: Yes 		,
Audio and Video Conference Inclusions:	3	•
A. Camera 1. Ultra-HD imaging system supports: @ 30fps: 4K, 1440p, 1080p, 900p, 720p and SD @60fps: 1080p, 720p 2. Smooth motorized pan, tilt and zoom" 3. Pan: 180° (±90°) 4. Tilt: 140° (+50°)-90°)		





5. 15x HD zoom (5x optical + 3x digital)		
6. Field of view: Diagonal: 90°, Horizontal: 82. Vertical: 52°		
7. Adaptive pan and tilt speed up to 70°/second (slows when zoomed in for easier control)		
8. Automatic inversion detection to correct image orientation and camera controls when mounted upside down		
9. Autofocus		
10.3 camera presets 11.Kensington® security slot 12.Video mute/unmute LED indicator		
13. Standard tripod thread 14. Lens parks at	:	
B. Speaker		
High-performance 3"(76mm) driver with rare-earth magnet		
2. Patent pending suspension		
system eliminates 3. Vibration-induced camera shake and audio interference		
4. Mini XLR cable (9.6 ft(2.95m)) connects to	;	
Display Hub for both signal and power		
 Speaker volume 95dB SPL @1W, 100dB SPL @ 7.5W, both +/-2dB at ½ meter 		
6. Sensitivity: 95+/-2 dB SPL at ½ meter		

7. Distortion: 200Hz-300Hz <2.5%, 300Hz-10kHz

8. Sampling rate: 48 kHz

<1%@7.5W





PROFESSIONALISM INTEGRITY ACCOUNTABILITY

·			1	·	
	C. MIC POD				
	1. Pickup range: 15ft / 4.5m				
]	diameter				
	2. Four Microphones with eight				
	beamforming elements				
	3. Mute button with LED status	1			
	indicator	1			
	4. AEC: acoustic Echo	İ			
	Cancellation			•	
	5. VAD: Voice Activity Detector				
	6. Background noise				
	suppression		1		
	7. Captive 2.95 m 12-pin cable				
	8. Daisy chain up to 7 Rally Mic				
	Pods				
	9. Frequency Response: 90Hz				
	– 16kHz			i	
	10. Sensitivity >-27 dB +/-1dB				
	@1Pa				
	11. Microphone data rate: 48				
	kHz				
	12. Recommended participants				
	Two Mic Pods: 16			İ	
	 Additional participants 				
	per Mic Pod: 6				
	Recommended				
	participants for Rally with	i			
	• 7 Mic Pods: 46				
	D. Table Hub			1 •	
	1. Single cable (CAT6A)				
	connection to Display Hub				
	(16.4 ft (5m) CAT 6A				l
	Ethernet cable included,				
	supports customer-supplied				ļ
	cables up to 164 ft (50m))				
	2. Active speaker detection:				
	analyzes audio from up to 7				1
	Mic Pods and 56 beams				
	every 8ms				
	3. 12 Pin Connector for Mic				Ì
	Pod	,			
	4. HDMI Type A for wired				
	1		İ	I	- 1

content sharing



PROFESSIONALISM INTEGRITY ACCOUNTABILITY

,			
5. HDMI Type A for display			
(passthrough to Display Hub			
(x2))			
6. Power input			
7. USB Type C (Ultra HD / 4K			
capable	Ē.		
8. USB Type A (reserved for			•
future capability)			<u> </u>
9. USB Type B (connects to			
meeting room computer)			
10. RJ45 (Ethernet)]	
11. Bluetooth wireless		İ	
technology			
E. Display HUB			
1. HDMI Type A (x2)			
(connects to displays)			
2. Power Input			
3. USB C (connects to			
Camera) .			
USB Type B (connects to			
meeting room computer)			
5. RJ45 (connects to Table			
Hub)			
6. Mini XLR (x2)(connects to			
Speakers)			
7. Powers one or two			
speakers			
F. Remote Control			
RF remote control (line of			
sight not required)			
2. CR2032 batteries			
(included)			
G. Cables/Power		ļ	
1. Camera to Display Hub:			
6.5ft (2m) USB 3.1 Type C			
to USB Type C 3.1 2. Conference Room			
Computer to Display or			
Table Hub: 6.5ft (2m) USB.			
3.1 Type A to USB Type B3. Display Hub to Table Hub:			
· · ·			
16.4 ft (5m) CAT6A			

Ethernet cable 4. Customer - supplied

cables up to 164 ft (50m)





5. Display Hub to Speaker	.		
(x2): 9.6 ft (2.95m) Mini			
XLR (supports customer			
supplied extension cables			a
up to 9.8 ft (3m)			
6. Conference Room			
Computer to Displays			
' ' '			
(x2):6.5 ft (2m) HDMI A			
7. Mic Pod: 9.6 ft (2.95m):		:	
Hardwired with 12 pin			
connector			
8. Power Outlets to Power			
Supplies (x2): 3.2 ft (1m)			
9. Power Supplies to Table			
Hub/Display Hub (x2):			
4.9ft (1.5m)			
H. Rightsense Technologies	:		
1. RightLight with Wide			
Dynamic Range (WDR)			
2. RightSight automatic			
camera control1			
3. RightSound Mic Matrix			
4. RightSound Anti-Vibration			•
Speakers			
I. Compatibility			
1. Plug and play USB			
connectivity			
2. Certified for Skype for			
Business and ready for			
Teams			
3. Certified for Google			
Hangouts Meet Hardware			
4. Zoom Certified			
5. Cisco Compatible			
6.Compatible with BlueJeans,			
BroadSoftm GotoMeeting,			
Vidyo and other video			
conferencing, recording and			
broadcasting applications			•
that support USB cameras			
TOTAL			

Total amount in words: ___

Delivery Term/Duration: 7 calendar days





FESSIONALISM IN

ACCOUNTABILIT

Subject to Retention Money 1-5% Contr	act Am	ount			¢	
The above-quoted prices are inclusive	e of al	l costs a	nd applicable	e taxes	5.	
Very truly yours,						
Name/ Signature of Representative	-					
Name of Company	-					
Contact No.	-	v				
Mayor's Permit No PhilGEPS Registration No (Please submit the photocopies of quotation)	 of the	above	documents	upon	submission	of