INTEGRITY

ACCOUNTABILITY



REQUEST FOR QUOTATION

a Small Value Procurement for "Supply and Delivery of Office Equipment for MISTG Conference Room" in accordance with the Revised Implementing Rules and Regulations of Republic Act No. 9184. The details of the project are as follows: The Bureau of Customs (BOC), through its Administration Office (AO), will undertake

Name of Project: Supply and Delivery of Office Equipment for MISTG

Conference Room

Location: General Services Division, OCOM Building, Gate 3,

South Harbor, Port Area, Manila

Approved Budget for the Contract: Pesos (PHP841,047.00) - inclusive of tax Eight Hundred Forty-One Thousand Forty-Seven

Specifications:

																									рс	Unit
 Sound Output (RMS): 20W 	 Q-Symphony: Yes 	 Adaptive Sound: Yes 	 Dolby Digital Plus: Yes 	Audio	 Filmmaker Mode (FMM): Yes 	 Natural Mode Support: Yes 	 Film Mode: Yes 	 Auto Motion Plus: Yes 	 Contrast Enhancer: Yes 	 Micro Dimming: UHD Dimming 	Detection	 Brightness/Color Detection: Brightness 	 Color: Pur Color 	 Contrast: Mega Contrast 	 HLG (Hybrid Log Gamma): Yes 	 HDR 10+: Support 	 HDR (High Dynamic Range): HDR 	 PQI (Picture Quality Index): 2000 	 Picture Engine: Crystal Processor 4k 	Video	 Resolution: 3,840 x 2,160 	 Refresh Rate: 60Hz 	 Screen Size: 75" 	Display	Conduct Type : LED	Description/Specifications
												C	N													Qty

Promit of Stage as

UIA MICH

Alligation



Speaker Type: 2CH Multiroom Link: Yes

Bluetooth Audio: Yes

Smart Service

SMART TV: Yes

Operating System: Tizen or Manufacturer's OS

Web Browser: Yes

SmartThings App Support: Yes

Gallery: Yes

Smart Feature

Mobile to TV-Mirroring, DLNA: Yes

Tap View: Yes

Remote Access: Basic

Bluetooth Low Energy: Yes

Wifi Direct: Yes

TV Sound to Mobile: Yes

Sound Mirroring: Yes

Differentiation

Analog Clean View: Yes

Tuner/Broadcasting

Digital Broadcasting: ISDB-T

Analog Tuner: Yes

TV Key Support: Yes

8 nectivity

HDMI: 3

USB: 1

Ethernet (LAN): Yes

Digital Audio Out (Optical): 1

RF In (Terrestial/Cable Input): 1/1 (Common Use for Terrestial)/0

HDMI A/ Return Ch Support: Yes

eARC: Yes (HDMI 2)

HDMI Quick Switch: Yes

Wireless LAN Built-in: Yes (WIFI 5)

Bluetooth: Yes (BT5.2)

Anynet+(HMMI-CEC): Yes

Design

Design; new Bezel-less

Bezel Type: 3 Bezel-less

Slim Type: Slim look

Stand Type: SLIM FEET Front Color: Titan Gray

Stand Color: Titan Gray

Additional Feature

Digital Clean View: Yes

INTEGRITY



set		
Audio and Video Conference Inclusions:	Repeat/Picture Off Power and Eco Solution Power Supply – AC100-240V 50/60Hz Power Consumption (Max): 260 W Eco Sensor: Yes Auto Power Off: Yes Dimension Package Size (WxHxD): 1840 x 1118 x 198 mm Set Size with Stand (WxHxD): 1673.2 x 1047.9 x 341.1mm Set Size without Stand (WxHxD): 1673.2 x 1047.9 x 398.2 x 59.9 mm Accessory Remote Controller Model: TM2140A with batteries Vesa Wall Mount Support: Yes User Manual: Yes E-Manual: Yes Power Cable: Yes	 Auto Channel Search: Yes Caption (Subtitle): Yes Connect ShareTM (HDD): Yes ConnectShareTM (USB 2.0): Yes EPG: Yes OSD Language: Local Languages BT HID Built-in: Yes USB HID Support: Yes IPv6 Support: Yes MBR Support: Yes MBR Support: Yes Accessibility Accessibility – Voice Guide: UK English, Korean, Mandarin Chinese Accessibility – Learn TV Remote/ Learn Menu Screen: UK English Accessibility – Others: Enlarge/High Contrast/ Color Inversion/Grayscale/Sign Language Zoom/Multi-output Audio/Slow Button
ω		

INTEGRITY

ACCOUNTABILITY



- Remote Control
- USB Type C to USB Type C USB Type A to USB Type B
- CAT6A Ethernet Cable
- HDMI Type A (x2)
- A/C cables (x2)
- Power Supplies (x2)
- Documentation

A. Camera

- 30fps: 4K, 1440p, 1080p, 900p, 720p and SD @60fps: 1080p, 720p Ultra-HD imaging system supports: @
- Smooth motorized pan, tilt and zoom"
- Pan: 180° (±90°)
- Tilt: 140° (+50 °/-90°)
- 15x HD zoom (5x optical + 3x digital)
- 6 Field of view: Diagonal: 90% Horizontal:

Vertical: 52°

- control) 70°/second (slows when zoomed in for easier Adaptive pan and tilt speed up to
- image orientation and camera controls when mounted upside down Automatic inversion detection to correct
- Autofocus
- 10. 3 camera presets
- 11. Kensington® security slot
- 12. Video mute/unmute LED indicator
- 13. Standard tripod thread
- 14. Lens parks at

Ö Speaker

- High-performance 3"(76mm) driver with rare-earth magnet
- 2 Patent pending suspension system eliminates
- S audio interference Vibration-induced camera shake and
- 5 4 Speaker volume 95dB SPL @1W, 100dB to Display Hub for both signal and power Mini XLR cable (9.6 ft(2.95m)) connects
- 6 Sensitivity: 95+/-2 dB SPL at 1/2 meter SPL @ 7.5W, both +/-2dB at 1/2 meter



INTEGRITY



	I.																					മ			π,							!
2.		ω	2.			9.		00	7.	9	מ		Ċ	л	4.		ω		2.				2.	<u>.</u>		7.	6.	.	4.	, w	2.	
Plug and play USB connectivity Certified for Skype for Business and	Compatibility	RightSound Mic Matrix	(WDR) RightSight automatic camera control1	RightLight with Wide Dynamic Range	Hub (x2): 4.9ft (1.5m)	Power Supplies to Table Hub/Display	3.2 ft (1m)	12 pin connector Power Outlets to Power Supplies (x2):	Mic Pod: 9.6 ft (2.95m): Hardwired with	(x2):6.5 ft (2m) HDMI A	(3m) Conference Room Computer to Displays	supplied extension cables up to 9.8 ft	(2.95m) Mini XI.R (supports customer	(50m)	Customer - supplied cables up to 164 ft	CAT6A Ethernet cable	Display Hub to Table Hub: 16.4 ft (5m)	or Table Hub: 6.5ft (2m) USB 3.1 Type A	Conference Room Computer to Display	3.1 Type C to USB Type C 3.1	Camera to Display Hub: 6.5ft (2m) USB	Cables/Power	required) CR2032 batteries (included)	RF remote control (line of sight not	Remote Control	Powers one or two speakers	Mini XLR (x2)(connects to Speakers)	RJ45 (connects to Table Hub)	computer)	USB C (connects to Camera)	Power Input	1. HDMI Type A (x2) (connects to displays)

_	Ь	Ω	G	6. C	5. C	4. Z	エ	3. C
USB cameras	broadcasting applications that support	conferencing, recording and	GotoMeeting, Vidyo and other video	Compatible with BlueJeans, BroadSoftm	Cisco Compatible	Zoom Certified	Hardware	Certified for Google Hangouts Meet

Delivery Term/Duration: 7 calendar days

Subject to Retention Money 1-5% Contract Amount

quotation form (Annex "A"). All must be properly signed and sealed. Must be submitted Articles of Incorporation), 3) PHILGEPS Registration Certificate, 4) Original Omnibus Sworn Statement, 5) Latest Income/Business Tax Return, and 6) duly signed price Registration (for partnerships/corporations, attach General Information of recently expired permit and official receipt as proof of renewal), following: 1) valid and current Mayor's Permit, (In case of expired MP/BP, Submit copy Interested suppliers are required to submit original/certified true copy of the in hard copy. 2) DTI/SEC Sheet &

Building, Port Area, Manila. Submission of quotation and eligibility documents is on or before November 14, 2022, 10:00 a.m., at General Services Division (GSD), Ground Floor, OCOM

price quotation form. minimum description as stated above and other terms and conditions stated in the Award of contract shall be made to the lowest quotation, which complies with the

initialed by the bidder or his/her duly authorized representative/s. Any interlineations, erasures or overwriting shall be valid only if they are signed or

additional terms and conditions as it may deem proper. The BOC reserves the right to accept or reject any or all quotations and to impose

bacsecretariat@customs.gov.ph. inquiry, you may contact Sn at Telefax no. 527-9757 악 email Sn

Very truly yours,

ISAGANI D. GALSIM

Head, BAC

Secretariat/

Chief, General Services Division



O. B. Called



Annex "A"

PRICE QUOTATION FORM

Date

Bureau of Customs Port Area, Manila The Bids and Awards Committee

Conference Room Project Title: Supply and Delivery of Office Equipment for MISTG

Sir/Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our quotation/s for the items as follows: ᅂ

1 2 1

Unit	Description	Qty	Unit	Total Price
:	Conduct Type : LED			
	Display			
	 Screen Size: 75" 			
	Refresh Rate: 60Hz			
	 Resolution: 3,840 x 2,160 			
	Video			
	 Picture Engine: Crystal 			
	Processor 4k			
	PQI (Picture Quality Index):			
	HDR (High Dynamic Range):			
	HDR			
	HDR 10+: Support	ω		
-	HLG (Hybrid Log Gamma):			
	Contrast: Mega Contrast			
	Color: Pur Color			
	 Brightness/Color Detection: 			•
	Brightness Detection			
	Micro Dimming: UHD			
	Dimming			
	 Contrast Enhancer: Yes 			
	Auto Motion Plus: Yes			
	Film Mode: Yes			
	Natural Mode Support: Yes			

INTEGRITY



															_											(0)				20-2				(A)								A	
 eARC: Yes (HDMI 2) HDMI Quick Switch: Yes 	Yes	HDMI A/ Return Ch Support:	Terrestial)/0	Input): 1/1 (Common Use for	 RF In (Terrestial/Cable 	 Digital Audio Out (Optical): 1 	 Ethernet (LAN): Yes 	• USB: 1	• HUVII: 3	Connectivity	or its outpoint its	TV Key Support: Yes	 Analog Tuner: Yes 	 Digital Broadcasting: ISDB-T 	Tuner/Broadcasting	 Analog Clean View: Yes 	Differentiation	 Sound Mirroring: Yes 	 IV Sound to Mobile: Yes 	Wifi Direct: Yes	 Bluetooth Low Energy: Yes 	Remote Access: Basic	• Tap View: Yes	To View You	Mobile to IV-Mirroring,	Smart Feature	Gallery: Yes	Yes	Smart I hings App Support:	Web Browser: Yes	Manufacturer's OS	 Operating System: Tizen or 	SMART TV: Yes	Smart Service	 Bluetooth Audio: Yes 	 Multiroom Link: Yes 	 Speaker Type: 2CH 	Sound Output (RMS): 20W	 Q-Symphony: Yes 	 Adaptive Sound: Yes 	 Dolby Digital Plus: Yes 	Audio	 Filmmaker Mode (FMM): Yes
					-																		-																				

INTEGRITY



Eco Sensor: YesAuto Power Off: Yes	 Power Consumption (Max): 260 W 	50/60Hz	 Power Supply – AC100-240V 	Power and Eco Solution	Repeat/Picture Off	Language Zoom/Multi-output	Inversion/Grayscale/Sign	Enlarge/High Contrast/ Color	 Accessibility – Others: 	UK English	Remote/ Learn Menu Screen:	 Accessibility – Learn TV 	Mandarin Chinese	UK English, Korean,	 Accessibility – Voice Guide: 	Accessibility	MBR Support: Yes	 IPv6 Support: Yes 	 USB HID Support: Yes 	 BT HID Built-in: Yes 	Languages	 OSD Language: Local 	EPG: Yes	Yes	 ConnectShareTM (USB 2.0); 	 Connect Share™ (HDD): Yes 	 Caption (Subtitle): Yes 	 Auto Channel Search: Yes 	 Digital Clean View: Yes 	Additional Feature	Stand Color: Titan Grav	 Stand Type: SLIM FEET 	 Front Color: Titan Grav 	Slim Type: Slim look	 Bezel Type: 3 Bezel-less 	 Design: new Bezel-less 	Design	 Anynet+(HMMI-CEC): Yes 	 Bluetooth: Yes (BT5.2) 	(WIELESS LAN DUIL-III: LES	- Wireless I AN Built-in: Voc

NIEGRITY

A. Camera 1. Ultra-HD in supports: (a) 1440p, 108 and SD (a) 6720p 2. Smooth more and zoom" 3. Pan: 180° (4. Tilt: 140° (+) 111 (140° (+) 140° (+)	 CAT6A Ethernet C HDMI Type A (x2) A/C cables (x2) Power Supplies (x.) Documentation 	Inclusions: Camera Display Hub Table Hub Speaker (x2) Mic Pod (x2) Remote Control USB Type C to USB Type A	Accessory Remote Controlle TM2140A with ba Vesa Wall Mount Yes User Manual: Yes E-Manual: Yes Power Cable: Yes	• Package Size (Wx x 1118 x 198 mm • Set Size with Stan (WxHxD): 1673.2 341.1mm • Set Size without S
Camera Ultra-HD imaging system supports: @ 30fps: 4K, 1440p, 1080p, 900p, 720p and SD @60fps: 1080p, 720p Smooth motorized pan, tilt and zoom" Pan: 180° (±90°) Tilt: 140° (+50 °/-90°)	t Cable x2) (x2)	Audio and Video Conference Inclusions: Camera Display Hub Table Hub Speaker (x2) Mic Pod (x2) Remote Control USB Type C to USB Type C USB Type A to USB Type B	Sory Sery Remote Controller Model: TM2140A with batteries Vesa Wall Mount Support: Yes User Manual: Yes E-Manual: Yes Power Cable: Yes	Package Size (WxHxD): 1840 x 1118 x 198 mm Set Size with Stand (WxHxD): 1673.2 x 1047.9 x 341.1mm Set Size without Stand Set Size without Stand
	ω			



and power 5. Speaker volume 95dB SPL @1W, 100dB SPL @ 7.5W, both +/-2dB at ½ meter 6. Sensitivity: 95+/-2 dB SPL at ½ meter 7. Distortion: 200Hz-300Hz <2.5%, 300Hz-10kHz <1%@7.5W 8. Sampling rate: 48 kHz	1. High-performance 3"(76mm) driver with rare-earth magnet 2. Patent pending suspension system eliminates 3. Vibration-induced camera shake and audio interference 4. Mini XLR cable (9.6 ft(2.95m)) connects to Display Hub for both signal	control) 8. Automatic inversion detection to correct image orientation and camera controls when mounted upside down 9. Autofocus 10.3 camera presets 11. Kensington® security slot 12. Video mute/unmute LED indicator 13. Standard tripod thread 14. Lens parks at	5. 15x HD zoom (5x optical + 3x digital) 6. Field of view: Diagonal: 90°, Horizontal: 82. Vertical: 52° 7. Adaptive pan and tilt speed up to 70°/second (slows when zoomed in for easier

INTEGRITY



4. HDMI Type A for wired content sharing	1. Single cable (CAT6A) connection to Display Hub (16.4 ft (5m) CAT 6A Ethernet cable included, supports customer-supplied cables up to 164 ft (50m)) 2. Active speaker detection: analyzes audio from up to 7 Mic Pods and 56 beams every 8ms 3. 12 Pin Connector for Mic	 Additional participants per Mic Pod: 6 Recommended participants for Rally with 7 Mic Pods: 46 	11. Microphone data rate: 48 kHz 12. Recommended participants Two Mic Pods: 16	.9	1. Pickup range: 15ft / 4.5m diameter 2. Four Microphones with eight beamforming elements 3. Mute button with LED status indicator 4. AEC: acoustic Echo Cancellation 5. VAD: Voice Activity Detector

INTEC MITS

er generalability

4. Customer – supplied cables up to 164 ft (50m)	16.4 ft (5m) CAT6A Ethernet cable	3.1 Type A to USB Type B 3. Display Hub to Table Hub:	Table Hub: 6.5ft (2m) USB	2. Conference Room Computer to Display or	6.5ft (2m) USB 3.1 Type C	À	•	2. CR2032 batteries	sight not required)	T. Admote Control (line of	/. Powers one or two	Speakers)	6. Mini XLR (x2)(connects to	Hub)	5. RJ45 (connects to Table	4. USB Type B (connects to	3. USB C (COILIPECIS IO	2. Power Input	(connects to displays)	1. HDMI Type A (x2)	E. Display HUB	technology	11 Blighooth wireless	meeting room computer)	9. USB Type B (connects to	8. USB Type A (reserved for	capable	7. USB Type C (Ultra HD / 4K	6 Power inner	5 HDMI Type A for display

INTEGRITY

ACCOUNTABILITY

		TOTAL		
		that support USB cameras		
		broadcasting applications		
		conferencing, recording and	Q	
		Vidyo and other video		
		BroadSoftm GotoMeeting,		
		6.Compatible with BlueJeans,	6.0	
		Cisco Compatible	5.	
		Zoom Certified	4.	
		Hangouts Meet Hardware		
		Certified for Google	ω.	
Ve 2 34 2.00		Teams	Te	
		Business and ready for	В	
		Certified for Skype for	2.	
		connectivity	СО	
		Plug and play USB	1.	
		Compatibility	I. Co	
		Speakers		
		RightSound Anti-Vibration	4.	
		3. RightSound Mic Matrix	. μ	
		camera control1		
		RightSight automatic	2.	
		Dynamic Range (WDR)		
		1. RightLight with Wide	1.	
		Rightsense Technologies	H. Ri	
		4.9ft (1.5m)	Des	
		Hub/Display Hub (x2):		
		Power Supplies to Table	9.	
		Supplies (x2): 3.2 ft (1m)		
		Power Outlets to Power	ço	
		connector		
		Hardwired with 12 pin		
		Mic Pod: 9.6 ft (2.95m):	7.	
		(x2):6.5 ft (2m) HDMI A		
		Computer to Displays		
		Conference Room	6.	
		up to 9.8 ft (3m)		
		supplied extension cables		
		XLR (supports customer		
		(x2): 9.6 ft (2.95m) Mini		
		Display Hub to Speaker	5.	

Total amount in words:

Delivery Term/Duration: 7 calendar days

INTEGRITY

ACCOUNTABILITY



Subject to Retention Money 1-5% Contract Amount

The above-quoted prices are inclusive of all costs and applicable taxes.

Very truly yours,

Name/ Signature of Representative

Name of Company

Contact No.

quotation) (Please submit the photocopies of the above documents upon submission of