



BIDS AND AWARDS COMMITTEE

SUPPLEMENTAL/BID BULLETIN

ADDENDUM NO. 2

SUPPLY AND DELIVERY OF VARIOUS SUPPLIES AND MATERIALS FOR X-RAY INSPECTION PROJECT (XIP)

This Addendum No. 2 dated 19 October 2023 is issued to clarify, modify or amend items in the Bid Documents. This shall form an integral part of the Bid Documents.

ISSUES	CLARIFICATION/AMENDMENTS
<u>Section VII. Technical Specifications</u>	<u>Section VII. Technical Specifications</u>
	Please see attached revised Technical Specifications for Lot 2

Reminders:

- Submission of bids will be on or before 24 October 2023, 10:30 AM.
- Bids must be properly sealed and signed.
- Late submission will not be accepted.

For guidance and information of all concerned.


JONATHAN T. SORIANO
Vice-Chairperson, BOC-BAC



Section VII. Technical Specifications

STATEMENT OF COMPLIANCE TO TECHNICAL SPECIFICATIONS

A. INSTRUCTION:

The bidder must state in the last column opposite each parameter and required specifications either "Comply" or "Not Comply". All pages shall be properly signed. Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause above goods manufactured by us.

LOT NO. 2	SUPPLY AND DELIVERY OF VARIOUS MATERIALS FOR X-RAY INSPECTION PROJECT (XIP)	
APPROVED BUDGET FOR THE CONTRACT	Php12,797,800.00	
AGENCY'S SPECIFICATIONS		STATEMENT OF COMPLIANCE
HP CF410A (Black)		
HP CF411A (Cyan)		
HP CF412A (Yellow)		
HP CF413A (Magenta)		
HP GT52 Ink Cartridges (Black)		
HP GT52 Ink Cartridges (Cyan)		
HP GT52 Ink Cartridges (Yellow)		
HP GT52 Ink Cartridges (Magenta)		
Brother TN-2480 Toner		
Brother DR-2455 Drum Kit for Printer		
Epson T103 Ink (Black)		
Epson T103 Ink (Cyan)		
Epson T103 Ink (Yellow)		
Epson T103 Ink (Magenta)		
Printer		



➤ **6 units (Printer)**

- **Printer Type:** Print, Scan, Copy, Fax with ADF

A. Printing

- **Print Method:** On-demand inkjet (Piezoelectric) or equivalent
- **Nozzle Configuration:** 180 x 1 nozzle Black, 59 x 1 nozzle per color (Cyan, Magenta, Yellow)
- **Maximum Resolution:** 5760 x 1440 dpi
- **Printer Language:** ESC / P-R, ESC/P Raster
- **Automatic 2-sided printing:** No
- **Print Speed**
 - Photo Default - 10 x 15 cm / 4 x 6": Approx. 69 sec per photo (Border) / 90 sec per photo (Borderless)
 - Draft, A4 (Black / Color): Up to 33 ppm/15 ppm
 - ISO 24734, A4 Simplex (Black / Color): Up to 10 ipm / 5.0 ipm
 - First Page Out Time from Ready Mode (Black / Color): Approx. 10 sec / 16 sec

B. Copying

- **Maximum Copies from Standalone:** 99 copies
- **Reduction / Enlargement:** 25 - 400%
- **Maximum Copy Resolution:** 600 x 600 dpi
- **Maximum Copy Size:** Legal

C. Scanning

- **Scanner Type:** Flatbed colour image scanner
- **Sensor Type:** CIS
- **Optical Resolution:** 1200 x 2400 dpi
- **Maximum Scan Area:** 216 x 297 mm
- **Scanner Bit Depth**
 - Colour- 48-bit input, 24-bit output
 - Grayscale- 16-bit input, 8-bit output
 - Black & White- 16-bit input, 1-bit output
- **Scan Speed (Flatbed / ADF (Simplex))**
 - 200dpi, Black: 12 sec / Up to 4.5 ipm
 - 200dpi, Color: 29 sec / Up to 4.5 ipm



D. Fax Function

- **Type of Fax:** Walk-up Black-and-white and Color Fax Capability
- **Receive Memory / Page Memory:** 1.1MB, Page memory up to 100 pages
- **Error Correction Mode:** ITU-T T.30
- **FAX Speed (Data Transfer Rate):** Up to 33.6 kbps, Approx. 3 sec/page
- **FAX Resolution:** Up to 200 x 200 dpi
- **Transmission Paper Size (Flatbed):** Letter, A4
- **Transmission Paper Size (ADF):** A4, Letter, 8.5 x 13", Legal, Oficio 9, Mexico-Oficio, Indian-Legal
- **Receiving Paper Size:** A4, Letter, Legal
- **Speed Dial / Group Dial:** Up to 100 numbers, 99 groups
- **Fax Features:** PC Fax (Transmission / Receive), Automatic Redial, Address book, Broadcast Fax (Mono Only), Transmit Reservation, Polling Reception.

E. ADF

- **Support Paper Thickness:** 64 - 95 g/m²
- **Paper Capacity:** 30 pages (A4), 10 pages (Legal)

F. Paper Handling

- **Number of Paper Trays:** 1 (Front 1, Rear 1)
- **Standard Paper Input Capacity:**
 - Up to 100 sheets of plain paper (80 g/m²)
 - Up to 20 sheets of Premium Glossy Photo Paper
- **Output Capacity:**
 - Up to 30 sheets of plain Paper (80 g/m²)
 - Up to 20 sheets Premium Glossy Photo Paper
- **Maximum Paper Size:** 215.9 x 1200 mm
- **Paper Size:** Legal (8.5 x 14"), Indian-Legal (215 x 345 mm), 8.5 x 13", Letter, A4, 16K (195 x 270 mm), B5, A5, B6, A6, Hagaki (100 x 148 mm), 5 x 7", 5 x 8", 4 x 6", Envelopes: #10, DL, C6.
- **Print Margin:** 0mm top, left, right, bottom via custom setting in printer driver.

G. Interface

- **USB:** USB 2.0
- **Network:** Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct
- **Network Protocol:** TCP/IPv4, TCP/IPv6



<ul style="list-style-type: none"> • Network Management Protocols: SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SLP, WSD, LLTD <p>H. Control Panel</p> <ul style="list-style-type: none"> • LCD Screen: 1.44" Color LCD <p>I. Printer Software</p> <ul style="list-style-type: none"> • Software Support: Software Apps and Drivers • Operating System Compatibility: Windows XP / Vista / 7 / 8 / 8.1 / 10 Windows Server 2003 / 2008 / 2012 / 2016 / 2019 Mac OS X 10.6.8 or later <p>J. Electrical Specifications</p> <ul style="list-style-type: none"> • Rate Voltage: AC 220-240V • Rated Frequency: 50-60Hz • Operating: 12 W • Sleep: 0.7 W • Power Off: 0.2 W • Standby: 4.5 W <p>K. Consumables</p> <ul style="list-style-type: none"> • Black Ink Bottle: Page Yield: 4,500 Pages or full tank capacity • Cyan Ink Bottle: Page Yield: 7,500 Pages (Composite Yield) or full tank capacity • Magenta Ink Bottle: Page Yield: 7,500 Pages (Composite Yield) or full tank capacity • Yellow Ink Bottle: Page Yield: 7,500 Pages (Composite Yield) or full tank capacity <p>L. Warranty</p> <ul style="list-style-type: none"> • Warranty: 2 years on parts and labor 	
<p>➤ 6 units (Printer)</p> <ul style="list-style-type: none"> • Printer Type: Print, Scan, Copy, Fax with ADF <p>A. Printing</p> <ul style="list-style-type: none"> • Print Method: On-demand inkjet or equivalent • Maximum Resolution: 1200 x 1200 dpi 	



- **Duplex printing:** Manual
- **Print Speed (black):** Up to 22ppm
(color): Up to 16ppm
(black, ISO): Up to 11ppm
(color, ISO): Up to 5ppm
- **Maximum print area:** 216 x 355mm
- **Print Language:** PCL 3 GUI

B. Copying

- **Maximum Copies from Standalone:** 99 copies
- **Reduction / Enlargement:** fit to page
- **Maximum Copy Resolution:** 600 x 600 dpi
- **Maximum Copy Size:** Legal

C. Scanning

- **Scanner Type:** Flatbed colour image scanner
- **Sensor Type:** CIS
- **Optical Resolution:** 1200 x 1200 dpi
- **Scanner Bit Depth:** 24bit
- **Scan Speed (Flatbed / ADF (Simplex))**
 - 200dpi, Black: Up to 5 ppm
 - 200dpi, Color: Up to 5 ppm

D. Fax Function

- **Type of Fax:** Walk-up Black-and-white and Color Fax Capability
- **Fax Features:** Color Fax – Auto Reduction, Auto Redial, Speed Dial, Group Speed Dial, Junk Barrier, Forwarding (black only), Scan and Fax, PC Fax Send and Fax to PC
- **Fax Resolution (Black):** Up to 300 x 300 dpi
- **Fax transmission speed:** 4 sec per page

E. ADF

- **Paper Capacity:** Up to 35 sheets

F. Paper Handling

- **Number of Paper Trays:** 1 (Front 1, Rear 1)
- **Input Capacity:** Up to 100 sheets
- **Output Capacity:** Up to 30 sheets

G. Interface



BUREAU OF CUSTOMS

MAKABAGONG ADUANA, MATATAG NA EKONOMIYA



PROFESSIONALISM

INTEGRITY

ACCOUNTABILITY

- **USB:** USB 2.0, Bluetooth
- **Network:** Wifi

H. Electrical Specifications

- **Rate Voltage:** AC 100-240V
- **Rated Frequency:** 50-60Hz
- **Operating:** 3.82 W
- **Sleep:** 0.7 W
- **Power Off:** 0.11 W

I. Consumables

- **Black Ink Bottle:** Page Yield: 5,500 Pages or full tank capacity
- **Cyan Ink Bottle:** Page Yield: 7,000 Pages (Composite Yield) or full tank capacity
- **Magenta Ink Bottle:** Page Yield: 7,000 Pages (Composite Yield) or full tank capacity
- **Yellow Ink Bottle:** Page Yield: 7,000 Pages (Composite Yield) or full tank capacity

I hereby commit to comply and deliver the above requirements.

Name of Company (in print)

Signature of Company Authorized Representative

Name & Designation (in print)

Date

A Modernized and Credible Customs Administration That is Among the World's Best

South Harbor, Gate 3, Port Area, Manila 1099

8527-4537, 8527-1935 | www.customs.gov.ph | boc.cares@customs.gov.ph