

A modernized and credible customs administration that upholds good governance and is among the world's best

NOTICE OF AWARD

MIGUEL LORENZO IBASCO MEGAY CONSTRUCTION INC. 1616 KM-38, Pulong Buhangin, Sta. Maria, Bulacan

Dear Mr. Ibasco:

We are pleased to inform you that the contract for the project "Repair and Renovation of OCOM Electrical Room including Roofing Works" as per Bureau of Customs - Bids and Awards Committee Resolution No. 2024-91, is hereby awarded to your company in the amount of Nine Hundred Eighty-Nine Thousand Four Hundred Nineteen Pesos and 76/100 (PHP989,419.76).

In this regard, you are hereby required to sign the Purchase Order within five (5) calendar days upon receipt of this Notice.

Very truly yours,

ATTY. ERWIN T. MENDOZA

Chairperson, Bids and Awards Committee O

Received by: MIGUEL LORENZO IBASCO

Date: <u>January</u> 06. 2025

Bureau of Customs

Agency

P.O. No.: Date ;

2024-11-0173

Date : 29-Nov-2024 Mode of Procurement: Small Value Procurement

Gentlemen:

Supplier:

T.I.N. :

600-975-662-000

Please furnish this Office the following articles subject to the terms and conditions contained herein:

Place of Delivery: Date of Delivery:

MEGAY CONSTRUCTION INCORPORATED

Delivery Term: Payment Term:

45 calendar days

ate of Deliver	Unit	Description	Quantity	Unit Cost	Amount
	LOT	Repair and Renovation of OCOM Electrical Room including Roofing Works A. GENERAL CONDITIONS	1	men (1885-reda) (1	989,419.76
		Complete all works for the project "Repair and Renovation of OCOM Electrical Room including Roofing Works" including supply of all materials, equipment, and systems, as well as the performance of all necessary labor and processes, in accordance with the plans, specifications, the Bidding Documents, the Terms			
		of References and other related contract documents.		and the same of	1.4 Local Branch
		The contractor is not limited to the scope of works listed. He should verify all plans and actual conditions for the necessity of work. If the actual situation calls for demolition, removal, and relocation he shall include such and all concomitant works to finish as part of the scope of work.	100 M pl _00 0	Fig. 80 y 100 Miles	on the state of th
		Any discrepancies found between the drawings and specifications and the site conditions or any errors or omissions in the drawings or specifications should be clarified with General Services Division (GSD) Architect /Engineer.			A COMPANY OF THE STREET
		Should the contractor fail to verify or clarify discrepancies, errors, conflicts, or omissions in the drawings and specifications, it shall be deemed that the contractor has included in the preparation of his bid the necessary works, materials, or items needed to satisfy the general scope of works.	* h 5 n		Common log names
		B. SCOPE a. Preparation of logistics of contractor's equipment; b. Setting up of temporary facilities within the site; c. Setting up of necessary water and power lines required for the Project;	n	Marine I	When a state of the state of th
		 d. Setting up of Temporary Fence Enclosure; e. Installation of Project Details Tarpaulin Signage (30x20") with Frame located at the Front of the Project Site Location; and f. Inventory of items to turn-over. 2. Site Works a. Site demolition and dismantling; and 		1-17 - ·	
,		 b. Hauling of debris. 3. Structural Works a. Supply, fabrication and installation of roof beam as indicated in the plans and Bill of Quantities (BOQ); b. Supply, fabrication, and installation of Steel Trusses; and 		100	
		 c. Supply, fabrication, and installation of Roof. 4. Masonry Works a. Supply and laying of 4" Non-Bearing Concrete Hollow Block (CHB) including plastering; 	1 10 10 10 10 10 10 10 10 10 10 10 10 10		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		Concrete pouring of stairs including concrete topping as indicated in the plan; and	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	The sales than	
		c. Restoration of demolished/dismantled concrete plant boxes, sidewalk, and road for the installation of Downspout PVC pipe.	1 2	Facility of the Control	
		 5. Carpentry Works a. Supply and installation of ceiling board with complete standard metal furring support on all ceilings as indicated in the plans and BOQ; and b. Supply and Installation of ceiling eaves ventilation grilles with metal mesh; 			
		 6. Doors and Windows a. Supply and installation of all doors with corresponding door jambs as indicated in the plans and BOQ; 7. Electrical Works a. Dismantling of existing lighting fixture, wiring devices, 		MAD	he was x
		roughing-ins/raceways, and accessories; b. Supply and installation of complete electrical system as indicated in the plans; page 1 of 8		107 119	MANUEL OF O
	nt in Words				

Conforme:

Signature over Printed Name of Supplier

Very truly yours,

Date

ALOBS No.: 02-01101101-2024-12-3173

ATTY ERWINT. MENDOZA Chairperson, Bids and Awards Committee

Amount:

989, 419-76

Funds Available:

nema DIVINA A. PANDO Chief, Accounting Division

Bureau of Customs

Agency

P.O. No.:

2024-11-0173

Date Mode of Procurement:

29-Nov-2024 Small Value Procurement

T.I.N. : Gentlemen:

Sunnlier:

600-975-662-000

Please furnish this Office the following articles subject to the terms and conditions contained herein:

Place of Delivery:

MEGAY CONSTRUCTION INCORPORATED

45 calendar days

ock No.	Unit	Description	Payment Term: Quantity	Unit Cost	Amount
		Repair and Renovation of OCOM Electrical Room including	The second secon		
		Roofing Works	Y	Brok 1229 V 1960	- Vesile e e
		c. Supply and installation all lighting fixtures as shown on the			
		Reflected Ceiling Plan (RCP) or as specified by the architect			
		and/or End-user's representative;			
		d. Supply and installation of wiring devices, switches, outlets,	A 17 July 1997	Co. In the Land	United to the second
		and accessories as indicated in the plans and BOQ;			
- 1		e. Supply and installation of wiring cables and roughing-ins as			
		per plans and BOQ;			
		f. All exposed existing electrical wirings, data cable and	1 P. L. W.	S QUELLES YES	North Party L
0		telephone line inside the building shall be covered using uPVC	1 2 1 1 2 2 2	the state of the same	
-		moldings, use appropriate size to accommodate the wires and	G	CONTRACTOR OF THE	PORTER THE STREET
		cables with proper insulation, do not combine the electrical wire,	- Table 19	The second second	4 - 4
one		data cable and telephone line on the same raceways;	to the second	Controverse R	the total s
		g. Supply and installation of Cable Trunking with cover, Distribution Board Dead Front and Door as per existing Panel	1 10 50	Frank of America	Marie Committee of the
		board.			
		h. Complete testing and commissioning of all electrical lighting,			
		power and auxiliary systems using valid calibrated test			
		equipment's with GSD representative;			
		i. Submission of all test reports;	367 635 <u>£</u> 11	AND THE RESERVE	court not solbe
		j. All Wiring Devices (Convenience Outlet, Lights, Switches, and	1.00	100000000000000000000000000000000000000	and the second
		Data/Tel) and Distribution Boards/Sub-Main Distribution Board	e es estaventia	The earth States	Not conflic
		Shall be labelled using labelling machine as per Electrical Design	5 330 1 239	100 MG 1 (20)	W. URSTALLING
		Plan; and			
		k. Securing of electrical wiring permit and certificate of electrical			
		inspection.			
		8. Plumbing Works	1 1 2 19110	and with the	to the contract of
		Installation of new downspout;			"S of Northead
		b. Tapping of new downspout to the nearest drainage line; and			
		c. Any necessary fittings and accessories not indicated in the			
- 1		plans shall be provided to complete the installation.	o sour Halley	and Reflection of Africa.	AL SOURCE SIGN
		9. Painting Works	S 7705	100 miles 77" x	ALCOHOL: N
		All surface defects shall be repaired, and all surfaces shall be	A part of a more	and the first of the second	at morning the ide
		scraped to remove deteriorated coatings and other deleterious			
		materials. Surfaces shall then be cleaned with steam or with a			
		commercial cleaner to remove all grease, oil, and chemical			
		residues:		de Brada Pourt et	 Test and Try St
		b. Prior to painting works, surfaces on masonry, wood, and			
		metal must be free from any dirt, grease, old paint, and rust,			
- 1		eliminate loose or peeling paint, and get rid of rust deposits		transfer and the second	V 10 10 2 1 1
		before applying primer/putty and paint finish:			The second second second
		c. Painting of floor, walls, and ceiling as indicated in the plans			- 115
		and BOO; and	7 10 7 10 10 10 10	The same of the same	I I THE R SHARKS
		d. Contractor shall ensure that all delivered painting materials to			
		the work site shall be in original containers with seals and labels			
		intact. Containers shall not be opened until after they have been	e san har near	Land St. Landson	- 200 miles
		inspected by the End-user or its duly authorized representative.		11 11 11 11 11 11 11	WILLIAM TO THE
		10. Airconditioning Works			
- 1		a. Relocation of Existing Air-Cooled Condensing Unit (ACCU)			
		including installation of New Copper Tubing with insulation,	and the second		
		wiring, Fan Coil Unit (FCU) Drain including tapping.	The second second		
		11. Demobilization			
		a. Turn-over of items covered by inventory submitted during		Annual Control of the	All the second s
		mobilization;		The same of the sa	Control of the second
		b. General Site Cleaning;			
		c. Submit working drawings (as-built plan) of the following:			
		 Architectural – signed and sealed by Registered and 			
		Licensed Architect only.			
		ii. Structural – signed and sealed by Registered Civil			
		Engineer only. iii. Electrical – signed and sealed by Professional Electrical			
		Engineer only.			
		iv. Electronics – signed and sealed by Professional			2-1- 10 1-
		Electronics and Communication Engineer only.			ania stol All
		v. Plumbing – signed and sealed by Registered Sanitary		1	The Paris and
		Engineer or Registered Master Plumber only.			
		d. Hauling of debris and materials from the project site to the	1.	10.00	28 - M.
- 1		appropriate disposal area; and	5 7 1-1	etic pre a radice	11 % 745
		e. Removal and hauling of tools and equipment from the project			market at 15
		site.			
		page 2 of 8			
-			. Y.,		

Conforme:

Signature over Printed Name of Supplier

Date

Very truly yours,

ATTY. PRWIN T. MENDOZA Chairperson, Bids and Awards Common

Funds Available:

DIVINA A. PANDO Chief, Accounting Division ALOBS No.: 02-0401101-2024-12-3173

Amount: 989, 419.76

Bureau of Customs

Agency

2024-11-0173

P.O. No.: Date :

29-Nov-2024

T.I.N. : 600-975-662-000

Mode of Procurement: Small Value Procurement

Gentlemen:

Supplier:

MEGAY CONSTRUCTION INCORPORATED

Please furnish this Office the following articles subject to the terms and conditions contained herein:

Place of Delivery: Date of Delivery:

Delivery Term: Payment Term: 45 calendar days

Stock No.	Unit		Description	Payment Term: Quantity	Unit Cost	Amount
COCK IVO.	Oille		The state of the s			
		Roofing Works 12. Permits, Lic	enses, and Taxes		1.2 = = > (1)	1 5 0
		taxes, etc. necessa works for the proie		1 % , 111 1		
		consisting of detaile (architectural, elect	shall prepare the complete Contract Documents ed designs and construction drawings trical, structural, mechanical, plumbing/sanitary,			
		Municipal Engineer	munication layout) in accordance needed by the ing Office for the building permit purposes; and			
		shall include an over accomplishment of	shall prepare a weekly progress report which erall progress chart based on actual physical construction work and a progress chart based accomplished construction work, among others.			100
		a. The contractor Category C&D, Siz	must possess at least a PCAB License		W 1 1	-1
		Performance issued with previous/ongo	shall submit a Certificate of Satisfactory d by the Bureau of Customs (BOC) (for entities bing contract/s with the Bureau); in the absence BOC, from any other office/agency; and			
		Standardization (IS contracting issued	shall submit an International Organization for 50 9001:2015) Certificate in construction and by an ISO certifying body.		- 30 1 5	
		followed by the co	illing specified in the table below shall be ntractor:			
		Order of Billing	Project Accomplishment Percentage			
		1st Billing	At least 50% of the work has been accomplished		lin i i i	
		2nd Billing	At least 80% of the work has been accomplished			
		The state of the s	100% accomplished	VI U-		
		intended to work in thereof, when figu	her small scale or detailed drawings, are nunison with the specifications and to form part res are given, they are to be followed in surement by scale. Anything shown in the	11,4 (1)	110	
		drawings but not r anything not expre reasonably implied	mentioned in the specifications (or vice-versa) or essively set forth in either (but which is I) shall be furnished and installed as thought	1 2 5	Non- N	
		1. Pre-Construc	in mentioned both. ction Phase Guidelines entory must be conducted and signed by the nd end-user;	E' 1 ' F' 1		- 1 9
		Review Technique in Gantt Chart For	must submit to GSD his Program Evaluation (PERT) Chart/Critical Path Method (CPM) chart m, Manpower Schedule and Equipment/tools e before the start of the project;			
		shall be utilized for designations/roles notable figure for	must submit to GSD the list of manpower that r the project along with their respective and corresponding qualifications. The most the project must be the project manager, itect or engineer: and			
		d. The minimum vare the following:	work experience requirements for key personnel		WAS	A MANA BULA
			mnes 2 es 57	1		

(Terms and Conditions stated at the back page of this P.O.)

Conforme:

Very truly yours,

Signature over Printed Name of Supplier

ATTY STRUCTANOT, AGDISTON

ATTY. ERWIN T. MENDOZA Chairperson, Bids and Awards Comp

Funds Available:

mma DIVINA A. PANDO Chief, Accounting Division

ALOBS No .: 12- MINTOI - 2624 - 12-373

PURCHASE ORDER Bureau of Customs

Agency

MEGAY CONSTRUCTION INCORPORATED Supplier:

600-975-662-000

P.O. No.: Date

2024-11-0173 29-Nov-2024

Mode of Procurement:

Small Value Procurement

Gentlemen:

T.I.N. :

Please furnish this Office the following articles subject to the terms and conditions contained herein:

Stock No.	Unit		Description		Payment Term: Quantity	Unit Cost	Amount
COCK NO.	Onic			944-90-000 (Qualitity	One cose	Amount
		Repair and Renova Roofing Works	tion of OCOM Electrical	Room including	e Tedle anno		
		Key Personnel	Requirement	Relevant Experience			
		Project-In-Charge	Bachelor of Science in	Five (5) years	a continue		n yn 20 a-c
		Project-In-Charge	Architecture/Bachelor of Science in Civil	rive (5) years			
		Tacher rese	Engineer (Licensed Civil Engineer/ Licensed Architect)		0 (mail to 1)		er er og a er er
		to a fine in the	and Building Construction Experience	E I	7 514		
		Safety Officer	Experience Building Construction Experience, National Certification Level II and Construction Occupational Safety and Health (COSH)	Three (3) years	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	rian recigire	
			Certificate		i vi illi		E STROL IN DIR S
		Foreman	Building Construction Experience	Five (5) years	1000		
		Carpenter	Building Construction Experience	Five (5) years			
		Welder	Building Construction Experience and National Certification	Five (5) years	- 1 1 = 1 - 1 - 1		300
		Plumber	Level II Building Construction Experience and	Five (5) years	n a second		
		Electrician	National Certification Level II Building Wiring Installation Experience	Five (5) years			98
		Electrician	and National Certification Level II Building Construction		1, 41.9		-
		Painter	Experience	Five (5) years			
		Mason	Building Construction Experience Building Construction	Five (5) years			E CE
-		Laborer	Experience Building Construction	Three (3) years			
		Warehouseman	Experience	Three (3) years			
			jor equipment requiremen ment/Tools	ts are the following: Number of Unit/s			
		4x2 Mini Dump Truck	(4 cubic meter Capacity)	1 lot/ as necessary			
1		6-wheeler Elf Truck (18ft length)	1 lot/ as necessary	F 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
		Chipping Gun Rotary Hammer Drill		1 unit 2 units			
		Electric Drill		2 units			pa .
		Cut Off Machine		1 unit			
		Angle Grinder		2 units			
		300A Welding Machin		2 units			
		Multi-Tester Equipme	ent	1 unit			
		Self-Levelling Laser		2 units			
		Paint Sprayer		2 units			
		Air Compressor	Machino	2 units			
		Pipe Fusion Welding Vacuum Cleaner	machine	1 unit			
		Electric Sander		2 units			Alus a - Ab
		Pressure Washer		1 unit			
		Construction Ladder	A A MAI	1 lot			
		Scaffolding and acces		1 lot			
		Personal Protective E		1 lot			

(Terms and Conditions stated at the back page of this P.O.)

Conforme:

Signature over Printed Name of Supplier

Funds Available:

DIVINA A. PANDO Chief, Accounting Division Very truly yours,

Chairperson, Bids and Awards Comp

ALOBS No .: 02-01101101- 2024-12-3173

Amount:

Bureau of Customs

Agency

P.O. No.:

2024-11-0173 29-Nov-2024

Date Mode of Procurement:

Small Value Procurement

T.I.N. : Gentlemen:

Sunnlier

600-975-662-000

MEGAY CONSTRUCTION INCORPORATED

Place of Delivery:

Please furnish this Office the following articles subject to the terms and conditions contained herein:

Delivery Term:

45 calendar days

te of Delive	Unit	Description	Payment Term: Quantity	Unit Cost	Amount
OCK NO.	Onic	Description	Quantity	One cose	Amount
		Repair and Renovation of OCOM Electrical Room including Roofing Works 2. Implementation Phase Guidelines a. The contractor must submit Weekly Progress Reports as	A.C	all'1 0 -	e e
		mentioned in Item B.12.c of this document including photo documentations and weather update to GSD; b. The contractor must submit weekly their daily list of	- 1	9 -12-	rg= ;= or
		manpower; c. The project manager, who must be a technical professional, must be present at the project site at all times to properly monitor/oversee the project as technical representative of the	man dia	A 1 10	
		contractor's side;	100		1 100 7
		d. BOC, thru its Technical Inspection and Acceptance Committee (TIAC) for Civil Works, reserves its right to conduct monitoring inspection, aside from the inspections for billing purposes. The project manager must always be present, especially during inspections for billing purposes, to ensure proper communication instead of relying on the foreman or laborers only;	The state of the s		3 11 5
		e. The approved floor plan and perspective drawings must be posted on a wall or board so that they are readily available and	The state of the s	a pr	
		visible whenever necessary; f. Materials to be used in the construction/renovation must follow those specified in this document (Scope of Works), the			
		drawings, and/or the BOQ. The Contractor must first secure proper approval of materials to be installed via a written document duly approved by both the end-user and GSD. Any	1.0 6.00		
		change in materials must also have proper indorsement thereafter. g. All testings/activities (e.g., waterproofing test, leak test,		F V	
		slump test, continuity test, insulation resistance test, earthing test, pest control chemical certificate, etc.) conducted by the contractor must be done with the presence of a GSD	100 100 100	the state of	
		Engineer/Architect. Corresponding reports must be submitted to GSD for documentation and validation within three (3) calendar days upon completion of the said testing/activity; and h. Punchlisting shall be conducted upon 95.00% completion as		(a) - 1	
		ascertained by the TIAC. 3. Structural Steel a. All structural steel and miscellaneous metals shall conform to			1111
-		American Society for Testing and Materials (ASTM) specification designation for carbon steel with a yield strength of 36,000	2 ml 16 mg		A1 85
		pounds per square inch (PSI) (A36) unless otherwise noted and shall be fabricated and erected in accordance with the American Institute of Steel Construction (AISC) specification for the design, fabrication and erection of structural steel;	P 1 100		
		 All welding works shall comply with American Welding Society (AWS) specifications standard and performed by certified welders. All welding shall be performed by electric arc process and shall be done using approved electrodes as required by the building code. Welds are designed for full stress; 	en ning plan	and the second	
		c. Apply two coats of epoxy primer for all structural shapes prior to erection, repaint areas affected by welding works; and			
		 d. All bolts, screw or reinforced bar that will be drilled on concrete slab, column, wall, and beams shall be coated in Structural Epoxy before installation. Roof Beam Use 2x4"x2.0mm Tubular Steel Roof Framing 		W. 201 M. 27	
		Use 2"x6.0mm(Top and Bottom) and 1.5"x6.0mm (Web Members) Angle Bar Steel for Truss with 2x3"x2.0mm Tubular Steel spaced at 400mm from bottom up to apex of the roof connected by 1.5"x6.0mm Angle bar as a c-purlins connector, 10mm Ø Round bar for Sagrod in between C-purlins spaced at 1.2m on center and fascia board with angle bar frame.			ANDAGUS ZI
		iii. Roof Use gauge #24 Longspan Prepainted Corrugated type for roof, Gauge#24 prepainted for gutter and flashing and 10mm Double foil for insulation. page 5 of 8	2 2 2 2	7	

(Terms and Conditions stated at the back page of this P.O.)

Conforme:

Very truly yours,

Date

Signature over Printed Name of Supplier

ATTY. ERWIN T. MENDOZA

Chairperson, Bids and Awards Com

meman DIVINA A. PANDO Chief, Accounting Division

Funds Available:

Amount:

ALOBS No .: 02-570701- 2024-12-3173

Bureau of Customs

Agency

P.O. No.:

2024-11-0173

Mode of Procurement:

Sunnlier: T.I.N. : MEGAY CONSTRUCTION INCORPORATED

Date

29-Nov-2024 Small Value Procurement

Gentlemen:

600-975-662-000

Please furnish this Office the following articles subject to the terms and conditions contained herein:

note No	y:	Description	Payment Term: Quantity	Unit Cost	Amount
ock No.	Unit	Description	Quantity	OIIIL COSE	Amount
		Repair and Renovation of OCOM Electrical Room including Roofing Works	The state of the s	MITTER THE	
		 4. Masonry a. 4" CHB shall have a minimum plaster thickness of ½" on both side; 	7447 90 90		
		b. Wall reinforcement shall be 10mm diameter deformed bar spaced at every two layers of CHB horizontally and 600mm			
		vertically; c. Cement shall be standard Portland cement, ASTM C, 150 – 68 TYPES 1;	e septiment de pr	pathy and 4 of a	
		d. Mixture of mortar shall be Class C: one (1) part Portland cement and four (4) parts sand volume; and	A THE PROPERTY	a man at a man	
		e. Mixture of concrete topping shall be one (1) part Portland cement and two (2) parts sand volume. 5. Carpentry Works a. Ceiling	A THE THIRD SECTION	acceptance	
		Use 12mm MR Gypsum board for all Toilet, 6mm Fiber Cement board for the outside eaves , 19x50x0.5mm Double Furring spaced			
		@ 400mm on center, 12x38x0.8mm Carrying Channel spaced @ 1.2m on center, 25x25x0.5mm Wall angle along perimeter of the area as shown/indicated in the plans and BOQ.			
		6. Door a. Door i. Use 1000x2100 - 40mm Thk Fire Rated Single Swing Steel	a the own	difference of Table 19 100	
		Door on 2x5" Steel Door Jamb ii. Unless otherwise specified and approved, brass, chromed plated loose pin hinges, finely finished.	or an Unitersity	er self er fine er	179.97
		iii. At least four (4) pieces of hinges per leaf of doors for 2.10 meters height. Use heavy duty ball bearing hinges or approved equal.	or any costs many	and the state of	Bridge D
		iv. All doors shall be equipped with high grade, heavy duty or standard cylindrical locksets, door closer and stopper. (Submit material and accessories for approval). 7. Painting		rank a su an	2 10 2 4 6
		Application of Plastered Paint Finish on all interior and exterior walls/partitions, celling, and concrete surfaces within the scope of the interior and exterior renovation works unless otherwise indicated in the plans and specifications.	N. fax-sol	STR A STREET	y district the second
		 All paint and accessories, materials incorporated in or forming a part thereof shall be subject to the approval and selection of color, tint, finish, or shade by the Architect; 	The second state of	And the state of t	TE CHILDREN BACK
		 b. Painting of all surfaces, except otherwise specified shall be (3) coats work, one primer and two finish coats; c. All paint materials shall meet the requirements of paint materials under class A; 	s commission		
		 d. All surfaces to be painted shall be examined carefully before beginning any painting work, and other trade works installed in workmanship condition to receive paint or ant particular finish; 	as the focus of		
		e. All paint materials shall meet the requirements of the specifications set by GSD and shall be delivered on the job in the original container, with labels intact and seal unbroken;	r yet haden		
		f. Wall Elastomeric paint shall be used, and preparation and application must be according to the manufacturer's instructions;	- Synthop ext	N 15 . I.	
		 q. Ceiling Flat latex paint shall be used, and preparation and application must be according to the manufacturer's instructions; h. Floor 			
		Rubber Solvent-based coating paint shall be used, and preparation and application must be according to the manufacturer's instructions;			THE NEXT
		 Metal surfaces; Automotive Lacquer paint shall be used, and preparation and application must be according to the manufacturer's instructions. 	10.000 100	on the city of the same	Dente Permit
		Juse spray paint; and j. Color pigments shall be used to produce the exact shades of paint, which shall conform to the approved color scheme. page 6 of 8		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	28 - 35 - VI-29
ntal Amazon	t in Words)	1		•	

Conforme:

Signature over Printed Name of Supplier

Very truly yours,

ATTY. ERWIN T. MENDOZA Chairperson, Bids and Awards Commi

Funds Available:

DIVINA A. PANDO Chief, Accounting Division

ALOBS No.: 02-0707107- 2024- H- 3133

Amount:

Bureau of Customs

Agency

P.O. No.:

2024-11-0173

Date Mode of Procurement:

29-Nov-2024 Small Value Procurement

Gentlemen:

Supplier:

T.I.N. :

600-975-662-000

MEGAY CONSTRUCTION INCORPORATED

Please furnish this Office the following articles subject to the terms and conditions contained herein:

45 calendar days

tock No.	Unit	Description	Quantity	Unit Cost	Amount
					Allioune
		Repair and Renovation of OCOM Electrical Room including Roofing Works 8. Plumbing Works	5 - 1 + 13	a progen	
		a. The work covered by this section consists of furnishing all materials, labor, tools, and equipment in performing all necessary operations for the installation of the complete plumbing system of applicable drawings. All plumbing works shall conform to the National Plumbing Code of the Philippines;		n dija ga da e	
		 b. Drainage pipe shall be PVC series 1000; and c. Use 4" PVC pipe for downspout. 9. Electrical Works 		A HI SAN	
		 a. Quality Assurance - All materials to be used shall be new and shall conform with the reference codes and standards. Use of materials shall be further be governed by other requirements, impose on other sections of these specifications. Materials shall be subject to test necessary their fitness if so requires; 		11	
		 Alternate Materials - use of any material, not specified in these specifications may be allowed provided such alternate has been approved by the agency in accordance with generally 	(garra) 4		
		accepted standards; c. Identification of Materials - Each length of pipe, fitting, box, fixture, and device used in the electrical system shall have cast, stamped or indelibly marked on it the manufacturer's trademark or name, the weight, type and classes or product when so	940 8- 17	el e	
		required by the standards mentioned above; d. Wires and Cables i. All wires shall be copper, soft-drawn and annealed, shall be of 99% conductivity, shall be smooth and true and of the cylindrical form and shall be within +/-1% variation of the actual size called for.	20 1 00 20 1 00	Taran Para Para Para Para Para Para Para	
		 ii. Wires and cables shall be plastic insulated for 600 volts working pressure, type Thermoplastic High Heat-resistant Nylon-Coated (THHN) unless otherwise noted. iii. All wires and cables shall be color coded, color-coding of wires are as follows: 			w 144
		 (a) Line 1 – red (b) Line 2 – yellow (c) Line 3 – blue (d) Ground - Green iv. Minimum size of branch circuit wire shall be 3.5 mm2 	21 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		
		THHN for power and lighting system with 3.5mm2 THHN minimum ground wire. v. Wires 3.5 mm2 and bigger shall be stranded. e. Switches	Let	- By , - y	× .11
		 i. Switches shall be flush mounted and rated at 15 Amperes (Amps), 250 volts, one way, three-way as required. ii. Switches shall be quiet type, spring loaded, and the cover plates shall be subject to the approval of GSD Architect and 	F Fife		
		Engineer. f. Receptacles i. Receptacles shall be duplex, flush mounted and rated at 10 Amps., 250 volts, parallel or tandem slots with grounding slots as required, All 110 volts receptacle outlets shall be rated 15 Amps, 120 volts. 220 volts receptacle outlets shall be distinct from the 110 volts receptacle outlets in terms of configurations	- 5 8 2-		
	1	and shall be provided with markings. ii. Cover plates shall be subject to the approval of the Architect and the Engineer. Stainless steel cover plate shall be required on all wet or damped area. iii. All receptacle outlets with Ground-Fault Circuit		LACAN	MANAM AT
		Interrupters (GFCI) shall be rated for 250 volts application with a sensitivity setting of 300 milliamps. page 7 of 8			

(Terms and Conditions stated at the back page of this P.O.)

Conforme:

Signature over Printed Name of Supplier

Very truly yours,

ATTY. ERWIN T. MENDOZA Chairperson, Bids and Awards Commi

Date

Funds Available:

M M M
DIVINA A. PANDO Chief, Accounting Division

ALOBS No .: 62-0110101 - 2024-12-3173

PURCHASE ORDER Bureau of Customs

Agency

Supplier:

T.I.N. :

MEGAY CONSTRUCTION INCORPORATED

P.O. No.: Date :

Mode of Procurement:

2024-11-0173 29-Nov-2024 Small Value Procurement

Gentlemen:

600-975-662-000

Please furnish this Office the following articles subject to the terms and conditions contained herein: Delivery Term: 45 calendar days Place of Delivery:

ate of Delive	Unit	Description	Payment Term: Quantity	Unit Cost	Amount
		Repair and Renovation of OCOM Electrical Room including Roofing Works D. CODES AND STANDARDS The Project shall conform to the requirements for the necessary standards relative to each aspect. The following standards are as follows, but not limited to, viz: i. National Building Code of the Philippines (NBCP) – PD	1 (1 to 1)		
		ii. National Structural Code of the Philippines (NSCP); iii. National Fire Protection Association (NFPA); iv. Philippine Electrical Code (PEC); v. New Electrical Engineering Law – RA 7920; and vi. National Plumbing Code of the Philippines.	min a mag "The Year of "The		
		NOTE: IT SHALL BE THE DUTY AND RESPONSIBILITY OF THE CONTRACTOR TO PROVIDE PRECAUTIONARY MEASURES TO ENSURE SAFETY TO ANY PERSONS OR WORKMEN AND ADJACENT PROPERTIES, STRUCTURES, AND OTHER PEOPLE FOR DAMAGE AND INJURYnothing follows			
			a s reads	- 13	A 1 90 00
				And the first of	
				n per la ci	
		a modulo 2000 o monor o monor			a transfer
		n o . 90		14.1	
				eg.	1 X
				NAO	A PUB A RAM r.
-		JAN 0 7 2025-		of All Street Property	The second secon
1		page 8 of 8		I.	

Very truly yours,

Conforme:

Signature over Printed Name of Supplier

ATTY ERWIN T MENDOZA Chairperson, Bids and Awards Comp

Funds Available:

DIVINA A. PANDO Chief, Accounting Division

ALOBS No.: 02-011/1-2024- 12-3133

Amount:

TERMS AND CONDITIONS (PURCHASE ORDER)

- ALL PRICES QUOTED HEREIN ARE VALID, BINDING AND EFFECTIVE AT LEAST WITHIN THIRTY (30) CALENDAR DAYS FROM DATE OF QUOTATION.
- AWARDEE shall be responsible for the source(s) of his supplies/materials/equipment and shall make deliveries in accordance with schedule, quality and specifications of the award and purchase order (PO). Failure by the AWARDEE to comply with the same shall be ground for cancellation of the award and purchase order issued to the AWARDEE and for re-awarding the item(s) to the Next Lowest Responsive Proposal, as determined by the BOC- Bids and Awards Committee and approved by the Commissioner of Customs.
- The Goods shall only be delivered by the Supplier at the Property Section, General Services Division of the Procuring Entity's Administrative Service located at the Ground Floor, OCOM Bldg, Port Area, Manila not later than 10:00 am up to 3:00 pm on the date of delivery as indicated in PO.

Moreover, the delivery schedule as indicated in the PO may be modified at the option of the Procuring Entity, with prior due notice, written or verbal, to the Supplier.

- Subject to the provisions of the preceding paragraph, where AWARDEE has accepted a purchase order but failed to deliver the required product(s) within the time called for in the same order, he shall be extended a maximum period of fifteen (15) calendar days to make good his delivery. Thereafter if AWARDEE has not completed delivery within the extended period, the subject purchased order shall be cancelled and the award for the undelivered balance withdrawn from that AWARDEE, without prejudice to the imposition of liquidated damages. The BOC shall then purchase the required item(s) from such other source(s) as it may determine with the difference in price to be charged against the DEFAULTING AWARDEE. Refusal by the DEFAULTING AWARDEE to shoulder the price difference shall be ground for his disqualified from future bids of the same or all items, without prejudice to the imposition of other sanctions as prescribe under R.A. 9184 and its IRR.
- The Goods delivered are accepted by the Procuring Entity as to quantity only. However, inspection as to the Goods compliance with the technical specifications, and its order and condition will be done in the presence of the representatives of both Supplier and Procuring Entity within three (3) working days from the date of delivery upon prior due notice, written or verbal, to the authorize representative of the Supplier. The inspection will push through as schedule even in the absence of the Supplier's representative, if the latter was duly notified. In which case, the result of the inspection conducted be the Procuring Entity shall be final and binding upon the Supplier.
- Rejected deliveries shall be construed as non delivery of product(s)/ item(s) so ordered and shall be, if applicable, subject to liquidated damages and to the terms and conditions prescribe under item 4 hereof.
- Supplier shall guarantee the deliveries to be free from defects. Any defective item(s)/ product(s) that may be discovered by the BOC within seven (7) working days after acceptance of the same shall be replaced by the supplier within seven (7) working days or until stocks are available upon receipt of a written notice. Beyond the said time frame, defective units will be picked up by the supplier for assessment. The Goods to be delivered must comply with the minimum quality standards prescribed by existing laws, rules and regulations.
- 8. A penalty of one-tenth of one percent (0.001) of the cost of the unperformed portion for everyday of delay.

The maximum deduction shall be ten percent (10%) of the amount of contract. Once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, the procuring entity shall rescind the contract, without prejudice to other courses of action and remedies open to it. The Procuring Entity may also rescind the contract and impose 10% of the amount of the contract as liquidated damages upon non-performance by the Supplier of any of its obligations under the contract.

The imposition of liquidation damages in all instances shall be automatic, except upon prior request for extension and approval thereof by the Procuring Entity before the schedule delivery date. Any request for extension not acted upon before delivery date shall be considered denied

- 9. All duties, excise and other taxes and revenue charges, if any, shall be for the supplier's account.
- 10.

The technical specifications, bid quotation and other documents required from the AWARDEE shall form part of this Purchase Order. Accepted By: AWARDEE REPUBLIC OF THE PHILIPPINES) 22 sonally appeared be the same person who accepted the foregoing Terms and Conditions of a Purchase Order and who acknowledge and of the entity that he represents. ame is his free and voluntary act and deed Ord-er () pages including this pages and its Annexes, signed by the parties and their This Instrument refers to a consisting of _ materials witnesses. JAN 0 7 2025 WITNESS MY HAND AND SEAL this _ ATTY. SERVILLANO T. AGUSTIN

Doc No Page No_1 Book No Series of 202

NOTARY PUBLIC Until Degemp PTR Np. 1169202-01/07/24-Sta. Maria, Bulacan IBP No. 37/488-12/25/23-Pasig City MCLE Ng. VII-00188362-04/14/2025 Roll No. 40369



A modernized and credible customs administration that upholds good governance and is among the world's best

NOTICE TO PROCEED

MIGUEL LORENZO IBASCO MEGAY CONSTRUCTION INC. 1616 KM-38, Pulong Buhangin, Sta. Maria, Bulacan

Dear Mr. Ibasco:

The attached contract having been approved, notice is hereby given to MEGAY CONSTRUCTION CORPORATION that work may commence on the project "Repair and Renovation of OCOM Electrical Room including Roofing Works" effective upon receipt and acceptance of this Notice.

You are responsible for performing the services in coordination with General Services Division (GSD) under the terms and conditions of the Purchase Order.

Very truly yours,

FRWIN T. MENDOZ

Chairperson, Bids and Awards Committee @

Received by: MIGUEL LORENZO IBASCO

Date: <u>Jun 10. 2025</u>